

Spain Cross Laminated Timber Market Report by Application (Residential, Commercial Space, Educational Institutes, Government/ Public Buildings), Product Type (Custom CLT, Blank CLT), Element Type (Wall Panels, Flooring Panels, Roofing Slabs, and Others), Raw Material Type (Spruce, Pine, Fir, and Others), Bonding Method (Adhesive Bonded, Mechanically Fastened), Panel Layers (3-Ply, 5-Ply, 7-Ply, and Others), Adhesive Type (PUR, PRF, MUF, and Others), Press Type (Hydraulic Press, Vacuum Press, Pneumatic Press, and Others), Storey Class (Low-Rise Buildings (1-4 Storeys), Mid-Rise Buildings (5-10 Storeys), High-Rise Buildings (More than 10 Storeys)), Application Type (Structural Applications, Non-Structural Applications), and 2023-2028

Market Report | 2023-09-04 | 115 pages | IMARC Group

AVAILABLE LICENSES:

- Electronic (PDF) Single User \$2699.00
- Five User Licence \$3699.00
- Enterprisewide License \$4699.00

Report description:

Market Overview:

The Spain cross laminated timber market size reached 54,857 Cubic Meters in 2022. Looking forward, IMARC Group expects the market to reach 148,107 Cubic Meters by 2028, exhibiting a growth rate (CAGR) of 17.80% during 2023-2028. Significant growth

in the construction industry, the implementation of favorable government policies to promote the use of sustainable construction materials, rising inclination toward improved architectural designs and aesthetics, and rapid urbanization represent some of the key factors driving the market.

Cross-laminated timber (CLT) is an engineered wood product manufactured using layers of lumber boards stacked in alternating directions and bonded together with adhesives. It is produced through various processes, such as lumber grading and jointing, selection, planning, adhesive application, and pressing. It is commonly available in large sizes and can be customized to fit specific design requirements. CLT is flexible, lightweight, cost-effective, and eco-friendly and offers fast and easy installation due to pre-cutting and prefabrication. They exhibit exceptional strength, stability, and load-bearing capacity. As a result, CLT is widely used in residential and commercial spaces, educational institutes, government, and public buildings.

Spain Cross Laminated Timber Market Trends:

Significant growth in the construction industry is one of the key factors creating a positive outlook for the market. Cross-laminated timber (CLT) is widely used in residential, commercial, and industrial building construction due to its strength and structural capabilities. In line with this, the widespread product utilization in walls, floors, and roofs, providing a durable, energy-efficient, and sustainable alternative to traditional construction materials, is favoring the market growth. Furthermore, the rising environmental consciousness and growing concerns about climate change are promoting the use of sustainable building materials, such as CLT, that help to reduce greenhouse gas emissions. Apart from this, rapid advancements in manufacturing technologies, such as computer-controlled cutting, help to improve the quality, precision, and efficiency of CLT production, providing an impetus to market growth. Moreover, the increasing demand for cost-effective and durable construction materials is offering lucrative growth opportunities. Additionally, the rising awareness about the benefits of CLT over traditional construction materials owing to its excellent strength-to-weight ratios, high load-bearing capacity, and structural stability are contributing to the market growth. Other factors, including rising expenditure capacities of consumers, the implementation of favorable government policies to promote the use of sustainable construction materials, rising inclination toward improved architectural designs and aesthetics, rapid urbanization, and increasing green building initiatives, are presenting remunerative growth opportunities for the market.

Key Market Segmentation:

IMARC Group provides an analysis of the key trends in each segment of the Spain cross laminated timber market, along with forecasts at the country levels from 2023-2028. Our report has categorized the market based on application, product type, element type, raw material type, bonding method, panel layers, adhesive type, press type, storey class, and application type.

Application Insights:

Residential Commercial Space Educational Institutes Government/ Public Buildings

The report has provided a detailed breakup and analysis of the Spain cross laminated timber market based on the application. This includes residential, commercial space, educational institutes, and government/ public buildings. According to the report, residential represented the largest segment.

Product Type Insights:

Custom CLT Blank CLT

The report has provided a detailed breakup and analysis of the Spain cross laminated timber market based on the product type. This includes custom CLT and blank CLT.

Element Type Insights:

Wall Panels Flooring Panels Roofing Slabs Others

The report has provided a detailed breakup and analysis of the Spain cross laminated timber market based on the element type. This includes wall panels, flooring panels, roofing slabs, and others.

Raw Material Type Insights:

Spruce Pine Fir Others

The report has provided a detailed breakup and analysis of the Spain cross laminated timber market based on the raw material type. This includes spruce, pine, fir, and others.

Bonding Method Insights:

Adhesive Bonded Mechanically Fastened

The report has provided a detailed breakup and analysis of the Spain cross laminated timber market based on the bonding method. This includes adhesive bonded and mechanically fastened. According to the report, adhesive bonded represented the largest segment.

Panel Layers Insights:

3-Ply 5-Ply 7-Ply Others

The report has provided a detailed breakup and analysis of the Spain cross laminated timber market based on the panel layers. This includes 3-ply, 5-ply, 7-ply, and others.

Adhesive Type Insights:

PUR PRF

MUF Others

The report has provided a detailed breakup and analysis of the Spain cross laminated timber market based on the adhesive type. This includes PUR (polyurethane), PRF (phenol resorcinol formaldehyde), MUF (melamine-urea-formaldehyde), and others.

Press Type Insights:

Hydraulic Press Vacuum Press Pneumatic Press Others

The report has provided a detailed breakup and analysis of the Spain cross laminated timber market based on the press type. This includes hydraulic press, vacuum press, pneumatic press, and others. According to the report, hydraulic press represented the largest segment.

Storey Class Insights:

Low-Rise Buildings (1-4 Storeys) Mid-Rise Buildings (5-10 Storeys) High-Rise Buildings (More than 10 Storeys)

The report has provided a detailed breakup and analysis of the Spain cross laminated timber market based on the storey class. This includes low-rise buildings (1-4 storeys), mid-rise buildings (5-10 storeys), and high-rise buildings (more than 10 storeys).

Application Type Insights:

Structural Applications Non-Structural Applications

The report has provided a detailed breakup and analysis of the Spain cross laminated timber market based on the application type. This includes structural and non-structural applications. According to the report, structural applications represented the largest segment.

Competitive Landscape:

The report has also provided a comprehensive analysis of the competitive landscape in the Spain cross laminated timber market. Detailed profiles of all major companies have been provided. Some of the companies covered include Egoin Wood Group S.A., Sebastia Group, Xilonor, etc. Kindly note that this only represents a partial list of companies, and the complete list has been provided in the report.

Key Questions Answered in This Report:

How has the Spain cross laminated timber market performed so far, and how will it perform in the coming years? What are the drivers, restraints, and opportunities in the Spain cross laminated timber market? What is the impact of each driver, restraint, and opportunity on the Spain cross laminated timber market? What is the breakup of the market based on the application? Which is the most attractive application in the Spain cross laminated timber market?

What is the breakup of the market based on the product type? Which is the most attractive product type in the Spain cross laminated timber market? What is the breakup of the market based on the element type? Which is the most attractive element type in the Spain cross laminated timber market? What is the breakup of the market based on the raw material type? Which is the most attractive raw material type in the Spain cross laminated timber market? What is the breakup of the market based on the bonding method? Which is the most attractive bonding method in the Spain cross laminated timber market? What is the breakup of the market based on the panel layers? Which is the most attractive panel layers in the Spain cross laminated timber market? What is the breakup of the market based on the adhesive type? Which is the most attractive adhesive type in the Spain cross laminated timber market? What is the breakup of the market based on the press type? Which is the most attractive press type in the Spain cross laminated timber market? What is the breakup of the market based on the storey class? Which is the most attractive storey class in the Spain cross laminated timber market? What is the breakup of the market based on the application type? Which is the most attractive application type in the Spain cross laminated timber market? What is the competitive structure of the Spain cross laminated timber market? Who are the key players/companies in the Spain cross laminated timber market?

Table of Contents:

- 1 Preface
- 2 Scope and Methodology
- 2.1 Objectives of the Study
- 2.2 Stakeholders
- 2.3 Data Sources
- 2.3.1 Primary Sources
- 2.3.2 Secondary Sources
- 2.4 Market Estimation
- 2.4.1 Bottom-Up Approach
- 2.4.2 Top-Down Approach
- 2.5 Forecasting Methodology
- 3 Executive Summary
- 4 Introduction

4.1 Overview

- 4.2 Key Industry Trends
- 5 Spain Cross Laminated Timber Market
- 5.1 Market Overview
- 5.2 Market Performance
- 5.3 Impact of COVID-19
- 5.4 Market Forecast
- 6 Market Breakup by Application
- 6.1 Residential
- 6.1.1 Market Trends
- 6.1.2 Market Forecast
- 6.2 Commercial Space

6.2.1 Market Trends 6.2.2 Market Forecast 6.3 Educational Institutes 6.3.1 Market Trends 6.3.2 Market Forecast 6.4 Government/ Public Buildings 6.4.1 Market Trends 6.4.2 Market Forecast 7 Market Breakup by Product Type 7.1 Custom CLT 7.1.1 Market Trends 7.1.2 Market Forecast 7.2 Blank CLT 7.2.1 Market Trends 7.2.2 Market Forecast 8 Market Breakup by Element Type 8.1 Wall Panels 8.1.1 Market Trends 8.1.2 Market Forecast 8.2 Flooring Panels 8.2.1 Market Trends 8.2.2 Market Forecast 8.3 Roofing Slabs 8.3.1 Market Trends 8.3.2 Market Forecast 8.4 Others 8.4.1 Market Trends 8.4.2 Market Forecast 9 Market Breakup by Raw Material Type 9.1 Spruce 9.1.1 Market Trends 9.1.2 Market Forecast 9.2 Pine 9.2.1 Market Trends 9.2.2 Market Forecast 9.3 Fir 9.3.1 Market Trends 9.3.2 Market Forecast 9.4 Others 9.4.1 Market Trends 9.4.2 Market Forecast 10 Market Breakup by Bonding Method 10.1 Adhesive Bonded 10.1.1 Market Trends 10.1.2 Market Forecast 10.2 Mechanically Fastened 10.2.1 Market Trends

10.2.2 Market Forecast 11 Market Breakup by Panel Layers 11.1 3-Ply 11.1.1 Market Trends 11.1.2 Market Forecast 11.2 5-Ply 11.2.1 Market Trends 11.2.2 Market Forecast 11.3 7-Ply 11.3.1 Market Trends 11.3.2 Market Forecast 11.4 Others 11.4.1 Market Trends 11.4.2 Market Forecast 12 Market Breakup by Adhesive Type 12.1 PUR 12.1.1 Market Trends 12.1.2 Market Forecast 12.2 PRF 12.2.1 Market Trends 12.2.2 Market Forecast 12.3 MUF 12.3.1 Market Trends 12.3.2 Market Forecast 12.4 Others 12.4.1 Market Trends 12.4.2 Market Forecast 13 Market Breakup by Press Type 13.1 Hydraulic Press 13.1.1 Market Trends 13.1.2 Market Forecast 13.2 Vacuum Press 13.2.1 Market Trends 13.2.2 Market Forecast 13.3 Pneumatic Press 13.3.1 Market Trends 13.3.2 Market Forecast 13.4 Others 13.4.1 Market Trends 13.4.2 Market Forecast 14 Market Breakup by Storey Class 14.1 Low-Rise Buildings (1-4 Storeys) 14.1.1 Market Trends 14.1.2 Market Forecast 14.2 Mid-Rise Buildings (5-10 Storeys) 14.2.1 Market Trends 14.2.2 Market Forecast

14.3 High-Rise Buildings (More than 10 Storeys) 14.3.1 Market Trends 14.3.2 Market Forecast 15 Market Breakup by Application Type **15.1 Structural Applications** 15.1.1 Market Trends 15.1.2 Market Forecast 15.2 Non-Structural Applications 15.2.1 Market Trends 15.2.2 Market Forecast 16 SWOT Analysis 16.1 Overview 16.2 Strengths 16.3 Weaknesses 16.4 Opportunities 16.5 Threats 17 Value Chain Analysis 18 Porters Five Forces Analysis 18.1 Overview 18.2 Bargaining Power of Buyers 18.3 Bargaining Power of Suppliers 18.4 Degree of Competition 18.5 Threat of New Entrants 18.6 Threat of Substitutes 19 Cross Laminated Timber Manufacturing Process 19.1 Product Overview 19.2 Detailed Process Flow 19.3 Various Types of Unit Operations Involved 19.4 Mass Balance and Raw Material Requirements 20 Project Details, Requirements and Costs Involved 20.1 Land Requirements and Expenditures 20.2 Construction Requirements and Expenditures 20.3 Plant Layout 20.4 Plant Machinery 20.5 Machinery Pictures 20.6 Raw Material Requirements and Expenditures 20.7 Raw Material and Final Product Pictures 20.8 Packaging Requirements and Expenditures 20.9 Transportation Requirements and Expenditures 20.10 Utility Requirements and Expenditures 20.11 Manpower Requirements and Expenditures 20.12 Other Capital Investments 21 Loans and Financial Assistance 22 Project Economics 22.1 Capital Cost of the Project 22.2 Techno-Economic Parameters

22.3 Product Pricing and Margins Across Various Levels of the Supply Chain

22.4 Income Projections
22.5 Expenditure Projections
22.6 Taxation and Depreciation
22.7 Financial Analysis
22.8 Profit Analysis
23 Competitive Landscape
23.1 Market Structure
23.2 Key Players
23.3 Profiles of Key Players
23.3.1 Egoin Wood Group S.A.
23.3.2 Sebastia Group
23.3 Xilonor



Spain Cross Laminated Timber Market Report by Application (Residential, Commercial Space, Educational Institutes, Government/ Public Buildings), Product Type (Custom CLT, Blank CLT), Element Type (Wall Panels, Flooring Panels, Roofing Slabs, and Others), Raw Material Type (Spruce, Pine, Fir, and Others), Bonding Method (Adhesive Bonded, Mechanically Fastened), Panel Layers (3-Ply, 5-Ply, 7-Ply, and Others), Adhesive Type (PUR, PRF, MUF, and Others), Press Type (Hydraulic Press, Vacuum Press, Pneumatic Press, and Others), Storey Class (Low-Rise Buildings (1-4 Storeys), Mid-Rise Buildings (5-10 Storeys), High-Rise Buildings (More than 10 Storeys)), Application Type (Structural Applications, Non-Structural Applications), and 2023-2028

Market Report | 2023-09-04 | 115 pages | IMARC Group

To place an Order with Scotts International:

- Print this form
- Complete the relevant blank fields and sign
- □ Send as a scanned email to support@scotts-international.com

ORDER FORM:

Select license	License		Price
	Electronic (PDF) Single User		\$2699.00
	Five User Licence		\$3699.00
	Enterprisewide License		\$4699.00
		VAT	
		Total	

*Please circle the relevant license option. For any questions please contact support@scotts-international.com or 0048 603 394 346. []** VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Email*	Phone*	
First Name*	Last Name*	
Job title*		
Company Name*	EU Vat / Tax ID / NIP number*	
Address*	City*	
Zip Code*	Country*	
	Date	2025-06-23
	Signature	