

Inductive Proximity Sensor - Market Share Analysis, Industry Trends & Statistics, Growth Forecasts 2019 - 2029

Market Report | 2024-02-17 | 120 pages | Mordor Intelligence

AVAILABLE LICENSES:

- Single User License \$4750.00
- Team License (1-7 Users) \$5250.00
- Site License \$6500.00
- Corporate License \$8750.00

Report description:

The Inductive Proximity Sensor Market size is estimated at USD 1.29 billion in 2024, and is expected to reach USD 1.81 billion by 2029, growing at a CAGR of 7.13% during the forecast period (2024-2029).

Inductive proximity sensors are non-contact devices that set up a radio frequency field with a coil and an oscillator. The presence of an object can alter this field, and the sensor can detect this alteration. The inductive proximity sensors can detect an object without touching it and therefore do not cause damage or abrasion to the object.

Key Highlights

- Proximity sensors are generally used in many automation applications. They are used to sense objects and do not require physical contact with the target or object being sensed. Thus, they are referred to as non-contact sensors. The common proximity sensor types include photoelectric, capacitive, and inductive sensors.
- Inductive proximity sensors are utilized for the non-contact detection of metallic objects. The operating principle of these sensors is based on the coil and oscillator, which creates an electromagnetic field in the near surroundings of the sensing surface. Proximity sensors are also found in consumer devices. In smartphones, proximity sensors detect if a user is holding the mobile near their face.
- With ASIC technology, SICK sensors provide enhanced precision and reliability. The company can offer the right solution to meet the customer's requirements every time, from cuboid standard sensors or cylindrical, with single, double, or triple operating distances, to special sensors for use in explosive and toxic atmospheres or harsh environments. The company's inductive proximity sensors are the intelligent, reliable route to implementing industry-specific and customized to any task involving automation.
- In the case of conventional inductive proximity sensors, if the distance to the damping element increases, the sensor becomes

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

more sensitive to the detection object, and the metal surrounding the installation affects the switching distance.

-To tackle this issue, Pepperl+Fuchs has introduced active shielding technology, which enables high switching distances regardless of the installation conditions. The company has integrated it into the VariKont series for the first time. They are available in versions with high switching distances of 30 mm for flush mounting and 50 mm for non-flush mounting.

-The inductive proximity sensors are used in several industrial and manufacturing applications for safety and inventory management applications. An automated production line, for example, is used for positioning, object detection, counting, and inspection. The proximity sensors are also used for part detection in several industrial conveyor systems.

-The need to withstand harsh cleaning agents, severe temperatures, and high-pressure wash-down environments is compelling the food and beverage industry to adopt proximity sensors. In the food and beverage sector, applications like food production and harsh chemicals are used during cleaning, where a standard sensor will corrode and fail prematurely. The inductive proximity sensor exhibits a robust design with superior resistance to high temperature and high-pressure cleaning processes.

Inductive Proximity Sensors Market Trends

Industrial Segment to Hold Significant Market Share

- Industrial applications are becoming dependent on tracking, monitoring, measuring, and communication. Modern industries depend heavily on the information and data that various sensory devices supply to the control system, ideally in fractions of a second, to be an effective smart manufacturing environment. All industrial applications require robustness, high IP protection classes, advanced EMC and voltage immunity, and wide-range temperature stability parallel to cost-efficient sensor implementation.

- Inductive proximity sensors are majorly used where a more traditional switch might prove problematic or impossible to use, like in an application where lots of water and dirt might be present. Typical examples would be an advanced CNC machine or a conveyor line in a food and beverage environment and multiple uses in the industrial landscape.

- Although large industries practiced the use of inductive proximity sensor technology over a few years, improved technology has led to its widespread adoption by all-tier companies to streamline operations, enhance industrial automation, and change the manufacturing landscape of several companies. Another growth factor is the increase in the number of vendors that enable industrial automation and growth in the Industrial Internet of Things (IIoT) demand.

- Many WFI sensors on the market also provide multi-metal detection at the same sensing range. These sensors are commonly referred to as Factor 1 or F1 models since they have no sensing range reduction factor for non-ferrous materials like aluminum. Moreover, their sensing range reduction factor would be equal to 1.0 (no reduction in sensing distance).

Asia-Pacific to Witness Significant Growth

- Asia-Pacific is anticipated to witness a considerable growth rate compared to other regions because of developing countries like China and India. Additionally, prominent vendors, such as Omron Corporation, Panasonic Corporation, and Autonics Corporation, are headquartered in the region.

- Manufacturers in the automotive industry strive to meet the demand for electric vehicles (EVs) and low fuel consumption by building lighter-weight vehicles and favoring aluminum over iron. As the prevalence of mixed production lines containing both aluminum and iron increases, the need for the same sensing distance proximity sensors with suitably long sensing ranges is also rising.

- The Production Linked Incentive (PLI) Scheme for the automobile and auto component industry proposes financial incentives for boosting domestic manufacturing of advanced automotive technology (AAT) products and gaining investments in the automotive

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

manufacturing value chain. The prime objectives of the schemes include overcoming cost disabilities, creating economies of scale, and building a robust supply chain in areas of AAT products.

- Asia-Pacific is the only region to witness capacity growth in the oil and gas industry in recent years. Moreover, growing investment in the oil and gas industry would create opportunities. For instance, according to IBEF, the investment in oil and gas exploration and production activities in India is anticipated to reach USD 25 billion by 2022. Additionally, the growing government policies and initiatives toward the fulfillment of energy demands and initiation of new projects will contribute positively to the market.

Inductive Proximity Sensors Industry Overview

The inductive proximity sensors market is very competitive in nature. The market is concentrated due to the presence of various small and large players. Some of the significant players in the market are Panasonic Corporation, Sick AG Pepperl+Fuchs, Rockwell Automation Inc., Eaton Corporation PLC, Omron Corporation, Delta Electronics Inc., and many more.

- August 2022: Inductive proximity sensors are often used in vehicles, i.e., in mobile equipment, for tasks such as position monitoring or end position monitoring of swivel arms, gripping arms, and dump bodies. Rockwell Automation Inc. partnered with Bravo Motor Company, focusing on producing batteries, vehicles, and energy-storage systems. With the new alliance, Rockwell Automation will contribute to providing cutting-edge solutions for manufacturing batteries and electric vehicles in the Brazilian market based on the circular economy concept.

Additional Benefits:

- The market estimate (ME) sheet in Excel format
- 3 months of analyst support

Table of Contents:

1 INTRODUCTION

1.1 Study Assumptions and Market Definition

1.2 Scope of the Study

2 RESEARCH METHODOLOGY

3 EXECUTIVE SUMMARY

4 MARKET INSIGHTS

4.1 Market Overview

4.2 Industry Attractiveness - Porter's Five Forces Analysis

4.2.1 Bargaining Power of Suppliers

4.2.2 Bargaining Power of Consumers

4.2.3 Threat of New Entrants

4.2.4 Threat of Substitutes

4.2.5 Intensity of Competitive Rivalry

4.3 Impact of COVID-19 on the Inductive Proximity Sensor Market

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

5 MARKET DYNAMICS

5.1 Market Drivers

5.1.1 Growth in Industrial Automation

5.1.2 Increase in the Demand for Non-contact Sensing Technology

5.2 Market Challenges

5.2.1 Limitations in Sensing Capabilities

6 MARKET SEGMENTATION

6.1 By End-user Application

6.1.1 Industrial

6.1.2 Automotive

6.1.3 Aerospace and Defense

6.1.4 Packaging

6.1.5 Other End-user Applications

6.2 By Geography

6.2.1 North America

6.2.1.1 United States

6.2.1.2 Canada

6.2.2 Europe

6.2.2.1 United Kingdom

6.2.2.2 Germany

6.2.2.3 France

6.2.2.4 Rest of Europe

6.2.3 Asia-Pacific

6.2.3.1 China

6.2.3.2 Japan

6.2.3.3 India

6.2.3.4 Rest of Asia Pacific

6.2.4 Latin America

6.2.5 Middle East and Africa

7 COMPETITIVE LANDSCAPE

7.1 Company Profiles

7.1.1 Pepperl+Fuchs

7.1.2 Rockwell Automation Inc.

7.1.3 Panasonic Industry Co. Ltd

7.1.4 Eaton Corporation PLC

7.1.5 Sick AG

7.1.6 Omron Corporation

7.1.7 Delta Electronics Inc.

7.1.8 Autonics Corporation

7.1.9 Datalogic SpA

7.1.10 Riko Opto-electronics Technology Co. Ltd

7.1.11 Fargo Controls Inc.

7.1.12 Hans Turck GmbH and Co. Kg

7.1.13 Keyence Corporation

7.1.14 Honeywell International

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 7.1.15 Balluff GmbH
- 7.1.16 K.A. Schmersal GmbH & Co.
- 7.1.17 EUCHNER USA Inc.
- 7.1.18 Baumer Holding AG

8 INVESTMENT ANALYSIS

9 FUTURE OF THE MARKET

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

**Inductive Proximity Sensor - Market Share Analysis, Industry Trends & Statistics,
Growth Forecasts 2019 - 2029**

Market Report | 2024-02-17 | 120 pages | Mordor Intelligence

To place an Order with Scotts International:

- Print this form
- Complete the relevant blank fields and sign
- Send as a scanned email to support@scotts-international.com

ORDER FORM:

Select license	License	Price
	Single User License	\$4750.00
	Team License (1-7 Users)	\$5250.00
	Site License	\$6500.00
	Corporate License	\$8750.00
		VAT
		Total

*Please circle the relevant license option. For any questions please contact support@scotts-international.com or 0048 603 394 346.

** VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Email*	<input type="text"/>	Phone*	<input type="text"/>
First Name*	<input type="text"/>	Last Name*	<input type="text"/>
Job title*	<input type="text"/>		
Company Name*	<input type="text"/>	EU Vat / Tax ID / NIP number*	<input type="text"/>
Address*	<input type="text"/>	City*	<input type="text"/>
Zip Code*	<input type="text"/>	Country*	<input type="text"/>
		Date	<input type="text" value="2026-03-02"/>
		Signature	

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

