

Curing Adhesives Market - Global Industry Size, Share, Trends, Opportunity, & Forecast 2019-2029 Segmented By Resin (Epoxy, Polyurethane, Acrylate, Silicone, Others), By Product (UV Cure, Moisture Cure, Thermal Cure), By End Use (Automotive, Construction, Electronics and Electrical, Medical, Woodworking, Others), By Region, Competition

Market Report | 2024-02-19 | 187 pages | TechSci Research

AVAILABLE LICENSES:

- Single User License \$4900.00
- Multi-User License \$5900.00
- Custom Research License \$8900.00

Report description:

Global Curing Adhesives Market was valued at USD 13.22 billion in 2023 and is anticipated to project robust growth in the forecast period with a CAGR of 4.71% through 2029. global curing adhesives market has witnessed remarkable growth in recent years, propelled by advancements in technology, increasing demand from key industries, and a shift towards sustainable and efficient bonding solutions. Curing adhesives play a pivotal role in diverse sectors such as automotive, aerospace, electronics, medical devices, and construction, offering a versatile and reliable alternative to traditional joining methods. The future of the curing adhesives market looks promising, driven by ongoing advancements in adhesive technologies, a growing focus on sustainable solutions, and the increasing demand from key industries. As manufacturers continue to address challenges and capitalize on opportunities, the curing adhesives market is poised for sustained growth and evolution in the coming years.

Key Market Drivers

Technological Advancements

In the ever-evolving landscape of industrial adhesives, technological advancements stand out as a primary catalyst propelling the growth and dynamism of the curing adhesives market. The relentless pursuit of innovation in adhesive technologies has resulted in formulations and curing mechanisms that not only enhance the performance of these adhesives but also expand their applicability across diverse industries.

One key aspect of technological advancement is the development of faster and more efficient curing processes. Traditional adhesives often required extended curing times, limiting their practicality in certain applications. However, advancements such as

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

UV curing and LED curing have revolutionized the landscape by significantly reducing curing times. This not only improves production efficiency but also allows for more precise and streamlined manufacturing processes.

Furthermore, the integration of smart technologies and Industry 4.0 concepts has brought about a new era of intelligent adhesives. These adhesives can adapt to varying conditions, providing self-healing properties and real-time monitoring of bond strength. The incorporation of sensors and nanotechnology has enabled adhesives to offer not only strong and reliable bonds but also adaptive and responsive features, making them suitable for cutting-edge applications.

Technological advancements also play a crucial role in addressing environmental concerns. The development of low-VOC formulations and sustainable adhesive solutions reflects the industry's commitment to eco-friendly practices. As environmental regulations become more stringent, the market responds with adhesives that not only meet these standards but also offer enhanced performance.

Lightweighting Trend

The ongoing trend towards lightweighting in industries such as automotive and aerospace has emerged as a significant driver for the curing adhesives market. This transformative shift, motivated by the pursuit of enhanced fuel efficiency, reduced emissions, and improved overall performance, underscores the pivotal role that curing adhesives play in the construction and assembly of lightweight structures.

In the automotive sector, lightweight materials, including advanced composites, aluminum, and high-strength alloys, are increasingly favored to achieve weight reduction without compromising structural integrity. Curing adhesives offer a compelling solution for joining these diverse materials, providing a reliable alternative to traditional welding or mechanical fastening methods. This versatility is crucial in addressing the complex design requirements of modern vehicles, where lightweight components are strategically integrated to optimize fuel efficiency and achieve sustainability goals.

Aerospace, similarly, is embracing lightweighting as a key strategy to enhance aircraft performance, fuel efficiency, and reduce operational costs. Curing adhesives play a vital role in bonding lightweight materials like carbon fiber composites, which are extensively used in aircraft manufacturing. The ability of curing adhesives to provide strong, durable bonds without adding unnecessary weight is instrumental in achieving the delicate balance between structural integrity and weight reduction in aerospace applications.

Composite Material Usage

Composite materials, composed of a combination of different substances, offer a unique set of characteristics, including high strength-to-weight ratio, corrosion resistance, and design flexibility. Industries such as aerospace, automotive, wind energy, and construction are increasingly leveraging composites for their structural components. However, the challenge lies in effectively bonding these dissimilar materials, and this is where curing adhesives come into play.

Curing adhesives provide a versatile and efficient solution for bonding composite materials, ensuring a strong and durable connection. Their ability to bond materials with varying properties, such as carbon fiber reinforced polymers (CFRPs) or fiberglass composites, is crucial in achieving the desired structural integrity. Traditional joining methods, like mechanical fasteners or welding, may compromise the unique benefits of composite materials, making curing adhesives the preferred choice.

In the aerospace industry, for example, where lightweight and high-strength materials are paramount, curing adhesives are extensively used to bond composite components in aircraft structures. This not only reduces weight but also enhances fuel efficiency and overall performance. Similarly, in automotive manufacturing, curing adhesives facilitate the assembly of composite parts, contributing to the industry's efforts toward lightweighting and improved fuel economy.

Key Market Challenges

High Raw Material Cost

The curing adhesives market faces a formidable challenge in the form of high raw material costs, a factor that significantly impacts various aspects of production, pricing, and market dynamics. The cost of raw materials is a critical component in the formulation of adhesives, influencing the overall manufacturing expenses for companies operating in this market.

One of the primary contributors to high raw material costs is the dependence on petrochemical-based feedstocks. Many key components of curing adhesives, such as resins and solvents, are derived from petrochemical sources, and the prices of these raw materials are subject to volatility in global markets. Fluctuations in crude oil prices, geopolitical tensions, and supply-demand imbalances contribute to the unpredictability of raw material costs.

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

The repercussions of high raw material costs are felt throughout the curing adhesives market. Manufacturers often find themselves grappling with increased production expenses, affecting profit margins and overall competitiveness. These challenges are particularly pronounced in industries where cost-effectiveness is a critical factor in the selection of adhesive solutions.

Supply Chain Disruptions

The curing adhesives market, like many other industries, is confronted with a formidable challenge in the form of supply chain disruptions. These disruptions, stemming from various factors, pose significant challenges to the seamless production and distribution of curing adhesives, impacting the industry at multiple levels.

One of the primary causes of supply chain disruptions is the increasing interconnectedness of global markets. Curing adhesives manufacturers often source raw materials from diverse locations, and any disturbance in the supply chain, be it due to natural disasters, geopolitical tensions, or unforeseen events such as the COVID-19 pandemic, can have cascading effects.

Natural disasters, including earthquakes, hurricanes, or floods, can disrupt the production and transportation of raw materials, hindering the timely delivery of essential components to adhesive manufacturers. Geopolitical tensions and trade conflicts can lead to restrictions or disruptions in the movement of goods across borders, further complicating the supply chain.

Key Market Trends

Advancements in Hybrid Curing Technologies

The curing adhesives market is experiencing a transformative shift driven by significant advancements in hybrid curing technologies. These innovative approaches represent a paradigm shift in adhesive formulation, combining multiple curing mechanisms to create high-performance solutions that address diverse application needs across industries.

Hybrid curing technologies, exemplified by groundbreaking formulations like Dymax's Hybrid Light-Curable (HLC) series, are at the forefront of this evolution. Traditionally, curing mechanisms have been categorized into types such as UV curing, heat curing, and moisture curing, each with its set of advantages and limitations. Hybrid curing technologies, however, bring together the strengths of different curing methods, offering a synergistic and versatile approach to bonding.

The key driver behind the adoption of hybrid curing technologies is their ability to enhance the curing speed and performance of adhesives. By combining anionic and free radical chemistries, these hybrid formulations overcome the constraints of individual curing mechanisms, resulting in faster and more efficient curing processes. This not only improves production efficiency but also opens up new possibilities for applications where rapid bonding is crucial.

Increased use of Composite Materials

The increased use of composite materials across diverse industries is propelling a significant transformation in the curing adhesives market, presenting new challenges and opportunities. Composites, composed of materials like carbon fibers embedded in a matrix, offer remarkable advantages, including high strength-to-weight ratios, corrosion resistance, and design flexibility. As industries embrace these benefits, the demand for curing adhesives is soaring due to their pivotal role in bonding and assembling composite structures.

One of the primary drivers for the increased use of composite materials is the quest for lightweighting in sectors such as automotive, aerospace, and wind energy. Curing adhesives, with their ability to provide strong, lightweight bonds, are instrumental in achieving the weight reduction goals essential for enhancing fuel efficiency and performance.

The automotive industry, in particular, is witnessing a surge in the adoption of composites for components like body panels and interiors. Curing adhesives contribute to the assembly of these composite parts, ensuring the structural integrity of lightweight materials without compromising strength.

In aerospace, where weight is critical for fuel efficiency, composites are increasingly utilized in the construction of aircraft components. Curing adhesives play a vital role in bonding these materials, offering a reliable and durable solution for the assembly of intricate and lightweight structures.

Rising Demand for Water Based Formulations

A key driver behind the growing demand for water-based Curing Adhesives is an increasing focus on environmental sustainability. Water-based formulations, compared to solvent-based alternatives, typically exhibit lower levels of volatile organic compounds (VOCs), making them a more environmentally friendly option. This aligns with the global push towards greener and sustainable coatings in various industries.

Stringent environmental regulations and standards play a pivotal role in the shift towards water-based Curing Adhesives.

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Governments and regulatory bodies worldwide are placing restrictions on the use of high-VOC coatings due to their potential environmental and health impacts. Manufacturers and end-users alike are adapting to these regulations by opting for coatings that comply with stringent environmental standards.

Water-based formulations contribute to enhanced workplace safety. Unlike solvent-based coatings that may pose health risks to workers due to the release of harmful fumes, water-based coatings are generally safer to handle and apply. This factor is influencing the choices made by industries prioritizing the well-being of their workforce.

Segmental Insights

Resin Insights

Epoxy resins are renowned for their exceptional bonding strength and versatility. They exhibit excellent adhesion to a wide range of substrates, making them suitable for diverse applications. Epoxy curing adhesives are particularly valued in industries such as aerospace, automotive, and electronics for their high-performance characteristics and resistance to chemicals and environmental factors.

Polyurethane resins offer a unique combination of flexibility and toughness. Adhesives formulated with polyurethane provide strong yet flexible bonds, making them ideal for applications where stress resistance and durability are crucial. The automotive industry often relies on polyurethane curing adhesives for their ability to absorb vibrations and withstand dynamic loads.

Acrylate resins are known for their rapid curing properties, making them suitable for applications that require fast production cycles. They are commonly used in industries where speed and efficiency are paramount. Acrylate curing adhesives find applications in electronics, medical devices, and certain automotive assembly processes.

Silicone resins are valued for their exceptional heat resistance and flexibility. In the curing adhesives market, silicone-based formulations are often chosen for applications exposed to extreme temperatures or requiring elasticity. The aerospace and electronics industries frequently utilize silicone curing adhesives for their resilience in challenging environments.

Product Insights

UV cure adhesives rely on ultraviolet (UV) light for the curing process. This method offers rapid curing, often within seconds, making it ideal for applications that demand high-speed production cycles. Industries such as electronics, medical devices, and automotive assembly benefit from the efficiency of UV cure adhesives. The absence of heat during the curing process also allows for the bonding of heat-sensitive materials.

Moisture cure adhesives, as the name suggests, rely on atmospheric moisture for curing. This method eliminates the need for external energy sources and is particularly advantageous in applications where temperature control is challenging. Moisture cure adhesives find applications in construction, automotive, and general assembly, providing a versatile solution for bonding a variety of substrates.

Thermal cure adhesives, also known as heat-activated adhesives, require elevated temperatures for the curing process. This method is chosen for applications that demand a higher degree of bonding strength and durability. The aerospace and automotive industries often turn to thermal cure adhesives for structural bonding, where the ability to withstand extreme conditions is paramount.

End Use Insights

The automotive sector stands as a prominent consumer of curing adhesives, leveraging these materials for various applications. Curing adhesives play a pivotal role in structural bonding, interior assembly, and even in the production of lightweight vehicles. The trend towards automotive lightweighting, driven by a quest for improved fuel efficiency and reduced emissions, has fueled the demand for curing adhesives that can effectively bond lightweight materials like composites and aluminum.

In the construction industry, curing adhesives find widespread use in bonding structural elements. From the assembly of prefabricated components to on-site construction, these adhesives offer strong and durable bonds that contribute to the stability and longevity of structures. The versatility of curing adhesives is evident in applications ranging from panel bonding to sealing and jointing in construction projects.

The electronics and electrical industries rely on curing adhesives for precise and reliable bonding of components. Miniaturization trends in electronics demand adhesive solutions that can provide secure bonds without adding bulk. Curing adhesives excel in this regard, offering fast and efficient bonding for components ranging from semiconductors to printed circuit boards.

The medical industry benefits significantly from the application of curing adhesives in the assembly of medical devices. Syringes,

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

single-use devices, and injectors often incorporate these adhesives for their ability to bond substrates like glass, stainless steel, ABS, and PC. The biocompatibility and precision of curing adhesives make them indispensable in the medical device manufacturing process.

Regional Insights

□ The APAC region stands out as a powerhouse in the global curing adhesives market, driven by robust economic growth and a thriving manufacturing sector. Countries like China, Japan, South Korea, and India have witnessed rapid industrialization, with automotive, electronics, and construction industries leading the charge. The automotive sector, in particular, has been a major consumer of curing adhesives in APAC, with the rise of electric vehicles and the trend towards lightweighting driving increased adoption. Furthermore, the electronics industry in APAC, especially in countries like China and Taiwan, contributes significantly to the demand for curing adhesives. The miniaturization of electronic devices and the need for precise and reliable bonding solutions have positioned curing adhesives as essential components in electronic manufacturing processes.

□ In Europe, the curing adhesives market benefits from advanced manufacturing capabilities, stringent quality standards, and a focus on sustainability. The automotive industry in Europe, renowned for its innovation and commitment to environmental standards, utilizes curing adhesives extensively in vehicle assembly. The emphasis on lightweighting and the adoption of electric vehicles contribute to the demand for high-performance adhesives that can bond lightweight materials effectively.

□ The European construction industry also plays a role in driving the curing adhesives market, with a focus on sustainable and energy-efficient building practices. Adhesives that contribute to the durability and environmental performance of structures are in demand, aligning with the region's commitment to green building initiatives.

Key Market Players

□ H B Fuller Company

□ Henkel AG & Company, KGaA

□ DELO Industrial Adhesives

□ Dymax Corporation

□ 3M Company

□ SIKA AG

□ Tosoh Corporation

□ Dow Chemicals Company

□ Bostik SA

Report Scope:

In this report, the Global Curing Adhesives Market has been segmented into the following categories, in addition to the industry trends which have also been detailed below:

□ Curing Adhesives Market, By Resin:

- o Epoxy
- o Polyurethane
- o Acrylate
- o Silicone
- o Others

□ Curing Adhesives Market, By Product:

- o UV Cure
- o Moisture Cure
- o Thermal Cure

□ Curing Adhesives Market, By End Use:

- o Automotive
- o Construction
- o Electronics and Electricals
- o Medical
- o Woodworking

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- o Others

?□Curing Adhesives Market, By Region:

- o North America

- ? United States

- ? Canada

- ? Mexico

- o Europe

- ? France

- ? United Kingdom

- ? Italy

- ? Germany

- ? Spain

- o Asia-Pacific

- ? China

- ? India

- ? Japan

- ? Australia

- ? South Korea

- o South America

- ? Brazil

- ? Argentina

- ? Colombia

- o Middle East & Africa

- ? South Africa

- ? Saudi Arabia

- ? UAE

Competitive Landscape

Company Profiles: Detailed analysis of the major companies present in the Global Curing Adhesives Market.

Available Customizations:

Global Curing Adhesives market report with the given market data, Tech Sci Research offers customizations according to a company's specific needs. The following customization options are available for the report:

Company Information

?□Detailed analysis and profiling of additional market players (up to five).

Table of Contents:

1. Product Overview

- 1.1. Market Definition

- 1.2. Scope of the Market

- 1.2.1. Markets Covered

- 1.2.2. Years Considered for Study

- 1.2.3. Key Market Segmentations

2. Research Methodology

- 2.1. Objective of the Study

- 2.2. Baseline Methodology

- 2.3. Key Industry Partners

- 2.4. Major Association and Secondary Source

- 2.5. Forecasting Methodology

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 2.6. Data Triangulation & Validation
- 2.7. Assumptions and Limitations
- 3. Executive Summary
 - 3.1. Overview of the Market
 - 3.2. Overview of Key Market Segmentations
 - 3.3. Overview of Key Market Players
 - 3.4. Overview of Key Regions/Countries
 - 3.5. Overview of Market Drivers, Challenges, Trends
- 4. Impact of COVID-19 on Global Curing Adhesives Market
- 5. Global Curing Adhesives Market Outlook
 - 5.1. Market Size & Forecast
 - 5.1.1. By Value & Volume
 - 5.2. Market Share & Forecast
 - 5.2.1. By Resin (Epoxy, Polyurethane, Acrylate, Silicone, Others)
 - 5.2.2. By Product (UV Cure, Moisture Cure, Thermal Cure)
 - 5.2.3. By End Use (Automotive, Construction, Electronics and Electrical, Medical, Woodworking, Others)
 - 5.2.4. By Region
 - 5.2.5. By Company (2023)
 - 5.3. Market Map
- 6. Asia Pacific Curing Adhesives Market Outlook
 - 6.1. Market Size & Forecast
 - 6.1.1. By Value & Volume
 - 6.2. Market Share & Forecast
 - 6.2.1. By Resin
 - 6.2.2. By Product
 - 6.2.3. By End Use
 - 6.2.4. By Country
 - 6.3. Asia Pacific: Country Analysis
 - 6.3.1. China Curing Adhesives Market Outlook
 - 6.3.1.1. Market Size & Forecast
 - 6.3.1.1.1. By Value & Volume
 - 6.3.1.2. Market Share & Forecast
 - 6.3.1.2.1. By Resin
 - 6.3.1.2.2. By Product
 - 6.3.1.2.3. By End Use
 - 6.3.2. India Curing Adhesives Market Outlook
 - 6.3.2.1. Market Size & Forecast
 - 6.3.2.1.1. By Value & Volume
 - 6.3.2.2. Market Share & Forecast
 - 6.3.2.2.1. By Resin
 - 6.3.2.2.2. By Product
 - 6.3.2.2.3. By End Use
 - 6.3.3. Australia Curing Adhesives Market Outlook
 - 6.3.3.1. Market Size & Forecast
 - 6.3.3.1.1. By Value & Volume
 - 6.3.3.2. Market Share & Forecast
 - 6.3.3.2.1. By Resin

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 6.3.3.2.2. By Product
- 6.3.3.2.3. By End Use
- 6.3.4. Japan Curing Adhesives Market Outlook
 - 6.3.4.1. Market Size & Forecast
 - 6.3.4.1.1. By Value & Volume
 - 6.3.4.2. Market Share & Forecast
 - 6.3.4.2.1. By Resin
 - 6.3.4.2.2. By Product
 - 6.3.4.2.3. By End Use
- 6.3.5. South Korea Curing Adhesives Market Outlook
 - 6.3.5.1. Market Size & Forecast
 - 6.3.5.1.1. By Value & Volume
 - 6.3.5.2. Market Share & Forecast
 - 6.3.5.2.1. By Resin
 - 6.3.5.2.2. By Product
 - 6.3.5.2.3. By End Use
- 7. Europe Curing Adhesives Market Outlook
 - 7.1. Market Size & Forecast
 - 7.1.1. By Value & Volume
 - 7.2. Market Share & Forecast
 - 7.2.1. By Resin
 - 7.2.2. By Product
 - 7.2.3. By End Use
 - 7.2.4. By Country
 - 7.3. Europe: Country Analysis
 - 7.3.1. France Curing Adhesives Market Outlook
 - 7.3.1.1. Market Size & Forecast
 - 7.3.1.1.1. By Value & Volume
 - 7.3.1.2. Market Share & Forecast
 - 7.3.1.2.1. By Resin
 - 7.3.1.2.2. By Product
 - 7.3.1.2.3. By End Use
 - 7.3.2. Germany Curing Adhesives Market Outlook
 - 7.3.2.1. Market Size & Forecast
 - 7.3.2.1.1. By Value & Volume
 - 7.3.2.2. Market Share & Forecast
 - 7.3.2.2.1. By Resin
 - 7.3.2.2.2. By Product
 - 7.3.2.2.3. By End Use
 - 7.3.3. Spain Curing Adhesives Market Outlook
 - 7.3.3.1. Market Size & Forecast
 - 7.3.3.1.1. By Value & Volume
 - 7.3.3.2. Market Share & Forecast
 - 7.3.3.2.1. By Resin
 - 7.3.3.2.2. By Product
 - 7.3.3.2.3. By End Use
 - 7.3.4. Italy Curing Adhesives Market Outlook

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 7.3.4.1. Market Size & Forecast
 - 7.3.4.1.1. By Value & Volume
- 7.3.4.2. Market Share & Forecast
 - 7.3.4.2.1. By Resin
 - 7.3.4.2.2. By Product
 - 7.3.4.2.3. By End Use
- 7.3.5. United Kingdom Curing Adhesives Market Outlook
 - 7.3.5.1. Market Size & Forecast
 - 7.3.5.1.1. By Value & Volume
 - 7.3.5.2. Market Share & Forecast
 - 7.3.5.2.1. By Resin
 - 7.3.5.2.2. By Product
 - 7.3.5.2.3. By End Use
- 8. North America Curing Adhesives Market Outlook
 - 8.1. Market Size & Forecast
 - 8.1.1. By Value & Volume
 - 8.2. Market Share & Forecast
 - 8.2.1. By Resin
 - 8.2.2. By Product
 - 8.2.3. By End Use
 - 8.2.4. By Country
 - 8.3. North America: Country Analysis
 - 8.3.1. United States Curing Adhesives Market Outlook
 - 8.3.1.1. Market Size & Forecast
 - 8.3.1.1.1. By Value & Volume
 - 8.3.1.2. Market Share & Forecast
 - 8.3.1.2.1. By Resin
 - 8.3.1.2.2. By Product
 - 8.3.1.2.3. By End Use
 - 8.3.2. Mexico Curing Adhesives Market Outlook
 - 8.3.2.1. Market Size & Forecast
 - 8.3.2.1.1. By Value & Volume
 - 8.3.2.2. Market Share & Forecast
 - 8.3.2.2.1. By Resin
 - 8.3.2.2.2. By Product
 - 8.3.2.2.3. By End Use
 - 8.3.3. Canada Curing Adhesives Market Outlook
 - 8.3.3.1. Market Size & Forecast
 - 8.3.3.1.1. By Value & Volume
 - 8.3.3.2. Market Share & Forecast
 - 8.3.3.2.1. By Resin
 - 8.3.3.2.2. By Product
 - 8.3.3.2.3. By End Use
 - 9. South America Curing Adhesives Market Outlook
 - 9.1. Market Size & Forecast
 - 9.1.1. By Value & Volume
 - 9.2. Market Share & Forecast

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 9.2.1. By Resin
- 9.2.2. By Product
- 9.2.3. By End Use
- 9.2.4. By Country
- 9.3. South America: Country Analysis
 - 9.3.1. Brazil Curing Adhesives Market Outlook
 - 9.3.1.1. Market Size & Forecast
 - 9.3.1.1.1. By Value & Volume
 - 9.3.1.2. Market Share & Forecast
 - 9.3.1.2.1. By Resin
 - 9.3.1.2.2. By Product
 - 9.3.1.2.3. By End Use
 - 9.3.2. Argentina Curing Adhesives Market Outlook
 - 9.3.2.1. Market Size & Forecast
 - 9.3.2.1.1. By Value & Volume
 - 9.3.2.2. Market Share & Forecast
 - 9.3.2.2.1. By Resin
 - 9.3.2.2.2. By Product
 - 9.3.2.2.3. By End Use
 - 9.3.3. Colombia Curing Adhesives Market Outlook
 - 9.3.3.1. Market Size & Forecast
 - 9.3.3.1.1. By Value & Volume
 - 9.3.3.2. Market Share & Forecast
 - 9.3.3.2.1. By Resin
 - 9.3.3.2.2. By Product
 - 9.3.3.2.3. By End Use
- 10. Middle East and Africa Curing Adhesives Market Outlook
 - 10.1. Market Size & Forecast
 - 10.1.1. By Value & Volume
 - 10.2. Market Share & Forecast
 - 10.2.1. By Resin
 - 10.2.2. By Product
 - 10.2.3. By End Use
 - 10.2.4. By Country
 - 10.3. MEA: Country Analysis
 - 10.3.1. South Africa Curing Adhesives Market Outlook
 - 10.3.1.1. Market Size & Forecast
 - 10.3.1.1.1. By Value & Volume
 - 10.3.1.2. Market Share & Forecast
 - 10.3.1.2.1. By Resin
 - 10.3.1.2.2. By Product
 - 10.3.1.2.3. By End Use
 - 10.3.2. Saudi Arabia Curing Adhesives Market Outlook
 - 10.3.2.1. Market Size & Forecast
 - 10.3.2.1.1. By Value & Volume
 - 10.3.2.2. Market Share & Forecast
 - 10.3.2.2.1. By Resin

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 10.3.2.2.2. By Product
- 10.3.2.2.3. By End Use
- 10.3.3. UAE Curing Adhesives Market Outlook
 - 10.3.3.1. Market Size & Forecast
 - 10.3.3.1.1. By Value & Volume
 - 10.3.3.2. Market Share & Forecast
 - 10.3.3.2.1. By Resin
 - 10.3.3.2.2. By Product
 - 10.3.3.2.3. By End Use
- 11. Market Dynamics
 - 11.1. Drivers
 - 11.2. Challenges
- 12. Market Trends & Developments
 - 12.1. Recent Developments
 - 12.2. Product Launches
 - 12.3. Mergers & Acquisitions
- 13. Global Curing Adhesives Market: SWOT Analysis
- 14. Porter's Five Forces Analysis
 - 14.1. Competition in the Industry
 - 14.2. Potential of New Entrants
 - 14.3. Power of Suppliers
 - 14.4. Power of Customers
 - 14.5. Threat of Substitute Product
- 15. PESTLE Analysis
- 16. Pricing Analysis
- 17. Competitive Landscape
 - 17.1. H B Fuller Company
 - 17.1.1. Business Overview
 - 17.1.2. Company Snapshot
 - 17.1.3. Products & Services
 - 17.1.4. Financials (As Reported)
 - 17.1.5. Recent Developments
 - 17.2. Henkel AG & Company, KGaA
 - 17.3. DELO Industrial Adhesives
 - 17.4. Dymax Corporation
 - 17.5. 3M Company
 - 17.6. SIKA AG
 - 17.7. Tosoh Corporation
 - 17.8. Dow Chemicals Company
 - 17.9. Bostik SA
- 18. Strategic Recommendations
- 19. About Us & Disclaimer

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Curing Adhesives Market - Global Industry Size, Share, Trends, Opportunity, & Forecast 2019-2029 Segmented By Resin (Epoxy, Polyurethane, Acrylate, Silicone, Others), By Product (UV Cure, Moisture Cure, Thermal Cure), By End Use (Automotive, Construction, Electronics and Electrical, Medical, Woodworking, Others), By Region, Competition

Market Report | 2024-02-19 | 187 pages | TechSci Research

To place an Order with Scotts International:

- Print this form
- Complete the relevant blank fields and sign
- Send as a scanned email to support@scott's-international.com

ORDER FORM:

Select license	License	Price
	Single User License	\$4900.00
	Multi-User License	\$5900.00
	Custom Research License	\$8900.00
		VAT
		Total

*Please circle the relevant license option. For any questions please contact support@scott's-international.com or 0048 603 394 346.

** VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Email*	<input type="text"/>	Phone*	<input type="text"/>
First Name*	<input type="text"/>	Last Name*	<input type="text"/>
Job title*	<input type="text"/>		
Company Name*	<input type="text"/>	EU Vat / Tax ID / NIP number*	<input type="text"/>

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scott's-international.com

www.scott's-international.com

Address*	<input type="text"/>	City*	<input type="text"/>
Zip Code*	<input type="text"/>	Country*	<input type="text"/>
		Date	<input type="text" value="2026-03-17"/>
		Signature	<input type="text"/>