

**Thermal Spray Coating Market Report by Product (Metals, Ceramics, Intermetallics, Polymers, Carbides, Abradables, and Others), Technology (Cold, Flame, Plasma, High-Velocity Oxy-Fuel (HVOF), Electric Arc, and Others), Application (Aerospace, Industrial Gas Turbine, Automotive, Medical, Printing, Oil and Gas, Steel, Pulp and Paper, and Others), and Region 2024-2032**

Market Report | 2024-08-10 | 143 pages | IMARC Group

**AVAILABLE LICENSES:**

- Electronic (PDF) Single User \$3999.00
- Five User Licence \$4999.00
- Enterprisewide License \$5999.00

**Report description:**

The global thermal spray coating market size reached US\$ 9.7 Billion in 2023. Looking forward, IMARC Group expects the market to reach US\$ 16.4 Billion by 2032, exhibiting a growth rate (CAGR) of 5.8% during 2024-2032. The growing need for cost-effective repair and maintenance solutions, continual technological advancements in the materials science and manufacturing sector and the emergence of new and improved coatings represent some of the key factors driving the market.

The Increasing Usage of Thermal Spray Coating in the Manufacturing of Medical Devices Augmenting the Market Growth  
The thermal spray coating market has been experiencing continuous growth due to the rising demand for safe, effective, and long-lasting medical devices across the healthcare industry. Since medical devices are comprised of complex and sophisticated designs, there has been a significant increase in the need for advanced coatings that can enhance their performance and longevity. In addition, thermal spray coatings can be applied to a wide range of materials, including metals, ceramics, and polymers in order to improve the durability, corrosion resistance, wear resistance, and biocompatibility of medical devices, which is acting as another growth-inducing factor.

Competitive analysis such as market structure, market share by key players, player positioning, top winning strategies, competitive dashboard, and company evaluation quadrant has been covered in the report. Also, detailed profiles of all major companies have been provided. The market structure is moderately fragmented with a few numbers of global and regional

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

players operating in the industry due to high capital requirements and the presence of intensive competition in the market. The volume of new entrants is moderate in the thermal spray coating industry due to the low product differentiation and low switching costs.

#### What is Thermal Spray Coating?

Thermal spray coating is a process that involves applying a coating material to a substrate using a high-temperature spray gun. The coating material is heated to a molten state and then sprayed onto the substrate, where it solidifies and forms a thin, durable layer. It can be applied to a variety of materials, including metals, ceramics, and polymers. It is used to enhance the performance and durability of a wide range of products, including industrial machinery, automotive parts, aerospace components, and medical devices. Some of the common types of thermal spray coating processes are plasma spray, flame spray, high-velocity oxy-fuel (HVOF) spray, and arc spray. Each process has its own unique characteristics and is suited to specific applications. It is gaining widespread prominence across the globe due to its ability to improve wear and corrosion resistance, and thermal insulation, as well as improved adhesion and surface finish. It can also be used to repair damaged or worn components, extending their useful life and reducing the need for replacement.

#### COVID-19 Impact:

The COVID-19 pandemic outbreak has caused a severe problem for the thermal spray coating industry due to the temporary restrictions on movements. It also causes significant challenges in sourcing raw materials and retaining supply and a decline in production led to a halt in the operation of its associated industries. Additionally, the pandemic has led to changes in workplace safety requirements and protocols, which has impacted the operations of thermal spray coating facilities. Many facilities have had to implement new safety measures, such as social distancing, enhanced cleaning procedures, and remote work policies, which have led to some disruptions in production. Along with this, the outbreak has had a negative effect on logistics since logistics service providers could no longer move items, especially across borders. However, other sectors, such as medical devices, energy, and defense have continued to require thermal spray coatings, and demand in these sectors has remained relatively stable.

#### Thermal Spray Coating Market Trends:

The global market is primarily driven by the increasing demand for high-performance coatings across industrial verticals. Coupled with the growing need for cost-effective repair and maintenance solutions, this is providing a boost to the demand for thermal spray coatings as they are often used to repair damaged or worn components, providing a cost-effective alternative to replacement. Apart from this, continual technological advancements in the materials science and manufacturing sector, along with the continuous innovation in the thermal spray coating processes and the emergence of new and improved coatings, are significantly supporting the market on the global level. Other factors, including rapid urbanization and industrialization and extensive research and development (R&D) activities conducted by key players, are also positively influencing the market.

#### Key Market Segmentation:

IMARC Group provides an analysis of the key trends in each sub-segment of the global thermal spray coating market report, along with forecasts at the global, regional and country level from 2024-2032. Our report has categorized the market based on product, technology and application.

#### Product Insights:

- Metals
- Ceramics
- Intermetallics
- Polymers
- Carbides
- Abradables
- Others

The report has provided a detailed breakup and analysis of the thermal spray coating market based on the product. This includes metals, ceramics, intermetallics, polymers, carbides, abrasives and others. According to the report, ceramics represented the largest segment as it offers various advantages over other types of coatings, including high wear resistance, high hardness, and

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

excellent thermal insulation properties making it an ideal choice for applications in industries such as aerospace, energy, and medical devices. Additionally, ceramic coatings exhibit an ability to withstand high temperatures and harsh environments, which makes them a preferred option for applications, such as gas turbines, where components must be able to operate in extremely hot and corrosive environments.

Technology Insights:

- Cold
- Flame
- Plasma
- High-Velocity Oxy-Fuel (HVOF)
- Electric Arc
- Others

A detailed breakup and analysis of the thermal spray coating market based on the technology has also been provided in the report. This includes cold, flame, plasma, high-velocity oxy-fuel (HVOF), electric arc and others. According to the report, plasma technology accounted for the largest market share since it offers numerous advantages over other types of thermal spray coating processes, including the ability to produce coatings with very high quality and uniformity, as well as the ability to spray a wide range of materials. Moreover, it is a relatively environmentally friendly and efficient process that can be used with a variety of feedstock materials, including recycled materials, and it produces very little waste.

Application Insights:

- Aerospace
- Industrial Gas Turbine
- Automotive
- Medical
- Printing
- Oil and Gas
- Steel
- Pulp and Paper
- Others

A detailed breakup and analysis of the thermal spray coating market based on the application has also been provided in the report. This includes aerospace, industrial gas turbine, automotive, medical, printing, oil and gas, steel, pulp and paper and others. According to the report, aerospace application accounted for the largest market share as thermal spray coatings are widely used to protect airframe components from corrosion and wear. Since coatings are produced from materials, such as aluminum, titanium, and stainless steel, which help to improve the durability and lifespan of airframe components, reducing the need for repairs and replacements. Furthermore, ceramic coatings are used to protect engine components from high temperatures, wear, and corrosion. These coatings can extend the life of engine components and reduce maintenance costs, further impacting the demand across the aerospace industry.

Regional Insights:

- North America
  - o□ United States
  - o□ Canada
- Asia-Pacific
  - o□ China
  - o□ Japan
  - o□ India
  - o□ South Korea

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

- o□Australia
- o□Indonesia
- o□Others
- Europe
- o□Germany
- o□France
- o□United Kingdom
- o□Italy
- o□Spain
- o□Russia
- o□Others
- Latin America
- o□Brazil
- o□Mexico
- o□Others
- Middle East and Africa

The report has also provided a comprehensive analysis of all the major regional markets, which include North America (the United States and Canada); Asia Pacific (China, Japan, India, South Korea, Australia, Indonesia and others); Europe (Germany, France, the United Kingdom, Italy, Spain, Russia and others); Latin America (Brazil, Mexico and others) and the Middle East and Africa.

According to the report, North America was the largest market for thermal spray coating. Some of the factors driving the North America thermal spray coating market included significant growth in the aerospace and energy industries in North America which are considered to be the largest users of thermal spray coatings. Additionally, the strong presence of companies in the region is driving innovation and growth in the thermal spray coating market. Moreover, North America has a strong research and development infrastructure, with many universities and research institutions conducting cutting-edge research in materials science and engineering, thereby further driving the thermal spray coating market.

#### Competitive Landscape:

The report has also provided a comprehensive analysis of the competitive landscape in the global thermal spray coating market. Some of the companies covered in the report include Air Products and Chemicals Inc., American Roller Company LLC, Durum Verschlei

?s

chutz GmbH, Lincotek Rubbiano S.p.A, Metallizing Equipment Co. Pvt. Ltd., Montreal Carbide Co. Ltd., Powder Alloy Corporation, Praxair Surface Technologies Inc. (Linde plc), Progressive Surface Inc., Wall Colmonoy Corporation, etc. Please note that this only represents a partial list of companies, and the complete list has been provided in the report.

#### Key Questions Answered in This Report

1. What was the size of the global thermal spray coating market in 2023?
2. What is the expected growth rate of the global thermal spray coating market during 2024-2032?
3. What has been the impact of COVID-19 on the global thermal spray coating market?
4. What are the key factors driving the global thermal spray coating market?
5. What is the breakup of the global thermal spray coating market based on the product?
6. What is the breakup of the global thermal spray coating market based on the technology?
7. What is the breakup of the global thermal spray coating market based on the application?
8. What are the key regions in the global thermal spray coating market?
9. Who are the key players/companies in the global thermal spray coating market?

#### Table of Contents:

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 1 Preface
- 2 Scope and Methodology
  - 2.1 Objectives of the Study
  - 2.2 Stakeholders
  - 2.3 Data Sources
    - 2.3.1 Primary Sources
    - 2.3.2 Secondary Sources
  - 2.4 Market Estimation
    - 2.4.1 Bottom-Up Approach
    - 2.4.2 Top-Down Approach
  - 2.5 Forecasting Methodology
- 3 Executive Summary
- 4 Introduction
  - 4.1 Overview
  - 4.2 Key Industry Trends
- 5 Global Thermal Spray Coating Market
  - 5.1 Market Overview
  - 5.2 Market Performance
  - 5.3 Impact of COVID-19
  - 5.4 Market Forecast
- 6 Market Breakup by Product
  - 6.1 Metals
    - 6.1.1 Market Trends
    - 6.1.2 Market Forecast
  - 6.2 Ceramics
    - 6.2.1 Market Trends
    - 6.2.2 Market Forecast
  - 6.3 Intermetallics
    - 6.3.1 Market Trends
    - 6.3.2 Market Forecast
  - 6.4 Polymers
    - 6.4.1 Market Trends
    - 6.4.2 Market Forecast
  - 6.5 Carbides
    - 6.5.1 Market Trends
    - 6.5.2 Market Forecast
  - 6.6 Abradables
    - 6.6.1 Market Trends
    - 6.6.2 Market Forecast
  - 6.7 Others
    - 6.7.1 Market Trends
    - 6.7.2 Market Forecast
- 7 Market Breakup by Technology
  - 7.1 Cold
    - 7.1.1 Market Trends
    - 7.1.2 Market Forecast
  - 7.2 Flame

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

- 7.2.1 Market Trends
- 7.2.2 Market Forecast
- 7.3 Plasma
  - 7.3.1 Market Trends
  - 7.3.2 Market Forecast
- 7.4 High-Velocity Oxy-Fuel (HVOF)
  - 7.4.1 Market Trends
  - 7.4.2 Market Forecast
- 7.5 Electric Arc
  - 7.5.1 Market Trends
  - 7.5.2 Market Forecast
- 7.6 Others
  - 7.6.1 Market Trends
  - 7.6.2 Market Forecast
- 8 Market Breakup by Application
  - 8.1 Aerospace
    - 8.1.1 Market Trends
    - 8.1.2 Market Forecast
  - 8.2 Industrial Gas Turbine
    - 8.2.1 Market Trends
    - 8.2.2 Market Forecast
  - 8.3 Automotive
    - 8.3.1 Market Trends
    - 8.3.2 Market Forecast
  - 8.4 Medical
    - 8.4.1 Market Trends
    - 8.4.2 Market Forecast
  - 8.5 Printing
    - 8.5.1 Market Trends
    - 8.5.2 Market Forecast
  - 8.6 Oil and Gas
    - 8.6.1 Market Trends
    - 8.6.2 Market Forecast
  - 8.7 Steel
    - 8.7.1 Market Trends
    - 8.7.2 Market Forecast
  - 8.8 Pulp and Paper
    - 8.8.1 Market Trends
    - 8.8.2 Market Forecast
  - 8.9 Others
    - 8.9.1 Market Trends
    - 8.9.2 Market Forecast
- 9 Market Breakup by Region
  - 9.1 North America
    - 9.1.1 United States
      - 9.1.1.1 Market Trends
      - 9.1.1.2 Market Forecast

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

- 9.1.2 Canada
  - 9.1.2.1 Market Trends
  - 9.1.2.2 Market Forecast
- 9.2 Asia-Pacific
  - 9.2.1 China
    - 9.2.1.1 Market Trends
    - 9.2.1.2 Market Forecast
  - 9.2.2 Japan
    - 9.2.2.1 Market Trends
    - 9.2.2.2 Market Forecast
  - 9.2.3 India
    - 9.2.3.1 Market Trends
    - 9.2.3.2 Market Forecast
  - 9.2.4 South Korea
    - 9.2.4.1 Market Trends
    - 9.2.4.2 Market Forecast
  - 9.2.5 Australia
    - 9.2.5.1 Market Trends
    - 9.2.5.2 Market Forecast
  - 9.2.6 Indonesia
    - 9.2.6.1 Market Trends
    - 9.2.6.2 Market Forecast
  - 9.2.7 Others
    - 9.2.7.1 Market Trends
    - 9.2.7.2 Market Forecast
- 9.3 Europe
  - 9.3.1 Germany
    - 9.3.1.1 Market Trends
    - 9.3.1.2 Market Forecast
  - 9.3.2 France
    - 9.3.2.1 Market Trends
    - 9.3.2.2 Market Forecast
  - 9.3.3 United Kingdom
    - 9.3.3.1 Market Trends
    - 9.3.3.2 Market Forecast
  - 9.3.4 Italy
    - 9.3.4.1 Market Trends
    - 9.3.4.2 Market Forecast
  - 9.3.5 Spain
    - 9.3.5.1 Market Trends
    - 9.3.5.2 Market Forecast
  - 9.3.6 Russia
    - 9.3.6.1 Market Trends
    - 9.3.6.2 Market Forecast
  - 9.3.7 Others
    - 9.3.7.1 Market Trends
    - 9.3.7.2 Market Forecast

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

- 9.4 Latin America
  - 9.4.1 Brazil
    - 9.4.1.1 Market Trends
    - 9.4.1.2 Market Forecast
  - 9.4.2 Mexico
    - 9.4.2.1 Market Trends
    - 9.4.2.2 Market Forecast
  - 9.4.3 Others
    - 9.4.3.1 Market Trends
    - 9.4.3.2 Market Forecast
- 9.5 Middle East and Africa
  - 9.5.1 Market Trends
  - 9.5.2 Market Breakup by Country
  - 9.5.3 Market Forecast
- 10 SWOT Analysis
  - 10.1 Overview
  - 10.2 Strengths
  - 10.3 Weaknesses
  - 10.4 Opportunities
  - 10.5 Threats
- 11 Value Chain Analysis
- 12 Porters Five Forces Analysis
  - 12.1 Overview
  - 12.2 Bargaining Power of Buyers
  - 12.3 Bargaining Power of Suppliers
  - 12.4 Degree of Competition
  - 12.5 Threat of New Entrants
  - 12.6 Threat of Substitutes
- 13 Price Analysis
- 14 Competitive Landscape
  - 14.1 Market Structure
  - 14.2 Key Players
  - 14.3 Profiles of Key Players
    - 14.3.1 Air Products and Chemicals Inc.
      - 14.3.1.1 Company Overview
      - 14.3.1.2 Product Portfolio
      - 14.3.1.3 Financials
      - 14.3.1.4 SWOT Analysis
    - 14.3.2 American Roller Company LLC
      - 14.3.2.1 Company Overview
      - 14.3.2.2 Product Portfolio
    - 14.3.3 Durum
      - 14.3.3.1 Company Overview
      - 14.3.3.2 Product Portfolio

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 14.3.4 Lincotek Rubbiano S.p.A
  - 14.3.4.1 Company Overview
  - 14.3.4.2 Product Portfolio
- 14.3.5 Metallizing Equipment Co. Pvt. Ltd.
  - 14.3.5.1 Company Overview
  - 14.3.5.2 Product Portfolio
- 14.3.6 Montreal Carbide Co. Ltd.
  - 14.3.6.1 Company Overview
  - 14.3.6.2 Product Portfolio
- 14.3.7 Powder Alloy Corporation
  - 14.3.7.1 Company Overview
  - 14.3.7.2 Product Portfolio
- 14.3.8 Praxair Surface Technologies Inc. (Linde plc)
  - 14.3.8.1 Company Overview
  - 14.3.8.2 Product Portfolio
- 14.3.9 Progressive Surface Inc.
  - 14.3.9.1 Company Overview
  - 14.3.9.2 Product Portfolio
- 14.3.10 Wall Colmonoy Corporation
  - 14.3.10.1 Company Overview
  - 14.3.10.2 Product Portfolio

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

**Thermal Spray Coating Market Report by Product (Metals, Ceramics, Intermetallics, Polymers, Carbides, Abradables, and Others), Technology (Cold, Flame, Plasma, High-Velocity Oxy-Fuel (HVOF), Electric Arc, and Others), Application (Aerospace, Industrial Gas Turbine, Automotive, Medical, Printing, Oil and Gas, Steel, Pulp and Paper, and Others), and Region 2024-2032**

Market Report | 2024-08-10 | 143 pages | IMARC Group

To place an Order with Scotts International:

- Print this form
- Complete the relevant blank fields and sign
- Send as a scanned email to support@scotts-international.com

**ORDER FORM:**

Select license	License	Price
	Electronic (PDF) Single User	\$3999.00
	Five User Licence	\$4999.00
	Enterprisewide License	\$5999.00
		VAT
		Total

\*Please circle the relevant license option. For any questions please contact support@scotts-international.com or 0048 603 394 346.

\*\* VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Email*	<input type="text"/>	Phone*	<input type="text"/>
First Name*	<input type="text"/>	Last Name*	<input type="text"/>
Job title*	<input type="text"/>		
Company Name*	<input type="text"/>	EU Vat / Tax ID / NIP number*	<input type="text"/>

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Address*	<input type="text"/>	City*	<input type="text"/>
Zip Code*	<input type="text"/>	Country*	<input type="text"/>
		Date	<input type="text" value="2026-03-02"/>
		Signature	<input type="text"/>