

Automotive Conformal Coatings Market Assessment, By Type [Acrylic Resin, Epoxy, Urethane (Polyurethane) Resin (UR), Silicone Resin (SR), Others], By Method [Brush, Spray, Dipping, Selective coating], By Sales Channel [Original Equipment Manufacturer, Aftermarket], By Region, Opportunities and Forecast, 2018-2032F

Market Report | 2025-01-09 | 242 pages | Market Xcel - Markets and Data

AVAILABLE LICENSES:

- Single User License \$4500.00
- Multi-User/Corporate Licence \$5700.00
- Custom Research License \$8200.00

Report description:

Global automotive conformal coatings market is projected to witness a CAGR of 10.35% during the forecast period 2025-2032, growing from USD 2.12 billion in 2024 to USD 4.66 billion in 2032.

It is highly driven by the increased integration of electronics in vehicles. With increasingly sophisticated modern automobiles, advanced driver assistance systems, and infotainment technologies, the need for protective coatings that guard sensitive electronic components against environmental aggravators such as moisture, dust, and chemicals has increased.

Government regulations to provide vehicular safety and performance continue their role in increasing this growth trajectory.

Stringent norms related to the life of electronic parts have created an appropriate atmosphere for the rising applicability of conformal coatings to meet regulatory requirements. As consumers increasingly opt for EVs for their environmental benefits and improved performance features, manufacturers are compelled to use advanced materials that ensure the longevity and reliability of electronic systems within these vehicles.

For instance, in March 2024, Green Circuits Inc. announced the acquisition of the iCoat-5 JetSelect Ultra High Precision Conformal Coating Machine from Guangdong Anda Automation Solutions Co., Ltd to meet the escalating demands for precision and reliability in conformal coating applications.

Evolution of Electronics is Expanding the Global Automotive Conformal Coatings Market

The shift towards electronics has particularly intensified with the introduction of electric vehicles and advanced driver assistance systems that are extremely dependent on sophisticated electronic circuits. The need for conformal coatings, which shield the elements from moisture, dust, chemicals, and temperature changes, has, therefore, never been more important. The automotive industry is experiencing a major shift toward electrification, with electric and hybrid vehicles increasingly dominating the roads.

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

This upsurge calls for advanced electronic systems for functions like power conversion, battery management, and drivetrain control, all of which demand high-performance conformal coatings to ensure reliability and durability in challenging operating conditions.

For instance, in April 2024, Henkel AG & Co. KGaA announced that two of its electronic material innovations were named in Circuits Assembly magazine's NPI Award program. Henkel's Bergquist Hi Flow THF 5000UT phase change formulation won in the Thermal Interface Materials (TIMs) category, and its Loctite Sycast CC 8555 conformal coating came in first among Coatings/Encapsulants entrants.

Government Initiatives Fuel the Global Automotive Conformal Coatings Market Growth

The push towards sustainability is making environmental legislation stringent, requiring cleaner materials to be used in automobiles, especially by encouraging electric vehicles and strict regulatory policies to increase the safety and sustainability of a vehicle. In the wake of governments worldwide implementing policies to combat climate change, support for battery electric vehicles has increased tremendously. These require heavy use of advanced electronic systems and strong protection against environmental factors like moisture, dust, and temperature fluctuations, making these systems need conformal coatings to enhance reliability and service life. For instance, India's Faster Adoption and Manufacturing of Hybrid and Electric Vehicles or FAME scheme is a great example of how specific policies have acted as an impetus to spur market growth as they offer incentives for purchasing and manufacturing electric vehicles. The interest in EVs among consumers and growing awareness, especially among producers, therefore, improve the climate for the conformal coatings market.

Dominance of Acrylic Resin Conformal Coatings

Defined by IPC-CC-830 as Type AR, acrylic conformal coatings are some of the most widely used coatings in the market today. Acrylic coatings provide strong moisture protection, are generally easy to apply, and come at a relatively low-cost point. While numerous formulations are available, a few well-known acrylic coatings include HumiSeal 1B31, Humiseal1B73, MG Chemicals 419C, and Electrolube APL. Acrylic resin can be applied via manual or automated spray, brush, or dip methods. Many acrylics cure in as little as 30 minutes at room temperature, making them an attractive option for high-volume or quick-turn applications. In addition, acrylics are one of the easiest coatings to remove if component rework is frequently required. Acrylic conformal coatings have found great success in the electronics manufacturing industry due to their ease of application, strong moisture protection, relatively low cost, and ability to be reworked.

For instance, in May 2022, HumiSeal, a leading conformal coatings manufacturer and part of CHASE CORPORATION, announced it would use the SMTconnect event in Nuremberg, Germany, to launch a brand-new product designed to specifically address the reduction of bubbles being experienced by some users of conformal coatings. HumiSeal 1B73/730EU is a single-component, fast-drying, acrylic conformal coating intended for use on printed circuit assemblies. HumiSeal 1B73/730EU is specially formulated with a new solvent blend to reduce bubbles during application.

Asia-Pacific Dominates Global Automotive Conformal Coatings Market Share

Asia-Pacific is expected to lead the global market for automotive conformal coatings, sustained by its strong automotive manufacturing base and a significant percentage growth of vehicle electronics content. The region has enormous hubs for automotive production, like China, Japan, South Korea, and India. This dominance is attributed to several factors, such as the growing number of in-vehicle electronic control units (ECUs), printed circuit boards (PCBs), sensors, and LED systems. All such components necessitate effective protection against environmental hazards. Also, vehicle production in Asia-Pacific has proliferated owing to government initiatives emphasizing features such as safety and comfort, thus raising the demand for advanced electronic components. Due to the implementation of modern vehicles with sophisticated devices such as automatic wipers in the rain, rear parking sensors, and infotainment systems, for example, the need for conformal coatings becomes critical to ensure the reliability and longevity of these electronics.

For instance, in July 2024, Henkel AG & Co. KGaA announced the completion of the third phase of its manufacturing facility in Kulkumbah near Pune, India, under the new Henkel brand Loctite. The new Loctite facility at the Kulkumbah manufacturing site embodies Henkel's vision to drive growth in the Indian market. The facility will serve Indian companies and further localize the product portfolio, thereby reducing dependence on high-performance solutions in adhesives, sealants, and surface treatment products on imports.

Future Market Scenario (2025-2032F)

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- Innovations such as nanocoatings and self-healing materials could further enhance the functionality and durability of conformal coatings, making them more effective in protecting sensitive electronic components against harsh automotive environments.
- Stringent environmental regulations aimed at reducing emissions and enhancing vehicles drive demand and encourage innovation in coating technologies, such as eco-friendly and UV-curable options.
- Integrating IoT and artificial intelligence in vehicles will further increase the complexity of automotive electronics, necessitating advanced coating solutions.

Key Players Landscape and Outlook

The global automotive conformal coatings market is competitive, where a few key players are driving innovation and growth. However, the leading companies strategically take full advantage of the increasing demand for advanced protective coatings because of the growing reliance on electronic systems in vehicles. The automotive conformal coatings market prospects are promising, as projections indicate significant growth due to the swift adoption of electric vehicles that require advanced electronic systems and effective protection coatings. Technological advancement in coating materials and application methods, like UV-curable and eco-friendly formulations, is gaining high momentum and aligning with global sustainability trends. Increasingly, sophisticated technologies such as infotainment systems and connectivity features are being incorporated in vehicles, requiring reliable conformal coatings. Stricter government regulations regarding vehicle emissions and safety continue to propel manufacturers to adopt high-quality coatings that meet environmental standards. Collectively, these factors put the market leaders in a better position to capitalize on the growing opportunities through technological advances and regulatory pressures, which accordingly shape the future of automotive conformal coatings.

For instance, in October 2024, GOPEL Electronic GmbH demonstrated the world's first tool for AI-supported test coverage analysis with embedded instruments with the Smart Test Coverage Analyzer (smartTCA). It covers a wide range of configuration options for the quality assurance of electronic assemblies, from component and solder joint inspection to conformal coat inspection (CCI). Multi-Line CCI inspects conformal coating fully automatically.

Table of Contents:

- 1.□Project Scope and Definitions
- 2.□Research Methodology
- 3.□Executive Summary
- 4.□Voice of Customer
 - 4.1.□Product and Market Intelligence
 - 4.2.□Mode of Brand Awareness
 - 4.3.□Factors Considered in Purchase Decisions
 - 4.3.1.□Features and Durability
 - 4.3.2.□Compatibility
 - 4.3.3.□Efficiency of Solutions
 - 4.3.4.□After-Sales Support
 - 4.4.□Consideration of Privacy and Regulations
- 5.□Global Automotive Conformal Coatings Market Outlook, 2018-2032F
 - 5.1.□Market Size Analysis & Forecast
 - 5.1.1.□By Value
 - 5.1.2.□By Volume
 - 5.2.□Market Share Analysis & Forecast
 - 5.2.1.□By Type
 - 5.2.1.1.□Acrylic Resin
 - 5.2.1.2.□Epoxy
 - 5.2.1.3.□Urethane (Polyurethane) Resin (UR)
 - 5.2.1.4.□Silicone Resin (SR)
 - 5.2.1.5.□Others

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 5.2.2. By Method
 - 5.2.2.1. Brush
 - 5.2.2.2. Spray
 - 5.2.2.3. Dipping
 - 5.2.2.4. Selective coating
- 5.2.3. By Sales Channel
 - 5.2.3.1. Original Equipment Manufacturer
 - 5.2.3.2. Aftermarket
- 5.2.4. By Region
 - 5.2.4.1. North America
 - 5.2.4.2. Europe
 - 5.2.4.3. Asia-Pacific
 - 5.2.4.4. South America
 - 5.2.4.5. Middle East and Africa
- 5.2.5. By Company Market Share Analysis (Top 5 Companies and Others - By Value, 2024)
- 5.3. Market Map Analysis, 2024
 - 5.3.1. By Type
 - 5.3.2. By Method
 - 5.3.3. By Sales Channel
 - 5.3.4. By Region
- 6. North America Automotive Conformal Coatings Market Outlook, 2018-2032F*
 - 6.1. Market Size Analysis & Forecast
 - 6.1.1. By Value
 - 6.1.2. By Volume
 - 6.2. Market Share Analysis & Forecast
 - 6.2.1. By Type
 - 6.2.1.1. Acrylic Resin
 - 6.2.1.2. Epoxy
 - 6.2.1.3. Urethane (Polyurethane) Resin (UR)
 - 6.2.1.4. Silicone Resin (SR)
 - 6.2.1.5. Others
 - 6.2.2. By Method
 - 6.2.2.1. Brush
 - 6.2.2.2. Spray
 - 6.2.2.3. Dipping
 - 6.2.2.4. Selective coating
 - 6.2.3. By Sales Channel
 - 6.2.3.1. Original Equipment Manufacturer
 - 6.2.3.2. Aftermarket
 - 6.2.4. By Country Share
 - 6.2.4.1. United States
 - 6.2.4.2. Canada
 - 6.2.4.3. Mexico
- 6.3. Country Market Assessment
 - 6.3.1. United States Automotive Conformal Coatings Market Outlook, 2018-2032F*
 - 6.3.1.1. Market Size Analysis & Forecast
 - 6.3.1.1.1. By Value

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 6.3.1.1.2. By Volume
- 6.3.1.2. Market Share Analysis & Forecast
- 6.3.1.2.1. By Type
 - 6.3.1.2.1.1. Acrylic Resin
 - 6.3.1.2.1.2. Epoxy
 - 6.3.1.2.1.3. Urethane (Polyurethane) Resin (UR)
 - 6.3.1.2.1.4. Silicone Resin (SR)
 - 6.3.1.2.1.5. Others
- 6.3.1.2.2. By Method
 - 6.3.1.2.2.1. Brush
 - 6.3.1.2.2.2. Spray
 - 6.3.1.2.2.3. Dipping
 - 6.3.1.2.2.4. Selective coating
- 6.3.1.2.3. By Sales Channel
 - 6.3.1.2.3.1. Original Equipment Manufacturer
 - 6.3.1.2.3.2. Aftermarket
- 6.3.2. Canada
- 6.3.3. Mexico

*All segments will be provided for all regions and countries covered

7. Europe Automotive Conformal Coatings Market Outlook, 2018-2032F

- 7.1.1. Germany
- 7.1.2. France
- 7.1.3. Italy
- 7.1.4. United Kingdom
- 7.1.5. Russia
- 7.1.6. Netherlands
- 7.1.7. Spain
- 7.1.8. Turkey
- 7.1.9. Poland

8. Asia-Pacific Automotive Conformal Coatings Market Outlook, 2018-2032F

- 8.1.1. India
- 8.1.2. China
- 8.1.3. Japan
- 8.1.4. Australia
- 8.1.5. Vietnam
- 8.1.6. South Korea
- 8.1.7. Indonesia
- 8.1.8. Philippines

9. South America Automotive Conformal Coatings Market Outlook, 2018-2032F

- 9.1.1. Brazil
- 9.1.2. Argentina

10. Middle East and Africa Automotive Conformal Coatings Market Outlook, 2018-2032F

- 10.1.1. Saudi Arabia
- 10.1.2. UAE
- 10.1.3. South Africa

11. Demand Supply Analysis

12. Import and Export Analysis

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 13. □ Value Chain Analysis
- 14. □ Porter's Five Forces Analysis
- 15. □ PESTLE Analysis
- 16. □ Pricing Analysis
- 17. □ Market Dynamics
 - 17.1. □ Market Drivers
 - 17.2. □ Market Challenges
- 18. □ Market Trends and Developments
- 19. □ Case Studies
- 20. □ Competitive Landscape
 - 20.1. □ Competition Matrix of Top 5 Market Leaders
 - 20.2. □ SWOT Analysis for Top 5 Players
 - 20.3. □ Key Players Landscape for Top 11 Market Players
 - 20.3.1. □ The Dow Chemical Company
 - 20.3.1.1. □ Company Details
 - 20.3.1.2. □ Key Management Personnel
 - 20.3.1.3. □ Products and Services
 - 20.3.1.4. □ Financials (As Reported)
 - 20.3.1.5. □ Key Market Focus and Geographical Presence
 - 20.3.1.6. □ Recent Developments/Collaborations/Partnerships/Mergers and Acquisition
 - 20.3.2. □ Henkel AG & Co. KGaA
 - 20.3.3. □ H.B. Fuller Company
 - 20.3.4. □ CHASE CORPORATION
 - 20.3.5. □ Element Solutions Inc.
 - 20.3.6. □ ALTANA AG
 - 20.3.7. □ CHT Germany GmbH
 - 20.3.8. □ Comelec SA
 - 20.3.9. □ Dymax Corporation
 - 20.3.10. □ MG Chemicals
 - 20.3.11. □ GOPEL electronic GmbH
- *Companies mentioned above DO NOT hold any order as per market share and can be changed as per information available during research work.
- 21. □ Strategic Recommendations
- 22. □ About Us and Disclaimer

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Automotive Conformal Coatings Market Assessment, By Type [Acrylic Resin, Epoxy, Urethane (Polyurethane) Resin (UR), Silicone Resin (SR), Others], By Method [Brush, Spray, Dipping, Selective coating], By Sales Channel [Original Equipment Manufacturer, Aftermarket], By Region, Opportunities and Forecast, 2018-2032F

Market Report | 2025-01-09 | 242 pages | Market Xcel - Markets and Data

To place an Order with Scotts International:

- Print this form
- Complete the relevant blank fields and sign
- Send as a scanned email to support@scotts-international.com

ORDER FORM:

Select license	License	Price
	Single User License	\$4500.00
	Muti-User/Corporate Licence	\$5700.00
	Custom Research License	\$8200.00
		VAT
		Total

*Please circle the relevant license option. For any questions please contact support@scotts-international.com or 0048 603 394 346.

** VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Email*	<input type="text"/>	Phone*	<input type="text"/>
First Name*	<input type="text"/>	Last Name*	<input type="text"/>
Job title*	<input type="text"/>		
Company Name*	<input type="text"/>	EU Vat / Tax ID / NIP number*	<input type="text"/>
Address*	<input type="text"/>	City*	<input type="text"/>
Zip Code*	<input type="text"/>	Country*	<input type="text"/>

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Date

2026-03-05

Signature

A large, empty rectangular box intended for a signature.

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com