

Chromium Mining Market Report by Type (Metallurgical Chromite, Chemical and Foundry Sand Chromite, Refractory Chromite), End User (Stainless Steel, Alloy Steel), and Region 2025-2033

Market Report | 2025-03-01 | 139 pages | IMARC Group

AVAILABLE LICENSES:

- Electronic (PDF) Single User \$3999.00
- Five User Licence \$4999.00
- Enterprisewide License \$5999.00

Report description:

The global chromium mining market size reached 45.7 Million Tons in 2024. Looking forward, IMARC Group expects the market to reach 63.6 Million Tons by 2033, exhibiting a growth rate (CAGR) of 3.57% during 2025-2033. The expansion in the metallurgy industry, extensive research and development (R&D) activities and increasing government investment represent some of the key factors driving the market.

Chromium is a lustrous, hard, bluish-gray metal found naturally in rocks, animals, plants, soil, volcanic dust, and gasses. It is chiefly obtained from the mineral chromite that is carried out by surface techniques and underground mining processes. Surface techniques are usually used first to mine chromite ore. The method includes an open pit, from which the non-chromite-bearing surface materials and chromite ores are generally extracted. On the other hand, blasthole stoping techniques are commonly utilized for carrying out underground mining. Chromium is widely used to harden steel, make alloys, manufacture stainless steel, dyes, and pigments, treat cool tower water, and preserve leather and wood. It also exhibits durability, strength, toughness, corrosion, and chemical resistance to iron-steel products.

Chromium Mining Market Trends:

The increasing demand for chromium in the metallurgy industry across the globe is one of the key factors driving the market growth. The chromium mining process is widely used due to the rising demand for chromium for the production of metals, such as steel and aluminum. In line with this, the widespread process utilization for producing stainless steel, which is widely utilized in the manufacturing of cutlery, surgical tools, car exhaust systems, seatbelts, and kitchen sinks, is favoring the market growth. Additionally, the utilization of chromium for producing piston rings, shock absorbers, engine valves, and brake pistons in the automotive industry is acting as another major growth-inducing factor. Apart from this, the introduction of chromite smelting

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

technology that requires low capital investment and offers flexibility is providing an impetus to the market growth. Moreover, the increasing chromium mining activities to obtain pigments of chromium that are widely used in paints as inhibitors for recirculating water systems, brines, and dips for brass, tin, steel, and iron, is positively influencing the market growth. Furthermore, the widespread adoption of chromium in the medical industry owing to the rising geriatric population prone to chronic diseases and serious health conditions is driving the market growth. Chromium is widely used for manufacturing medicines essential in regulating blood sugar levels, which is propelling the market growth. Other factors, including rising production of metals, extensive research and development (R&D) activities and increasing government investment in the metal and mining industry, are anticipated to drive the market growth.

Key Market Segmentation:

IMARC Group provides an analysis of the key trends in each segment of the global chromium mining market, along with forecasts at the global, regional, and country level from 2025-2033. Our report has categorized the market based on the type and end user.

Type Insights:

- Metallurgical Chromite
- Chemical and Foundry Sand Chromite
- Refractory Chromite

The report has provided a detailed breakup and analysis of the chromium mining market based on the type. This includes metallurgical, chemical, and foundry sand and refractory chromite. According to the report, metallurgical chromite represented the largest segment.

End User Insights:

- Stainless Steel
- Alloy Steel

The report has provided a detailed breakup and analysis of the chromium mining market based on the end user. This includes stainless and alloy steel. According to the report, stainless steel represented the largest segment.

Regional Insights:

- North America
- United States
- Canada
- Asia Pacific
- China
- Japan
- India
- South Korea
- Australia
- Indonesia
- Others
- Europe
- Germany
- France

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- United Kingdom
- Italy
- Spain
- Russia
- Others
- Latin America
- Brazil
- Mexico
- Others
- Middle East and Africa

The report has also provided a comprehensive analysis of all the major regional markets that include North America (the United States and Canada); Europe (Germany, France, the United Kingdom, Italy, Spain, Russia, and others); Asia Pacific (China, Japan, India, South Korea, Australia, Indonesia, and others); Latin America (Brazil, Mexico, and others); and the Middle East and Africa. According to the report, Asia Pacific was the largest market for chromium mining. Some of the factors driving the Asia Pacific chromium mining market included widespread process utilization for producing stainless steel, significant technological advancements, and extensive research and development (R&D) activities.

Competitive Landscape:

The report has also provided a comprehensive analysis of the competitive landscape in the global chromium mining market. Detailed profiles of all major companies have also been provided. Some of the companies covered include Afarak Group SE, Assore Limited, Glencore plc, KWG Resources Inc, Outokompu Oyj, Samancore Chrome, Yilmaden, etc.

Key Questions Answered in This Report:

- How has the global chromium mining market performed so far and how will it perform in the coming years?
- What are the drivers, restraints, and opportunities in the global chromium mining market?
- What are the key regional markets?
- Which countries represent the most attractive chromium mining markets?
- What is the breakup of the market based on the type?
- What is the breakup of the market based on the end user?
- What is the competitive structure of the global chromium mining market?
- Who are the key players/companies in the global chromium mining market?

Table of Contents:

- 1 Preface
- 2 Scope and Methodology
 - 2.1 Objectives of the Study
 - 2.2 Stakeholders
 - 2.3 Data Sources
 - 2.3.1 Primary Sources
 - 2.3.2 Secondary Sources
 - 2.4 Market Estimation
 - 2.4.1 Bottom-Up Approach
 - 2.4.2 Top-Down Approach
 - 2.5 Forecasting Methodology
- 3 Executive Summary

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 4 Introduction
 - 4.1 Overview
 - 4.2 Key Industry Trends
- 5 Global Chromium Mining Market
 - 5.1 Market Overview
 - 5.2 Market Performance
 - 5.3 Impact of COVID-19
 - 5.4 Market Forecast
- 6 Market Breakup by Type
 - 6.1 Metallurgical Chromite
 - 6.1.1 Market Trends
 - 6.1.2 Market Forecast
 - 6.2 Chemical and Foundry Sand Chromite
 - 6.2.1 Market Trends
 - 6.2.2 Market Forecast
 - 6.3 Refractory Chromite
 - 6.3.1 Market Trends
 - 6.3.2 Market Forecast
- 7 Market Breakup by End User
 - 7.1 Stainless Steel
 - 7.1.1 Market Trends
 - 7.1.2 Market Forecast
 - 7.2 Alloy Steel
 - 7.2.1 Market Trends
 - 7.2.2 Market Forecast
- 8 Market Breakup by Region
 - 8.1 North America
 - 8.1.1 United States
 - 8.1.1.1 Market Trends
 - 8.1.1.2 Market Forecast
 - 8.1.2 Canada
 - 8.1.2.1 Market Trends
 - 8.1.2.2 Market Forecast
 - 8.2 Asia-Pacific
 - 8.2.1 China
 - 8.2.1.1 Market Trends
 - 8.2.1.2 Market Forecast
 - 8.2.2 Japan
 - 8.2.2.1 Market Trends
 - 8.2.2.2 Market Forecast
 - 8.2.3 India
 - 8.2.3.1 Market Trends
 - 8.2.3.2 Market Forecast
 - 8.2.4 South Korea
 - 8.2.4.1 Market Trends
 - 8.2.4.2 Market Forecast
 - 8.2.5 Australia

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 8.2.5.1 Market Trends
- 8.2.5.2 Market Forecast
- 8.2.6 Indonesia
 - 8.2.6.1 Market Trends
 - 8.2.6.2 Market Forecast
- 8.2.7 Others
 - 8.2.7.1 Market Trends
 - 8.2.7.2 Market Forecast
- 8.3 Europe
 - 8.3.1 Germany
 - 8.3.1.1 Market Trends
 - 8.3.1.2 Market Forecast
 - 8.3.2 France
 - 8.3.2.1 Market Trends
 - 8.3.2.2 Market Forecast
 - 8.3.3 United Kingdom
 - 8.3.3.1 Market Trends
 - 8.3.3.2 Market Forecast
 - 8.3.4 Italy
 - 8.3.4.1 Market Trends
 - 8.3.4.2 Market Forecast
 - 8.3.5 Spain
 - 8.3.5.1 Market Trends
 - 8.3.5.2 Market Forecast
 - 8.3.6 Russia
 - 8.3.6.1 Market Trends
 - 8.3.6.2 Market Forecast
 - 8.3.7 Others
 - 8.3.7.1 Market Trends
 - 8.3.7.2 Market Forecast
- 8.4 Latin America
 - 8.4.1 Brazil
 - 8.4.1.1 Market Trends
 - 8.4.1.2 Market Forecast
 - 8.4.2 Mexico
 - 8.4.2.1 Market Trends
 - 8.4.2.2 Market Forecast
 - 8.4.3 Others
 - 8.4.3.1 Market Trends
 - 8.4.3.2 Market Forecast
- 8.5 Middle East and Africa
 - 8.5.1 Market Trends
 - 8.5.2 Market Breakup by Country
 - 8.5.3 Market Forecast
- 9 Drivers, Restraints, and Opportunities
 - 9.1 Overview
 - 9.2 Drivers

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 9.3 Restraints
- 9.4 Opportunities
- 10 Value Chain Analysis
- 11 Porters Five Forces Analysis
 - 11.1 Overview
 - 11.2 Bargaining Power of Buyers
 - 11.3 Bargaining Power of Suppliers
 - 11.4 Degree of Competition
 - 11.5 Threat of New Entrants
 - 11.6 Threat of Substitutes
- 12 Price Analysis
- 13 Competitive Landscape
 - 13.1 Market Structure
 - 13.2 Key Players
 - 13.3 Profiles of Key Players
 - 13.3.1 Afarak Group SE
 - 13.3.1.1 Company Overview
 - 13.3.1.2 Product Portfolio
 - 13.3.2 Assore Limited
 - 13.3.2.1 Company Overview
 - 13.3.2.2 Product Portfolio
 - 13.3.3 Glencore plc
 - 13.3.3.1 Company Overview
 - 13.3.3.2 Product Portfolio
 - 13.3.4 KWG Resources Inc
 - 13.3.4.1 Company Overview
 - 13.3.4.2 Product Portfolio
 - 13.3.5 Outokompu Oyj
 - 13.3.5.1 Company Overview
 - 13.3.5.2 Product Portfolio
 - 13.3.5.3 Financials
 - 13.3.5.4 SWOT Analysis
 - 13.3.6 Samancore Chrome
 - 13.3.6.1 Company Overview
 - 13.3.6.2 Product Portfolio
 - 13.3.7 Yilmaden
 - 13.3.7.1 Company Overview
 - 13.3.7.2 Product Portfolio

Kindly note that this only represents a partial list of companies, and the complete list has been provided in the report.

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Chromium Mining Market Report by Type (Metallurgical Chromite, Chemical and Foundry Sand Chromite, Refractory Chromite), End User (Stainless Steel, Alloy Steel), and Region 2025-2033

Market Report | 2025-03-01 | 139 pages | IMARC Group

To place an Order with Scotts International:

- Print this form
- Complete the relevant blank fields and sign
- Send as a scanned email to support@scotts-international.com

ORDER FORM:

Select license	License	Price
	Electronic (PDF) Single User	\$3999.00
	Five User Licence	\$4999.00
	Enterprisewide License	\$5999.00
		VAT
		Total

*Please circle the relevant license option. For any questions please contact support@scotts-international.com or 0048 603 394 346.

** VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Email*	<input type="text"/>	Phone*	<input type="text"/>
First Name*	<input type="text"/>	Last Name*	<input type="text"/>
Job title*	<input type="text"/>		
Company Name*	<input type="text"/>	EU Vat / Tax ID / NIP number*	<input type="text"/>
Address*	<input type="text"/>	City*	<input type="text"/>
Zip Code*	<input type="text"/>	Country*	<input type="text"/>
		Date	<input type="text" value="2026-03-03"/>

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Signature

An empty rectangular box with a thin black border, intended for a signature.