

**Rapid Strength Concrete Market Report by Strength (0 To 40 MPa, 40 To 80 MPa, Above 80 MPa), Application (Airport, Building Floor, Dockyard, Formed Work, Parking Areas, Rail Network, Roads and Bridges, and Others), and Region 2025-2033**

Market Report | 2025-04-01 | 149 pages | IMARC Group

**AVAILABLE LICENSES:**

- Electronic (PDF) Single User \$3999.00
- Five User Licence \$4999.00
- Enterprisewide License \$5999.00

**Report description:**

The global rapid strength concrete market size reached USD 151.2 Billion in 2024. Looking forward, the market is expected to reach USD 223.0 Billion by 2033, exhibiting a growth rate (CAGR) of 4.19% during 2025-2033.

Rapid strength concrete (RSC) refers to a type of concrete that gains strength quickly and provides a lasting repair for the remaining service life of a structure. It is manufactured using high-quality ingredients and mixture designs and consequently offers numerous advantages over conventional concrete. As it helps businesses operating in the construction sector reduce their capital expenditure, RSC finds extensive applications in airports, dockyards, parking areas, and railway networks across the globe.

**Rapid Strength Concrete Market Trends:**

The rising demand for modern architecture around the world represents one of the key factors bolstering the growth of the market. Besides this, there is a considerable increase in the use of RSC for pavement rehabilitation and reconstruction. These pavements provide a smooth and durable all-weather traveling surface to cars, trucks, buses, bicycles, commuters, commercial motor carriers, delivery and service providers, local users, and leisure travelers. In addition, they play a pivotal role in the roadway network of a country and offer societal benefits, such as access to schools, services, offices, and general mobility. Apart from this, as RSC reaches opening strength in a short period, slab replacement can be accomplished overnight. Consequently, it is utilized for repairing different components of buildings and substructure elements on bridges, such as decks, piers, and columns. Moreover, key players are focusing on minimizing the impact of producing concrete on the environment by developing next-generation sustainable cement. They are also engaging in collaborations and mergers and acquisitions (M&A) with domestic players, which is positively influencing the market. Furthermore, governing authorities of numerous countries are introducing new projects for constructing highways and freeways, which is facilitating the growth of the market.

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

#### Key Market Segmentation:

IMARC Group provides an analysis of the key trends in each sub-segment of the global rapid strength concrete market report, along with forecasts at the global, regional and country level from 2025-2033. Our report has categorized the market based on strength and application.

#### Breakup by Strength:

- 0 To 40 MPa
- 40 To 80 MPa
- Above 80 MPa

#### Breakup by Application:

- Airport
- Building Floor
- Dockyard
- Formed Work
- Parking Areas
- Rail Network
- Roads and Bridges
- Others

#### Breakup by Region:

- North America
- United States
- Canada
- Asia-Pacific
- China
- Japan
- India
- South Korea
- Australia
- Indonesia
- Others
- Europe
- Germany
- France
- United Kingdom
- Italy
- Spain
- Russia
- Others
- Latin America
- Brazil
- Mexico

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

- Others
- Middle East and Africa

#### Competitive Landscape:

The competitive landscape of the industry has also been examined along with the profiles of the key players being Aggregate Industries (Holcim Group), Boral Limited, Bostik (Arkema S.A.), Buzzi Unicem SpA, Cemex S.A.B. de C.V., CTS Cement Manufacturing Corporation, Fosroc Inc. (JMH Group), Instarmac Group PLC, Short Load Concrete Inc., Sika AG, Tarmac (CRH plc) and Westbuild Group.

#### Key Questions Answered in This Report

- 1.What was the size of the global rapid strength concrete market in 2024?
- 2.What is the expected growth rate of the global rapid strength concrete market during 2025-2033?
- 3.What are the key factors driving the global rapid strength concrete market?
- 4.What has been the impact of COVID-19 on the global rapid strength concrete market?
- 5.What is the breakup of the global rapid strength concrete market based on the application?
- 6.What are the key regions in the global rapid strength concrete market?
- 7.Who are the key players/companies in the global rapid strength concrete market?

#### Table of Contents:

- 1 Preface
- 2 Scope and Methodology
  - 2.1 Objectives of the Study
  - 2.2 Stakeholders
  - 2.3 Data Sources
    - 2.3.1 Primary Sources
    - 2.3.2 Secondary Sources
  - 2.4 Market Estimation
    - 2.4.1 Bottom-Up Approach
    - 2.4.2 Top-Down Approach
  - 2.5 Forecasting Methodology
- 3 Executive Summary
- 4 Introduction
  - 4.1 Overview
  - 4.2 Key Industry Trends
- 5 Global Rapid Strength Concrete Market
  - 5.1 Market Overview
  - 5.2 Market Performance
  - 5.3 Impact of COVID-19
  - 5.4 Market Forecast
- 6 Market Breakup by Strength
  - 6.1 0 To 40 MPa
    - 6.1.1 Market Trends
    - 6.1.2 Market Forecast
  - 6.2 40 To 80 MPa
    - 6.2.1 Market Trends
    - 6.2.2 Market Forecast

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 6.3 Above 80 MPa
  - 6.3.1 Market Trends
  - 6.3.2 Market Forecast
- 7 Market Breakup by Application
  - 7.1 Airport
    - 7.1.1 Market Trends
    - 7.1.2 Market Forecast
  - 7.2 Building Floor
    - 7.2.1 Market Trends
    - 7.2.2 Market Forecast
  - 7.3 Dockyard
    - 7.3.1 Market Trends
    - 7.3.2 Market Forecast
  - 7.4 Formed Work
    - 7.4.1 Market Trends
    - 7.4.2 Market Forecast
  - 7.5 Parking Areas
    - 7.5.1 Market Trends
    - 7.5.2 Market Forecast
  - 7.6 Rail Network
    - 7.6.1 Market Trends
    - 7.6.2 Market Forecast
  - 7.7 Roads and Bridges
    - 7.7.1 Market Trends
    - 7.7.2 Market Forecast
  - 7.8 Others
    - 7.8.1 Market Trends
    - 7.8.2 Market Forecast
- 8 Market Breakup by Region
  - 8.1 North America
    - 8.1.1 United States
      - 8.1.1.1 Market Trends
      - 8.1.1.2 Market Forecast
    - 8.1.2 Canada
      - 8.1.2.1 Market Trends
      - 8.1.2.2 Market Forecast
  - 8.2 Asia-Pacific
    - 8.2.1 China
      - 8.2.1.1 Market Trends
      - 8.2.1.2 Market Forecast
    - 8.2.2 Japan
      - 8.2.2.1 Market Trends
      - 8.2.2.2 Market Forecast
    - 8.2.3 India
      - 8.2.3.1 Market Trends
      - 8.2.3.2 Market Forecast
    - 8.2.4 South Korea

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

- 8.2.4.1 Market Trends
- 8.2.4.2 Market Forecast
- 8.2.5 Australia
  - 8.2.5.1 Market Trends
  - 8.2.5.2 Market Forecast
- 8.2.6 Indonesia
  - 8.2.6.1 Market Trends
  - 8.2.6.2 Market Forecast
- 8.2.7 Others
  - 8.2.7.1 Market Trends
  - 8.2.7.2 Market Forecast
- 8.3 Europe
  - 8.3.1 Germany
    - 8.3.1.1 Market Trends
    - 8.3.1.2 Market Forecast
  - 8.3.2 France
    - 8.3.2.1 Market Trends
    - 8.3.2.2 Market Forecast
  - 8.3.3 United Kingdom
    - 8.3.3.1 Market Trends
    - 8.3.3.2 Market Forecast
  - 8.3.4 Italy
    - 8.3.4.1 Market Trends
    - 8.3.4.2 Market Forecast
  - 8.3.5 Spain
    - 8.3.5.1 Market Trends
    - 8.3.5.2 Market Forecast
  - 8.3.6 Russia
    - 8.3.6.1 Market Trends
    - 8.3.6.2 Market Forecast
  - 8.3.7 Others
    - 8.3.7.1 Market Trends
    - 8.3.7.2 Market Forecast
- 8.4 Latin America
  - 8.4.1 Brazil
    - 8.4.1.1 Market Trends
    - 8.4.1.2 Market Forecast
  - 8.4.2 Mexico
    - 8.4.2.1 Market Trends
    - 8.4.2.2 Market Forecast
  - 8.4.3 Others
    - 8.4.3.1 Market Trends
    - 8.4.3.2 Market Forecast
- 8.5 Middle East and Africa
  - 8.5.1 Market Trends
  - 8.5.2 Market Breakup by Country
  - 8.5.3 Market Forecast

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

- 9 SWOT Analysis
  - 9.1 Overview
  - 9.2 Strengths
  - 9.3 Weaknesses
  - 9.4 Opportunities
  - 9.5 Threats
- 10 Value Chain Analysis
- 11 Porters Five Forces Analysis
  - 11.1 Overview
  - 11.2 Bargaining Power of Buyers
  - 11.3 Bargaining Power of Suppliers
  - 11.4 Degree of Competition
  - 11.5 Threat of New Entrants
  - 11.6 Threat of Substitutes
- 12 Price Analysis
- 13 Competitive Landscape
  - 13.1 Market Structure
  - 13.2 Key Players
  - 13.3 Profiles of Key Players
    - 13.3.1 Aggregate Industries (Holcim Group)
      - 13.3.1.1 Company Overview
      - 13.3.1.2 Product Portfolio
    - 13.3.2 Boral Limited
      - 13.3.2.1 Company Overview
      - 13.3.2.2 Product Portfolio
      - 13.3.2.3 Financials
    - 13.3.3 Bostik (Arkema S.A.)
      - 13.3.3.1 Company Overview
      - 13.3.3.2 Product Portfolio
    - 13.3.4 Buzzi Unicem SpA
      - 13.3.4.1 Company Overview
      - 13.3.4.2 Product Portfolio
      - 13.3.4.3 Financials
    - 13.3.5 Cemex S.A.B. de C.V.
      - 13.3.5.1 Company Overview
      - 13.3.5.2 Product Portfolio
      - 13.3.5.3 Financials
      - 13.3.5.4 SWOT Analysis
    - 13.3.6 CTS Cement Manufacturing Corporation
      - 13.3.6.1 Company Overview
      - 13.3.6.2 Product Portfolio
    - 13.3.7 Fosroc Inc. (JMH Group)
      - 13.3.7.1 Company Overview
      - 13.3.7.2 Product Portfolio
    - 13.3.8 Instarmac Group PLC
      - 13.3.8.1 Company Overview
      - 13.3.8.2 Product Portfolio

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 13.3.9 Short Load Concrete Inc.
  - 13.3.9.1 Company Overview
  - 13.3.9.2 Product Portfolio
- 13.3.10 Sika AG
  - 13.3.10.1 Company Overview
  - 13.3.10.2 Product Portfolio
  - 13.3.10.3 Financials
- 13.3.11 Tarmac (CRH plc)
  - 13.3.11.1 Company Overview
  - 13.3.11.2 Product Portfolio
- 13.3.12 Westbuild Group
  - 13.3.12.1 Company Overview
  - 13.3.12.2 Product Portfolio

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

**Rapid Strength Concrete Market Report by Strength (0 To 40 MPa, 40 To 80 MPa, Above 80 MPa), Application (Airport, Building Floor, Dockyard, Formed Work, Parking Areas, Rail Network, Roads and Bridges, and Others), and Region 2025-2033**

Market Report | 2025-04-01 | 149 pages | IMARC Group

To place an Order with Scotts International:

- Print this form
- Complete the relevant blank fields and sign
- Send as a scanned email to support@scotts-international.com

**ORDER FORM:**

Select license	License	Price
	Electronic (PDF) Single User	\$3999.00
	Five User Licence	\$4999.00
	Enterprisewide License	\$5999.00
		VAT
		Total

\*Please circle the relevant license option. For any questions please contact support@scotts-international.com or 0048 603 394 346.

\*\* VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Email*	<input type="text"/>	Phone*	<input type="text"/>
First Name*	<input type="text"/>	Last Name*	<input type="text"/>
Job title*	<input type="text"/>		
Company Name*	<input type="text"/>	EU Vat / Tax ID / NIP number*	<input type="text"/>
Address*	<input type="text"/>	City*	<input type="text"/>
Zip Code*	<input type="text"/>	Country*	<input type="text"/>
		Date	<input type="text" value="2026-03-05"/>

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Signature

An empty rectangular box with a thin black border, intended for a signature.