

Electro-Oxidation Market by Type (Direct Electro-Oxidation, Indirect Electro-Oxidation), Electrode Material (Boron-Doped Diamond (BBD), Lead Dioxide (PbO₂), Stannic Oxide (SnO₂), Titanium Suboxides (TiO₂n?1), Graphite, and Platinum), Application (Organic & Micropollutant Treatment, Inorganic Treatment, Disinfection & Specialized Treatment), End-Use Industry (Municipal Water & Wastewater, Industrial Manufacturing, Textile, Food & Beverage, Mining, Other End-Use Industries) & Region - Forecast to 2030

Market Report | 2025-07-24 | 216 pages | MarketsandMarkets

AVAILABLE LICENSES:

- Single User \$4950.00
- Multi User \$6650.00
- Corporate License \$8150.00
- Enterprise Site License \$10000.00

Report description:

The electro-oxidation market size is projected to grow from USD 1.6 billion in 2025 to USD 2.1 billion by 2030, registering a CAGR of 6.0% during the forecast period.

The market for electro-oxidation is expanding as it meets the rising demand for green water treatment solutions in response to ongoing and widespread issues of water pollution and scarcity. Stricter environmental regulations worldwide are encouraging industries to adopt new treatment technologies to meet effluent standards, and electro-oxidation stands out as a method capable of transforming pollutants that are particularly challenging with minimal external inputs. In sectors where water safety is especially critical, such as healthcare facilities and public water systems, there is increased focus on public health and concerns over waterborne diseases and emerging contaminants (CECs). Additionally, with the growth of industrial decarbonization and smart water management systems, electro-oxidation has significant potential for expansion as a next-generation water treatment

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

approach rooted in sustainability.

<https://www.marketsandmarkets.com/Images/electro-oxidation-market-Overview.webp>

" Direct electro-oxidation is the fastest-growing type segment of the electro-oxidation market in terms of value."

Direct electro-oxidation is expected to be the fastest-growing type segment in the electro-oxidation market because it is simple to operate, efficient to treat, and has lower demands for additional reagents or catalysts. Pollutants are oxidized directly at the surface of the anode, with no intermediate steps and no secondary oxidants produced. This straightforward mechanism of direct electro-oxidation simplifies system design, maintenance, and monitoring for industrial or utility clients seeking an efficient, consistent, and reliable wastewater treatment solution. The primary reason for the rapid growth of direct electro-oxidation is its ability to effectively break down organic pollutants and help mineralize persistent, non-biodegradable substances. Direct electro-oxidation creates strong oxidizing conditions at the electrode surface, enabling the complete mineralization of polar and non-polar contaminants into harmless end products. This is particularly appealing to clients discharging high-strength effluents from industries such as chemicals, pharmaceuticals, dyes, and petrochemicals, especially when biological treatment limits are met or chemical treatments such as chlorine and ozone are ineffective in removing or transforming contaminants effectively.

"Lead oxidation is the fastest-growing electrode material segment of the electro-oxidation market in terms of value."

Lead dioxide (PbO₂) is rapidly becoming the most popular electrode material in the electro-oxidation market. This trend is driven by its unmatched combination of high performance, chemical stability, and cost-effectiveness in alkaline advanced oxidation processes. A key reason for its quick adoption is its ability to oxidatively break down a wide range of organic pollutants, including micropollutants and non-biodegradable pollutants that standard treatment methods cannot remove. Additionally, lead dioxide electrodes feature a high oxygen evolution overpotential, which enables the formation of strong oxidizing species like hydroxyl radicals without being quickly consumed by side reactions, thus improving treatment efficiency. Besides its oxidizing power, PbO₂ shows excellent stability under electrochemical conditions. This makes it a suitable electrode material for treating heavily contaminated industrial wastewater containing high levels of organics, where other electrode options may degrade or lose effectiveness over time. The durability of lead dioxide electrodes means they can operate for a long period in harsh, corrosive environments without losing their oxidizing capability, thereby enhancing performance and reliability. This characteristic gives PbO₂ electrodes an advantage in continuous-flow treatment systems, often used in municipal or industrial applications.

"Inorganic pollutant treatment for the fastest-growing electrode material segment of the electro-oxidation market in terms of value."

Inorganic pollutants are the fastest-growing application segment in the electro-oxidation market due to the need to treat heavy metals, nitrates, and other inorganic contaminants. Electro-oxidation removes inorganics through oxidation or reduction by direct electron transfer or reactive species generation, and treatment of inorganics can be very effective when traditional methods cannot meet removal needs. Due to changes in industrial practices and stricter regulations, electro-oxidation is mainly emerging as a preferred treatment technology in the Asia-Pacific region, where industries in mining, chemicals, and electronics must meet stringent discharge standards for pollutants, especially heavy metals-as seen in pilots in China's industrial wastewater and mining industries and in India, where mining operations have a zero-liquid discharge component in wastewater standards. Changes in North America's agricultural regulations for nitrate contamination, which now target agricultural runoff and groundwater, have increased the use of electro-oxidation pilots using lead dioxide or titanium electrodes for effective and efficient nitrate treatment. In Europe, the Urban Waste Water Treatment Directive and its requirements for pollution prevention-including inorganic contaminants-in industrial discharges have generated interest in electro-oxidation applications in chemical plants. The growth of mining activities in countries across Africa, South America, and Latin America has also driven demand for electro-oxidation treatment, as it can treat acidic mine drainage with heavy metals, with support from the World Bank.

"Industrial manufacturing is expected to be the fastest-growing segment of the electro-oxidation market in terms of value."

Industrial manufacturing is becoming the fastest-growing end-use segment of the Electro-Oxidation (EO) market due to its highly intense demand for advanced wastewater treatment to comply with water discharge environmental standards and support

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

sustainability goals. The manufacturing sectors (including chemicals and pharmaceuticals) produce complex effluents with recalcitrant organic contaminants along with heavy metals and micropollutants like per- and polyfluoroalkyl substances (completed grouped as PFAS) that conventional water treatments struggle to sustainably treat. Electro-oxidation is able to degrade contaminants through either direct or indirect oxidation which can preserve strong electrodes such as boron-doped diamond or lead dioxide. The upper limits of electrochemical wastewater treatment occur when poor discharge standards are being achieved with the primary goal of reclaiming wastewater for the purpose of reinjection. The zero-liquid discharge (ZLD) goals in manufacturing industries encourage the adoption of electro-oxidation, forcing the reduction of wastes with the intention of implementing circular economy practices and the elimination of any waste. In the instance of electro-oxidation producing advanced wastewater treatment processes, it is highly unlikely electro-oxidation will become a discrete treatment solution catered to some industrial companies' efforts to meet complex existing discharge standards in their rejected water. Electro-oxidation has the potential to generate advanced wastewater as it has the ability to treat a wide range of organic and inorganic contaminants, and works well with high-COD, highly toxic effluents from a pharmaceutical manufacturer or a chemical manufacturer trying to comply with their complex industry water discharge standards.

In-depth interviews were conducted with chief executive officers (CEOs), marketing directors, other innovation and technology directors, and executives from various key organizations operating in the Electro-Oxidation market, and information was gathered from secondary research to determine and verify the market size of several segments.

-□By Company Type: Tier 1 - 50%, Tier 2 - 30%, and Tier 3 - 20%

-□By Designation: Managers- 15%, Directors - 20%, and Others - 65%

-□By Region: North America - 25%, Europe - 15%, Asia Pacific - 45%, Middle East & Africa - 10%, South America - 5%.

Aqua Pulsar (US), Hydroleap (Singapore), Yasa ET (Shanghai) Co., Ltd. (China), OVIVO USA LLC (US), E-FLOC (US), Siemens (Germany), Valence Water Inc. (Colombia), PPU Umwelttechnik (Germany), Inc. (Canada), and Jiangsu Jingyuan Environmental Protection Co., Ltd (China) are the major companies in this market. The study includes an in-depth competitive analysis of these key players in the electro-oxidation market, with their company profiles, recent developments, and key market strategies.

Research Coverage

This report segments the electro-oxidation market based on type, electrode material, application, end-use industry, and region and provides estimates for the overall market value across different regions. It has also conducted a detailed analysis of key industry players to offer insights into their business overviews, products and services, key strategies, and expansions related to the electro-oxidation market.

Key benefits of buying this report

This research report focuses on various levels of analysis - industry analysis (industry trends), market ranking analysis of top players, and company profiles, which together provide an overall view of the competitive landscape; emerging and high-growth segments of the electro-oxidation market; high-growth regions; and market drivers, restraints, opportunities, and challenges. The report provides insights on the following pointers:

-□Analysis of drivers (Rising Demand for PFAS and Micro-Pollutant Remediation), restraints (Limited Expertise and Supply Chain Vulnerabilities for Specialized Electrodes), opportunities (Integration of Renewable Energy Sources to Reduce Operational Costs), and challenges (Partial Oxidation of Ammonia and Ions Requiring Additional Processes).

-□Market Penetration: Comprehensive information on the Electro-Oxidation market offered by top players in the electro-oxidation market.

-□Product Development/Innovation: Detailed insights on upcoming technologies, research & development activities, partnership, agreement, joint venture, collaboration, announcement, awards, and expansion in the market.

-□Market Development: The report provides comprehensive information about lucrative emerging markets and analyzes the electro-oxidation market across regions.

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

-□Market Capacity: Production capacities of companies producing electro-oxidation are provided wherever available, with upcoming capacities for the electro-oxidation market.

-□Competitive Assessment: In-depth assessment of market shares, strategies, products, and manufacturing capabilities of leading players in the electro-oxidation market.

Table of Contents:

1□INTRODUCTION□	22
1.1□STUDY OBJECTIVES□	22
1.2□MARKET DEFINITION□	22
1.3□STUDY SCOPE□	23
1.3.1□MARKETS COVERED AND REGIONAL SNAPSHOT□	23
1.3.2□INCLUSIONS & EXCLUSIONS□	24
1.3.3□YEARS CONSIDERED□	25
1.3.4□CURRENCY CONSIDERED□	25
1.4□LIMITATIONS□	25
1.5□STAKEHOLDERS□	25
2□RESEARCH METHODOLOGY□	26
2.1□RESEARCH DATA□	26
2.1.1□SECONDARY DATA□	27
2.1.1.1□Key data from secondary sources□	27
2.1.2□PRIMARY DATA□	27
2.1.2.1□Key data from primary sources□	28
2.1.2.2□Key primary sources□	28
2.1.2.3□Key participants for primary interviews□	28
2.1.2.4□Breakdown of primary interviews□	29
2.1.2.5□Key industry insights□	29
2.2□BASE NUMBER CALCULATION□	30
2.2.1□SUPPLY-SIDE ANALYSIS□	30
2.2.2□DEMAND-SIDE ANALYSIS□	30
2.3□GROWTH FORECAST□	30
2.3.1□SUPPLY SIDE□	30
2.3.2□DEMAND SIDE□	31
2.4□MARKET SIZE ESTIMATION□	31
2.4.1□BOTTOM-UP APPROACH□	32
2.4.2□TOP-DOWN APPROACH□	32
2.5□DATA TRIANGULATION□	33
2.6□RESEARCH ASSUMPTIONS□	34
2.7□GROWTH FORECAST□	34
2.8□RISK ASSESSMENT□	35
2.9□FACTOR ANALYSIS□	36
3□EXECUTIVE SUMMARY□	37
?	
4□PREMIUM INSIGHTS□	41
4.1□ATTRACTIVE OPPORTUNITIES FOR PLAYERS IN ELECTRO-OXIDATION MARKET□	41
4.2□ELECTRO-OXIDATION MARKET, BY TYPE□	42
4.3□ELECTRO-OXIDATION MARKET, BY ELECTRODE MATERIAL□	42
4.4□ELECTRO-OXIDATION MARKET, BY APPLICATION□	43

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

4.5	ELECTRO-OXIDATION MARKET, BY END-USE INDUSTRY	43
4.6	ELECTRO-OXIDATION MARKET, BY COUNTRY	44
5	MARKET OVERVIEW	45
5.1	INTRODUCTION	45
5.2	MARKET DYNAMICS	45
5.2.1	DRIVERS	46
5.2.1.1	Rising demand for PFAS and micro-pollutant remediation	46
5.2.1.2	Adoption in decentralized and modular wastewater treatment	46
5.2.2	RESTRAINTS	47
5.2.2.1	Limited expertise and supply chain vulnerabilities for specialized electrodes	47
5.2.3	OPPORTUNITIES	47
5.2.3.1	Integration of renewable energy sources to reduce operational costs	47
5.2.3.2	Treatment of non-biodegradable organic compounds and nitrogen organisms	48
5.2.4	CHALLENGES	49
5.2.4.1	Partial oxidation of ammonia and ions requiring additional processes	49
5.3	IMPACT OF GENERATIVE AI ON ELECTRO-OXIDATION MARKET	49
5.3.1	INTRODUCTION	49
5.3.2	IMPACT ON ELECTRO-OXIDATION MARKET	50
6	INDUSTRY TRENDS	52
6.1	INTRODUCTION	52
6.2	TRENDS/DISRUPTIONS IMPACTING CUSTOMER BUSINESS	52
6.3	VALUE CHAIN ANALYSIS	53
6.3.1	RAW MATERIAL PROCUREMENT	54
6.3.2	TECHNOLOGY DEVELOPMENT & R&D	54
6.3.3	COMPONENT MANUFACTURING & ASSEMBLY	55
6.3.4	SYSTEM INTEGRATION & END-USE CUSTOMIZATION	55
6.3.5	DISTRIBUTION, INSTALLATION & AFTER-SALES SERVICE	55
6.4	IMPACT OF 2025 US TARIFFS-ELECTRO-OXIDATION MARKET	56
6.4.1	INTRODUCTION	56
6.4.2	KEY TARIFF RATES	56
6.4.3	PRICE IMPACT ANALYSIS	56
6.4.4	KEY IMPACT ON VARIOUS REGIONS	57
6.4.4.1	US	57
6.4.4.2	Europe	57
6.4.4.3	Asia Pacific	57
6.4.5	END-USE INDUSTRY IMPACT	57
6.5	INDICATIVE PRICING ANALYSIS	58
6.5.1	INTRODUCTION	58
6.5.2	INDICATIVE PRICING OF ELECTRO-OXIDATION AMONG KEY PLAYERS, BY TYPE, 2021-2024	58
6.5.3	INDICATIVE PRICE, BY TYPE, 2021-2024	59
6.6	INVESTMENT AND FUNDING SCENARIO	59
6.7	ECOSYSTEM ANALYSIS	60
6.8	TECHNOLOGY ANALYSIS	61
6.8.1	KEY TECHNOLOGIES	61
6.8.2	COMPLEMENTARY TECHNOLOGIES	62

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

6.9	PATENT ANALYSIS	62
6.9.1	METHODOLOGY	63
6.9.2	PATENTS GRANTED, 2015-2024	63
6.9.3	PATENT PUBLICATION TRENDS	63
6.9.4	INSIGHTS	64
6.9.5	LEGAL STATUS OF PATENTS	64
6.9.6	JURISDICTION ANALYSIS	64
6.9.7	TOP APPLICANTS	65
6.9.8	LIST OF MAJOR PATENTS	66
6.10	TRADE ANALYSIS	67
6.10.1	EXPORT SCENARIO (HS CODE 842121)	67
6.10.2	IMPORT SCENARIO (HS CODE 842121)	68
6.11	KEY CONFERENCES AND EVENTS, 2025-2026	69
6.12	TARIFF AND REGULATORY LANDSCAPE	69
6.12.1	TARIFF, 2024	69
6.12.2	REGULATORY BODIES, GOVERNMENT AGENCIES, AND OTHER ORGANIZATIONS	70
6.12.3	REGULATIONS RELATED TO ELECTRO-OXIDATION MARKET	75
6.13	PORTER'S FIVE FORCES ANALYSIS	77
6.13.1	THREAT OF NEW ENTRANTS	78
6.13.2	THREAT OF SUBSTITUTES	78
6.13.3	BARGAINING POWER OF SUPPLIERS	78
6.13.4	BARGAINING POWER OF BUYERS	79
6.13.5	INTENSITY OF COMPETITIVE RIVALRY	79
6.14	KEY STAKEHOLDERS AND BUYING CRITERIA	80
6.14.1	KEY STAKEHOLDERS IN BUYING PROCESS	80
6.14.2	BUYING CRITERIA	81
6.15	MACROECONOMIC OUTLOOK	81
6.15.1	GDP TRENDS AND FORECASTS, BY COUNTRY	82
6.16	CASE STUDY ANALYSIS	82
6.16.1	APPLICATION OF ELECTRO-OXIDATION TECHNOLOGY FOR EFFECTIVE TREATMENT OF MUNICIPAL LANDFILL LEACHATE	82
6.16.2	OX TREATMENT OF MUNICIPAL WASTEWATER FOR DISCHARGE TO WATERSHED	83
7	ELECTRO-OXIDATION MARKET, BY ELECTRODE MATERIAL	85
7.1	INTRODUCTION	86
7.2	BORON-DOPED DIAMOND	87
7.2.1	ENABLING HIGH-EFFICIENCY POLLUTANT MINERALIZATION	87
7.3	LEAD DIOXIDE	88
7.3.1	PROVIDING COST-EFFECTIVE OXIDATION OF CONTAMINANTS	88
7.4	STANNIC OXIDE	88
7.4.1	FACILITATING EFFICIENT DEGRADATION WITH STABLE PERFORMANCE	88
7.5	TITANIUM SUBOXIDE	89
7.5.1	DELIVERING CORROSION-RESISTANT OXIDATION SOLUTIONS	89
7.6	GRAPHITE	89
7.6.1	SUPPORTING ECONOMIC ELECTROCHEMICAL TREATMENT	89
7.7	PLATINUM	90
7.7.1	ENHANCING CATALYTIC OXIDATION WITH NOBLE METAL PRECISION	90
8	ELECTRO-OXIDATION MARKET, BY TYPE	91

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

8.1	INTRODUCTION	92
8.2	DIRECT ELECTRO-OXIDATION	93
8.2.1	OXIDIZING POLLUTANTS DIRECTLY AT ANODE	93
8.3	INDIRECT ELECTRO-OXIDATION	94
8.3.1	GENERATING INTERMEDIATE OXIDANTS FOR POLLUTANT DEGRADATION	94
9	ELECTRO-OXIDATION MARKET, BY END-USE INDUSTRY	95
9.1	INTRODUCTION	96
9.2	MUNICIPAL WATER & WASTEWATER	97
9.2.1	ENSURING PUBLIC WATER SAFETY AND COMPLIANCE	97
9.3	INDUSTRIAL MANUFACTURING	98
9.3.1	TREATING ORGANIC POLLUTANTS IN INDUSTRIAL WASTEWATER	98
9.4	TEXTILES	98
9.4.1	REMOVING DYES FROM WASTEWATER FOR COMPLIANCE	98
9.5	FOOD & BEVERAGE	99
9.5.1	BALANCING ORGANIC WASTE TREATMENT AND HYGIENE STANDARDS	99
9.6	MINING	99
9.6.1	MITIGATING ENVIRONMENTAL IMPACT OF INORGANIC POLLUTANTS	99
9.7	OTHERS	100
9.7.1	ELECTRONIC & SEMICONDUCTOR	100
9.7.2	AQUACULTURE	100
10	ELECTRO-OXIDATION MARKET, BY APPLICATION	101
10.1	INTRODUCTION	102
10.2	ORGANIC & MICROPOLLUTANT TREATMENT SEGMENT	103
10.2.1	DEGRADING ORGANIC POLLUTANTS AND EMERGING CONTAMINANTS	103
10.3	INORGANIC TREATMENT	104
10.3.1	REMOVING HEAVY METALS AND INORGANIC CONTAMINANTS	104
10.4	DISINFECTION & SPECIALIZED TREATMENT	104
10.4.1	ENSURING MICROBIAL SAFETY AND ENHANCING WATER QUALITY	104
11	ELECTRO-OXIDATION MARKET, BY REGION	105
11.1	INTRODUCTION	106
11.2	ASIA PACIFIC	108
11.2.1	CHINA	113
11.2.1.1	Stricter industrial effluent control driving electro-oxidation adoption in textile and chemical sectors	113
11.2.2	JAPAN	114
11.2.2.1	Focus on emerging contaminants in electronics and pharmaceutical industries	114
11.2.3	INDIA	115
11.2.3.1	Urban wastewater management driving electro-oxidation adoption in municipal and agricultural sectors	115
11.2.4	SOUTH KOREA	117
11.2.4.1	Water reuse mandates boosting electro-oxidation in semiconductor and municipal sectors	117
11.2.5	REST OF ASIA PACIFIC	118
11.3	NORTH AMERICA	119
11.3.1	US	124
11.3.1.1	PFAS remediation to drive electro-oxidation adoption in municipal and chemical sectors	124
11.3.2	CANADA	125
11.3.2.1	Mining effluent management boosting electro-oxidation in mining and forestry sectors	125
11.3.3	MEXICO	126

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

11.3.3.1	Industrial water reuse to drive electro-oxidation in manufacturing and textile sectors	126
11.4	EUROPE	127
11.4.1	GERMANY	132
11.4.1.1	Industrial Compliance Driving Electro-Oxidation adoption in Chemical Sector	132
	?	
11.4.2	ITALY	133
11.4.2.1	Water Scarcity Mitigation Driving Electro-oxidation in Agricultural and Aquaculture Sectors	133
11.4.3	FRANCE	134
11.4.3.1	Pharmaceutical Residue Control Boosting Electro-oxidation in Healthcare and Biotech Sectors	134
11.4.4	UK	136
11.4.4.1	Decentralized Demand and Regulatory Shift Fueling Electro-oxidation Uptake	136
11.4.5	SPAIN	137
11.4.5.1	Drought and Industrial Agriculture Demanding Advanced Wastewater Solutions	137
11.4.6	REST OF EUROPE	138
11.5	MIDDLE EAST & AFRICA	139
11.5.1	GCC COUNTRIES	140
11.5.1.1	Saudi Arabia	143
11.5.1.1.1	Industrial diversification and water sustainability mandates fueling market expansion	143
11.5.1.2	UAE	145
11.5.1.2.1	Water stress and smart infrastructure agenda driving electro-oxidation deployment	145
11.5.1.3	Rest of GCC countries	146
11.5.2	SOUTH AFRICA	147
11.5.2.1	Industrial contamination and urban infrastructure gaps propelling electro-oxidation adoption	147
11.5.3	REST OF MIDDLE EAST & AFRICA	148
11.6	SOUTH AMERICA	150
11.6.1	ARGENTINA	153
11.6.1.1	Aging infrastructure and food processing demand prompt electro-oxidation integration	153
11.6.2	BRAZIL	154
11.6.2.1	Industrial hubs and water scarcity driving electro-oxidation expansion in urban and semi-urban zones	154
11.6.3	REST OF SOUTH AMERICA	155
12	COMPETITIVE LANDSCAPE	157
12.1	INTRODUCTION	157
12.2	KEY PLAYER STRATEGIES/RIGHT TO WIN	157
12.3	MARKET SHARE ANALYSIS, 2024	158
12.4	REVENUE ANALYSIS	161
12.5	BRAND/PRODUCT COMPARISON	162
12.6	COMPANY EVALUATION MATRIX: KEY PLAYERS, 2024	164
12.6.1	STARS	164
12.6.2	EMERGING LEADERS	164
	?	
12.6.3	PERVASIVE PLAYERS	164
12.6.4	PARTICIPANTS	164
12.6.5	COMPANY FOOTPRINT: KEY PLAYERS, 2024	166
12.6.5.1	Company footprint	166
12.6.5.2	Region footprint	167
12.6.5.3	Product type footprint	167
12.6.5.4	Application footprint	168

12.6.5.5	End-use industry footprint	168
12.7	COMPANY EVALUATION MATRIX: STARTUPS/SMES, 2024	169
12.7.1	PROGRESSIVE COMPANIES	169
12.7.2	RESPONSIVE COMPANIES	169
12.7.3	DYNAMIC COMPANIES	169
12.7.4	STARTING BLOCKS	169
12.7.5	COMPETITIVE BENCHMARKING: STARTUPS/SMES, 2024	171
12.7.5.1	Detailed list of key startups/SMEs	171
12.7.5.2	Competitive benchmarking of key startups/SMEs	172
12.8	COMPANY VALUATION AND FINANCIAL METRICS, 2024	173
12.9	COMPETITIVE SCENARIO	174
12.9.1	DEALS	174
12.9.2	OTHER DEVELOPMENTS	176
13	COMPANY PROFILES	177
13.1	KEY PLAYERS	177
13.1.1	LUMMUS TECHNOLOGY	177
13.1.1.1	Business overview	177
13.1.1.2	Products/Solutions/Services offered	178
13.1.1.3	Recent developments	178
13.1.1.3.1	Deals	178
13.1.1.4	MnM view	178
13.1.1.4.1	Right to win	178
13.1.1.4.2	Strategic choices	179
13.1.1.4.3	Weaknesses and competitive threats	179
13.1.2	OVIVO USA LLC	180
13.1.2.1	Business overview	180
13.1.2.2	Products/Solutions/Services offered	181
13.1.2.3	Recent developments	181
13.1.2.3.1	Deals	181
13.1.2.3.2	Other developments	182
13.1.2.4	MnM view	182
13.1.2.4.1	Right to win	182
13.1.2.4.2	Strategic choices	182
13.1.2.4.3	Weaknesses and competitive threats	183
13.1.3	VALENCE WATER INC	184
13.1.3.1	Business overview	184
13.1.3.2	Products/Solutions/Services offered	185
13.1.3.3	Recent developments	185
13.1.3.3.1	Other developments	185
13.1.3.4	MnM view	185
13.1.3.4.1	Right to win	185
13.1.3.4.2	Strategic choices	186
13.1.3.4.3	Weaknesses and competitive threats	186
13.1.4	HYDROLEAP	187
13.1.4.1	Business overview	187
13.1.4.2	Products/Solutions/Services offered	187
13.1.4.3	Recent developments	188

13.1.4.3.1	Other developments	188
13.1.4.4	MnM view	188
13.1.4.4.1	Right to win	188
13.1.4.4.2	Strategic choices	188
13.1.4.4.3	Weaknesses and competitive threats	188
13.1.5	JIANGSU JINGYUAN ENVIRONMENTAL PROTECTION CO., LTD	189
13.1.5.1	Business overview	189
13.1.5.2	Products/Solutions/Services offered	189
13.1.5.3	MnM view	190
13.1.5.3.1	Right to win	190
13.1.5.3.2	Strategic choices	190
13.1.5.3.3	Weaknesses and competitive threats	190
13.1.6	GROUND EFFECTS ENVIRONMENTAL SERVICES INC	191
13.1.6.1	Business overview	191
13.1.6.2	Products/Solutions/Services offered	191
13.1.7	E-FLOC WASTEWATER SOLUTIONS	192
13.1.7.1	Business overview	192
13.1.7.2	Products/Solutions/Services offered	192
13.1.8	YASA ET (SHANGHAI) CO., LTD.	193
13.1.8.1	Business overview	193
13.1.8.2	Products/Solutions/Services offered	194
13.1.9	AQUA PULSAR	195
13.1.9.1	Business overview	195
13.1.9.2	Products/Solutions/Services offered	196
?		
13.1.10	AXINE WATER TECHNOLOGIES	197
13.1.10.1	Business overview	197
13.1.10.2	Products/Solutions/Services offered	197
13.1.10.3	Recent developments	198
13.1.10.3.1	Deals	198
13.1.10.3.2	Other developments	198
13.2	OTHER PLAYERS	199
13.2.1	AEOLUS SUSTAINABLE BIOENERGY PVT. LTD	199
13.2.2	MAGNELI MATERIALS	200
13.2.3	HUNAN BOROMOND EPT CO. LTD.	201
13.2.4	VENTILAQUA	202
13.2.5	RT SAFEBALLAST PVT LTD.	203
13.2.6	MAGNETO SPECIAL ANODES (SUZHOU) CO., LTD.	204
13.2.7	AQUACARE SOLUTION ENVIRO ENGINEERS	205
13.2.8	GREEN ECOWATER SYSTEMS	206
13.2.9	BLUE EDEN CLEAN TECHNOLOGY	207
13.2.10	PPU UMWELTTECHNIK	208
14	APPENDIX	209
14.1	DISCUSSION GUIDE	209
14.2	KNOWLEDGESTORE: MARKETSandMARKETS' SUBSCRIPTION PORTAL	212
14.3	CUSTOMIZATION OPTIONS	214
14.4	RELATED REPORTS	214

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Electro-Oxidation Market by Type (Direct Electro-Oxidation, Indirect Electro-Oxidation), Electrode Material (Boron-Doped Diamond (BBD), Lead Dioxide (pbo2), Stannic Oxide (sno2), Titanium Suboxides (tino2n?1), Graphite, and Platinum), Application (Organic & Micropollutant Treatment, Inorganic Treatment, Disinfection & Specialized Treatment), End-Use Industry (Municipal Water & Wastewater, Industrial Manufacturing, Textile, Food & Beverage, Mining, Other End-Use Industries) & Region - Forecast to 2030

Market Report | 2025-07-24 | 216 pages | MarketsandMarkets

To place an Order with Scotts International:

- ☐ - Print this form
- ☐ - Complete the relevant blank fields and sign
- ☐ - Send as a scanned email to support@scotts-international.com

ORDER FORM:

Select license	License	Price
	Single User	\$4950.00
	Multi User	\$6650.00
	Corporate License	\$8150.00
	Enterprise Site License	\$10000.00
		VAT
		Total

*Please circle the relevant license option. For any questions please contact support@scotts-international.com or 0048 603 394 346.

** VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Email*		Phone*	
First Name*		Last Name*	
Job title*			
Company Name*		EU Vat / Tax ID / NIP number*	
Address*		City*	
Zip Code*		Country*	
		Date	2026-03-06
		Signature	

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com