

HVDC/HVAC Power Cable Laying Vessel Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, Segmented, By Vessel (Cable Laying, Cable Repairing and Cable Laying Barge), By Technology (Dynamic Positioning Systems, ROV-Assisted Cable Laying, Cable Burial & Trenching Technologies and Rock Cutting), By Capacity (>1000 Tons, 1001-3000 Tons, 3001-5000 Tons, 5001-7000 Tons and Above 7000 Tons), By End-User (Oil & Gas, Wind Farms, Interstate, Telecommunication and Others), By Region, By Competition, 2020-2030F

Market Report | 2025-08-06 | 180 pages | TechSci Research

AVAILABLE LICENSES:

- Single User License \$4500.00
- Multi-User License \$5500.00
- Custom Research License \$8000.00

Report description:

Market Overview

The HVDC/HVAC Power Cable Laying Vessel Market was valued at USD 1.17 Billion in 2024 and is expected to reach USD 1.99 Billion by 2030 with a CAGR of 9.08%. The HVDC/HVAC Power Cable Laying Vessel Market refers to the specialized segment of the maritime and offshore infrastructure industry that focuses on the deployment, operation, and advancement of vessels specifically designed for the transportation, handling, and precise installation of high-voltage power cables-both HVDC (High Voltage Direct Current) and HVAC (High Voltage Alternating Current)-across subsea, offshore, and terrestrial environments. These vessels play a critical role in the construction and expansion of energy transmission networks, particularly in large-scale offshore wind farms, cross-border interconnectors, island electrification, and grid modernization projects.

Equipped with dynamic positioning systems, cable tanks, tensioners, and advanced deployment technology, these vessels are engineered to ensure the safe, efficient, and accurate laying of high-voltage cables across varying seabed conditions and challenging marine environments. The market encapsulates vessel operators, shipbuilders, technology integrators, and cable

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

manufacturers who collaborate to support the growing global demand for robust and resilient power transmission infrastructure. As renewable energy sources, particularly offshore wind, continue to expand and require long-distance, high-capacity grid integration, the need for reliable cable-laying capabilities has intensified, positioning this market as a strategic enabler of energy transition efforts. HVDC technology, known for its efficiency in long-distance and underwater power transmission, demands a different set of engineering capabilities compared to HVAC systems, which are more common in shorter-distance and regional applications.

Key Market Drivers

Rapid Expansion of Offshore Wind Energy Projects

The global expansion of offshore wind energy projects is a major driver for the HVDC/HVAC power cable laying vessel market. As countries across Europe, Asia Pacific, and North America increasingly commit to renewable energy goals and carbon neutrality targets, offshore wind has emerged as a critical solution due to its scalability, reliability, and high-capacity generation potential. Offshore wind farms require extensive underwater cabling to connect turbines to each other and to onshore grids, necessitating the use of specialized vessels capable of laying HVAC cables for shorter distances and HVDC cables for long-distance, high-efficiency transmission.

The complexity of offshore environments and the technical demands of cable installation—such as precise navigation, dynamic positioning, heavy payload handling, and subsea trenching—require purpose-built cable laying vessels with advanced technologies and onboard cable storage. These vessels are essential for reducing cable damage, improving installation efficiency, and lowering project costs. With offshore wind farms moving further from shore and increasing in capacity, the demand for HVDC transmission systems has risen sharply, as they enable efficient power transport over long distances with minimal losses. As a result, there is a growing need for vessels that can lay heavier, more robust HVDC cables at greater sea depths under challenging marine conditions.

Governments are launching mega wind projects, and transmission operators are investing heavily in subsea interconnections and offshore grid expansion, which directly increases the demand for modern, high-capacity cable laying vessels. Furthermore, the introduction of floating wind farms and hybrid interconnectors calls for even more specialized vessel capabilities, which are prompting investments in fleet upgrades and new vessel construction. The expansion of offshore wind in markets such as China, the United Kingdom, the Netherlands, South Korea, and the United States is accelerating year over year, reinforcing a consistent and long-term need for cable laying operations.

This is encouraging partnerships between wind farm developers and marine contractors with access to capable vessel fleets. As offshore projects increase in number and complexity, demand for specialized vessels capable of executing these projects efficiently and safely will continue to grow, ensuring sustained momentum in the HVDC/HVAC power cable laying vessel market. Global offshore wind capacity is expected to exceed 300 GW by 2030, up from under 60 GW today. Over 25 countries have announced national offshore wind targets for the next decade. More than \$100 billion in global investment is projected in offshore wind development over the next five years. Offshore wind farms are now being built with individual turbine capacities reaching up to 15 MW. Asia-Pacific and Europe account for over 80% of current and planned offshore wind installations. Floating offshore wind capacity could grow to 20 GW by 2030, expanding deployment in deeper waters.

Key Market Challenges

High Capital and Operational Costs of Specialized Vessels

One of the most significant challenges facing the HVDC/HVAC power cable laying vessel market is the extremely high capital and operational costs associated with the construction, maintenance, and deployment of specialized cable laying vessels. These vessels require highly advanced engineering designs, sophisticated cable handling systems, dynamic positioning technology, and specialized onboard equipment to ensure precision, stability, and safety during deep-sea cable installation. The upfront investment to build or retrofit a single cable laying vessel can run into hundreds of millions of dollars, making it a high-risk venture that requires long-term contract assurances to ensure return on investment.

Furthermore, these vessels are typically customized for unique mission profiles, reducing their flexibility for other commercial uses outside of cable installation operations. Operating costs also remain substantial due to the need for a highly skilled crew, rigorous maintenance schedules, constant technological upgrades, and compliance with stringent marine and energy industry regulations. Additionally, fluctuations in fuel prices, insurance premiums for high-value marine assets, and port logistics further

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

inflate operational expenses. The cost intensity discourages new market entrants and limits the availability of vessels during peak demand periods, creating supply constraints and bottlenecks in project timelines.

For developers and contractors, these high vessel-related costs can substantially impact the overall budget of offshore wind or interconnection projects, often leading to delays, renegotiated timelines, or scaled-down scopes. Moreover, with rising demand for longer and more complex submarine cable routes, vessel owners are required to continually invest in upgrading their fleet capacity and capabilities to meet new technical and regulatory requirements, which puts further strain on financial resources. Financing challenges are also exacerbated by market uncertainties, geopolitical risks in certain offshore regions, and the cyclical nature of energy infrastructure investment.

Additionally, long lead times for vessel construction or retrofitting further slow down capacity expansion, making it difficult for the market to respond quickly to growing demand for power transmission infrastructure. The cost barrier not only restricts the scalability of the vessel market but also imposes limitations on how rapidly emerging economies and remote regions can be integrated into global clean energy grids. As the world shifts toward offshore renewable energy and cross-border interconnectivity, the high costs associated with specialized vessel procurement and operations remain a formidable obstacle to market growth and supply chain efficiency.

Key Market Trends

Rising Deployment of Offshore Wind Farms Driving Demand for Advanced Cable Laying Vessels

The rapid expansion of offshore wind energy infrastructure is emerging as a major driver shaping the HVDC/HVAC power cable laying vessel market. Governments and private players are aggressively investing in offshore wind farms to meet renewable energy targets, reduce carbon emissions, and enhance grid resilience. These offshore installations require complex and high-capacity subsea cable networks, often spanning hundreds of kilometers and operating under demanding environmental conditions. As wind farms are increasingly developed farther from shore and in deeper waters, there is a rising need for advanced cable laying vessels equipped with high load capacity, dynamic positioning systems, and precision handling capabilities.

HVDC systems are particularly favored for long-distance transmission due to their lower line losses and cost efficiency, thereby increasing the deployment of HVDC submarine cables. At the same time, HVAC connections are still widely used in near-shore wind farms and interconnector projects. This dual demand for both HVDC and HVAC technologies has pushed manufacturers and vessel operators to build or retrofit specialized vessels that can handle diverse cable types, varying voltages, and complex routing requirements. Additionally, cable-laying operations now require real-time monitoring systems, remotely operated vehicles (ROVs), and automation to minimize risk and ensure high installation accuracy.

The integration of smart technologies and digital controls onboard vessels is becoming a standard to support the scale and complexity of modern offshore energy projects. As more countries scale up their offshore wind capacity, the need for purpose-built cable laying vessels will intensify, creating a sustained growth trajectory for the market. Fleet modernization, hybrid propulsion systems, and higher environmental standards are also influencing newbuild and chartering decisions, aligning with the global push for greener maritime operations.

Key Market Players

□□Prysmian Group

□□Nexans S.A.

□□NKT A/S

□□Van Oord

□□Subsea 7 S.A.

□□Royal Boskalis Westminster N.V.

□□Jan De Nul Group

□□ABB Ltd.

□□Siemens Energy AG

□□DeepOcean Group Holding BV

Report Scope:

In this report, the Global HVDC/HVAC Power Cable Laying Vessel Market has been segmented into the following categories, in addition to the industry trends which have also been detailed below:

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

HVDC/HVAC Power Cable Laying Vessel Market, By Vessel:

- Cable Laying
- Cable Repairing
- Cable Laying Barge

HVDC/HVAC Power Cable Laying Vessel Market, By Technology:

- Dynamic Positioning Systems
- ROV-Assisted Cable Laying
- Cable Burial & Trenching Technologies
- Rock Cutting

HVDC/HVAC Power Cable Laying Vessel Market, By Capacity:

- >1000 Tons
- 1001-3000 Tons
- 3001-5000 Tons
- 5001-7000 Tons
- Above 7000 Tons

HVDC/HVAC Power Cable Laying Vessel Market, By End-User:

- Oil & Gas
- Wind Farms
- Interstate
- Telecommunication
- Others

HVDC/HVAC Power Cable Laying Vessel Market, By Region:

- North America
 - United States
 - Canada
 - Mexico
- Europe
 - France
 - United Kingdom
 - Italy
 - Germany
 - Spain
- Asia-Pacific
 - China
 - India
 - Japan
 - Australia
 - South Korea
- South America
 - Brazil
 - Argentina
 - Colombia
- Middle East & Africa
 - South Africa
 - Saudi Arabia
 - UAE
 - Kuwait

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

□ Turkey

Competitive Landscape

Company Profiles: Detailed analysis of the major companies presents in the Global HVDC/HVAC Power Cable Laying Vessel Market.

Available Customizations:

Global HVDC/HVAC Power Cable Laying Vessel Market report with the given Market data, Tech Sci Research offers customizations according to a company's specific needs. The following customization options are available for the report:

Company Information

□□ Detailed analysis and profiling of additional Market players (up to five).

Table of Contents:

1. Product Overview
 - 1.1. Market Definition
 - 1.2. Scope of the Market
 - 1.2.1. Markets Covered
 - 1.2.2. Years Considered for Study
 - 1.3. Key Market Segmentations
2. Research Methodology
 - 2.1. Objective of the Study
 - 2.2. Baseline Methodology
 - 2.3. Formulation of the Scope
 - 2.4. Assumptions and Limitations
 - 2.5. Sources of Research
 - 2.5.1. Secondary Research
 - 2.5.2. Primary Research
 - 2.6. Approach for the Market Study
 - 2.6.1. The Bottom-Up Approach
 - 2.6.2. The Top-Down Approach
 - 2.7. Methodology Followed for Calculation of Market Size & Market Shares
 - 2.8. Forecasting Methodology
 - 2.8.1. Data Triangulation & Validation
3. Executive Summary
 - 3.1. Overview of the Market
 - 3.2. Overview of Key Market Segmentations
 - 3.3. Overview of Key Market Players
 - 3.4. Overview of Key Regions/Countries
 - 3.5. Overview of Market Drivers, Challenges, and Trends
4. Voice of Customer
5. Global HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 5.1. Market Size & Forecast
 - 5.1.1. By Value
 - 5.2. Market Share & Forecast
 - 5.2.1. By Vessel (Cable Laying, Cable Repairing and Cable Laying Barge)
 - 5.2.2. By Technology (Dynamic Positioning Systems, ROV-Assisted Cable Laying, Cable Burial & Trenching Technologies and Rock Cutting)
 - 5.2.3. By Capacity (>1000 Tons, 1001-3000 Tons, 3001-5000 Tons, 5001-7000 Tons and Above 7000 Tons)
 - 5.2.4. By End-User (Oil & Gas, Wind Farms, Interstate, Telecommunication and Others)
 - 5.2.5. By Region

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 5.3. By Company (2024)
- 5.4. Market Map
- 6. North America HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 6.1. Market Size & Forecast
 - 6.1.1. By Value
 - 6.2. Market Share & Forecast
 - 6.2.1. By Vessel
 - 6.2.2. By Technology
 - 6.2.3. By Capacity
 - 6.2.4. By End-User
 - 6.2.5. By Country
 - 6.3. North America: Country Analysis
 - 6.3.1. United States HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 6.3.1.1. Market Size & Forecast
 - 6.3.1.1.1. By Value
 - 6.3.1.2. Market Share & Forecast
 - 6.3.1.2.1. By Vessel
 - 6.3.1.2.2. By Technology
 - 6.3.1.2.3. By Capacity
 - 6.3.1.2.4. By End-User
 - 6.3.2. Canada HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 6.3.2.1. Market Size & Forecast
 - 6.3.2.1.1. By Value
 - 6.3.2.2. Market Share & Forecast
 - 6.3.2.2.1. By Vessel
 - 6.3.2.2.2. By Technology
 - 6.3.2.2.3. By Capacity
 - 6.3.2.2.4. By End-User
 - 6.3.3. Mexico HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 6.3.3.1. Market Size & Forecast
 - 6.3.3.1.1. By Value
 - 6.3.3.2. Market Share & Forecast
 - 6.3.3.2.1. By Vessel
 - 6.3.3.2.2. By Technology
 - 6.3.3.2.3. By Capacity
 - 6.3.3.2.4. By End-User
- 7. Europe HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 7.1. Market Size & Forecast
 - 7.1.1. By Value
 - 7.2. Market Share & Forecast
 - 7.2.1. By Vessel
 - 7.2.2. By Technology
 - 7.2.3. By Capacity
 - 7.2.4. By End-User
 - 7.2.5. By Country
 - 7.3. Europe: Country Analysis
 - 7.3.1. Germany HVDC/HVAC Power Cable Laying Vessel Market Outlook

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 7.3.1.1. Market Size & Forecast
 - 7.3.1.1.1. By Value
- 7.3.1.2. Market Share & Forecast
 - 7.3.1.2.1. By Vessel
 - 7.3.1.2.2. By Technology
 - 7.3.1.2.3. By Capacity
 - 7.3.1.2.4. By End-User
- 7.3.2. United Kingdom HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 7.3.2.1. Market Size & Forecast
 - 7.3.2.1.1. By Value
 - 7.3.2.2. Market Share & Forecast
 - 7.3.2.2.1. By Vessel
 - 7.3.2.2.2. By Technology
 - 7.3.2.2.3. By Capacity
 - 7.3.2.2.4. By End-User
- 7.3.3. Italy HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 7.3.3.1. Market Size & Forecast
 - 7.3.3.1.1. By Value
 - 7.3.3.2. Market Share & Forecast
 - 7.3.3.2.1. By Vessel
 - 7.3.3.2.2. By Technology
 - 7.3.3.2.3. By Capacity
 - 7.3.3.2.4. By End-User
- 7.3.4. France HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 7.3.4.1. Market Size & Forecast
 - 7.3.4.1.1. By Value
 - 7.3.4.2. Market Share & Forecast
 - 7.3.4.2.1. By Vessel
 - 7.3.4.2.2. By Technology
 - 7.3.4.2.3. By Capacity
 - 7.3.4.2.4. By End-User
- 7.3.5. Spain HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 7.3.5.1. Market Size & Forecast
 - 7.3.5.1.1. By Value
 - 7.3.5.2. Market Share & Forecast
 - 7.3.5.2.1. By Vessel
 - 7.3.5.2.2. By Technology
 - 7.3.5.2.3. By Capacity
 - 7.3.5.2.4. By End-User
- 8. Asia-Pacific HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 8.1. Market Size & Forecast
 - 8.1.1. By Value
 - 8.2. Market Share & Forecast
 - 8.2.1. By Vessel
 - 8.2.2. By Technology
 - 8.2.3. By Capacity
 - 8.2.4. By End-User

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 8.2.5. By Country
- 8.3. Asia-Pacific: Country Analysis
 - 8.3.1. China HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 8.3.1.1. Market Size & Forecast
 - 8.3.1.1.1. By Value
 - 8.3.1.2. Market Share & Forecast
 - 8.3.1.2.1. By Vessel
 - 8.3.1.2.2. By Technology
 - 8.3.1.2.3. By Capacity
 - 8.3.1.2.4. By End-User
 - 8.3.2. India HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 8.3.2.1. Market Size & Forecast
 - 8.3.2.1.1. By Value
 - 8.3.2.2. Market Share & Forecast
 - 8.3.2.2.1. By Vessel
 - 8.3.2.2.2. By Technology
 - 8.3.2.2.3. By Capacity
 - 8.3.2.2.4. By End-User
 - 8.3.3. Japan HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 8.3.3.1. Market Size & Forecast
 - 8.3.3.1.1. By Value
 - 8.3.3.2. Market Share & Forecast
 - 8.3.3.2.1. By Vessel
 - 8.3.3.2.2. By Technology
 - 8.3.3.2.3. By Capacity
 - 8.3.3.2.4. By End-User
 - 8.3.4. South Korea HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 8.3.4.1. Market Size & Forecast
 - 8.3.4.1.1. By Value
 - 8.3.4.2. Market Share & Forecast
 - 8.3.4.2.1. By Vessel
 - 8.3.4.2.2. By Technology
 - 8.3.4.2.3. By Capacity
 - 8.3.4.2.4. By End-User
 - 8.3.5. Australia HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 8.3.5.1. Market Size & Forecast
 - 8.3.5.1.1. By Value
 - 8.3.5.2. Market Share & Forecast
 - 8.3.5.2.1. By Vessel
 - 8.3.5.2.2. By Technology
 - 8.3.5.2.3. By Capacity
 - 8.3.5.2.4. By End-User
- 9. South America HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 9.1. Market Size & Forecast
 - 9.1.1. By Value
 - 9.2. Market Share & Forecast
 - 9.2.1. By Vessel

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 9.2.2. By Technology
- 9.2.3. By Capacity
- 9.2.4. By End-User
- 9.2.5. By Country
- 9.3. South America: Country Analysis
 - 9.3.1. Brazil HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 9.3.1.1. Market Size & Forecast
 - 9.3.1.1.1. By Value
 - 9.3.1.2. Market Share & Forecast
 - 9.3.1.2.1. By Vessel
 - 9.3.1.2.2. By Technology
 - 9.3.1.2.3. By Capacity
 - 9.3.1.2.4. By End-User
 - 9.3.2. Argentina HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 9.3.2.1. Market Size & Forecast
 - 9.3.2.1.1. By Value
 - 9.3.2.2. Market Share & Forecast
 - 9.3.2.2.1. By Vessel
 - 9.3.2.2.2. By Technology
 - 9.3.2.2.3. By Capacity
 - 9.3.2.2.4. By End-User
 - 9.3.3. Colombia HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 9.3.3.1. Market Size & Forecast
 - 9.3.3.1.1. By Value
 - 9.3.3.2. Market Share & Forecast
 - 9.3.3.2.1. By Vessel
 - 9.3.3.2.2. By Technology
 - 9.3.3.2.3. By Capacity
 - 9.3.3.2.4. By End-User
- 10. Middle East and Africa HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 10.1. Market Size & Forecast
 - 10.1.1. By Value
 - 10.2. Market Share & Forecast
 - 10.2.1. By Vessel
 - 10.2.2. By Technology
 - 10.2.3. By Capacity
 - 10.2.4. By End-User
 - 10.2.5. By Country
 - 10.3. Middle East and Africa: Country Analysis
 - 10.3.1. South Africa HVDC/HVAC Power Cable Laying Vessel Market Outlook
 - 10.3.1.1. Market Size & Forecast
 - 10.3.1.1.1. By Value
 - 10.3.1.2. Market Share & Forecast
 - 10.3.1.2.1. By Vessel
 - 10.3.1.2.2. By Technology
 - 10.3.1.2.3. By Capacity
 - 10.3.1.2.4. By End-User

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

10.3.2. Saudi Arabia HVDC/HVAC Power Cable Laying Vessel Market Outlook

10.3.2.1. Market Size & Forecast

10.3.2.1.1. By Value

10.3.2.2. Market Share & Forecast

10.3.2.2.1. By Vessel

10.3.2.2.2. By Technology

10.3.2.2.3. By Capacity

10.3.2.2.4. By End-User

10.3.3. UAE HVDC/HVAC Power Cable Laying Vessel Market Outlook

10.3.3.1. Market Size & Forecast

10.3.3.1.1. By Value

10.3.3.2. Market Share & Forecast

10.3.3.2.1. By Vessel

10.3.3.2.2. By Technology

10.3.3.2.3. By Capacity

10.3.3.2.4. By End-User

10.3.4. Kuwait HVDC/HVAC Power Cable Laying Vessel Market Outlook

10.3.4.1. Market Size & Forecast

10.3.4.1.1. By Value

10.3.4.2. Market Share & Forecast

10.3.4.2.1. By Vessel

10.3.4.2.2. By Technology

10.3.4.2.3. By Capacity

10.3.4.2.4. By End-User

10.3.5. Turkey HVDC/HVAC Power Cable Laying Vessel Market Outlook

10.3.5.1. Market Size & Forecast

10.3.5.1.1. By Value

10.3.5.2. Market Share & Forecast

10.3.5.2.1. By Vessel

10.3.5.2.2. By Technology

10.3.5.2.3. By Capacity

10.3.5.2.4. By End-User

11. Market Dynamics

11.1. Drivers

11.2. Challenges

12. Market Trends & Developments

12.1. Merger & Acquisition (If Any)

12.2. Product Launches (If Any)

12.3. Recent Developments

13. Company Profiles

13.1. Prysmian Group

13.1.1. Business Overview

13.1.2. Key Revenue and Financials

13.1.3. Recent Developments

13.1.4. Key Personnel/Key Contact Person

13.1.5. Key Product/Services Offered

13.2. Nexans S.A.

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 13.3. NKT A/S
- 13.4. Van Oord
- 13.5. Subsea 7 S.A.
- 13.6. Royal Boskalis Westminster N.V.
- 13.7. Jan De Nul Group
- 13.8. ABB Ltd.
- 13.9. Siemens Energy AG
- 13.10. DeepOcean Group Holding BV
- 14. Strategic Recommendations
- 15. About Us & Disclaimer

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

HVDC/HVAC Power Cable Laying Vessel Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, Segmented, By Vessel (Cable Laying, Cable Repairing and Cable Laying Barge), By Technology (Dynamic Positioning Systems, ROV-Assisted Cable Laying, Cable Burial & Trenching Technologies and Rock Cutting), By Capacity (>1000 Tons, 1001-3000 Tons, 3001-5000 Tons, 5001-7000 Tons and Above 7000 Tons), By End-User (Oil & Gas, Wind Farms, Interstate, Telecommunication and Others), By Region, By Competition, 2020-2030F

Market Report | 2025-08-06 | 180 pages | TechSci Research

To place an Order with Scotts International:

- Print this form
- Complete the relevant blank fields and sign
- Send as a scanned email to support@scotts-international.com

ORDER FORM:

Select license	License	Price
	Single User License	\$4500.00
	Multi-User License	\$5500.00
	Custom Research License	\$8000.00
		VAT
		Total

*Please circle the relevant license option. For any questions please contact support@scotts-international.com or 0048 603 394 346.

** VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Email*

Phone*

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

First Name*	<input type="text"/>	Last Name*	<input type="text"/>
Job title*	<input type="text"/>		
Company Name*	<input type="text"/>	EU Vat / Tax ID / NIP number*	<input type="text"/>
Address*	<input type="text"/>	City*	<input type="text"/>
Zip Code*	<input type="text"/>	Country*	<input type="text"/>
		Date	<input type="text" value="2026-03-10"/>
		Signature	<input type="text"/>