

Aramid Fiber - Market Share Analysis, Industry Trends & Statistics, Growth Forecasts (2025 - 2030)

Market Report | 2025-07-02 | 150 pages | Mordor Intelligence

AVAILABLE LICENSES:

- Single User License \$4750.00
- Team License (1-7 Users) \$5250.00
- Site License \$6500.00
- Corporate License \$8750.00

Report description:

Aramid Fiber Market Analysis

The Aramid Fiber Market size is estimated at USD 4.30 billion in 2025, and is expected to reach USD 5.52 billion by 2030, at a CAGR of 5.10% during the forecast period (2025-2030). Increasing penetration in automotive, aerospace, telecom, and advanced personal protective equipment elevates demand, while the fiber's strength-to-weight ratio and thermal stability anchor long-term relevance. Material lightweighting targets in electric mobility, the build-out of 5G networks, and rising investment in hypersonic and space programs continuously widen commercial opportunities. At the same time, feedstock price swings, mainly for MPD and PPD, keep margins under pressure, prompting vertical-integration moves by large producers. Intellectual-property constraints further shape competitive dynamics, cementing the position of incumbents that can finance R&D and navigate cross-licensing frameworks.

Global Aramid Fiber Market Trends and Insights

Escalating PPE Safety Mandates Across Asian Manufacturing Hubs

Growing enforcement of industrial safety rules in China, India, and emerging Southeast Asian economies is lifting orders for aramid-reinforced gloves, helmets, and heat-resistant workwear. Industrial helmets made with aramid composites show 37% higher impact resistance than ABS counterparts, a performance gap that accelerates factory adoption. Cut-resistant gloves incorporating para-aramid deliver Level 5 protection with 30% less weight, improving comfort for continuous wear. Fire-retardant

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

workwear formulated with meta-aramid maintains structural integrity at 425 C, aligning with stricter foundry and petrochemical safety codes. Manufacturers supplying this region therefore raise allocation for aramid yarns and fabrics, strengthening the growth profile of the aramid fiber market.

EU Green-Deal Push for Lightweight EV Tires Reinforced with Aramid

European automakers accelerate tire redesign programs that shave vehicle mass to extend electric-car range. Aramid-reinforced tire carcasses cut weight by up to 25%, a saving directly linked to the Green Deal's transport decarbonization targets. Every kilogram trimmed offers a 0.7 km range gain, motivating OEMs to substitute polyester or steel cords with aramid. Compounders are commercializing aramid-filled rubber mixes that lower rolling resistance yet keep durability, reinforcing demand for the aramid fiber market in Europe and soon North America.

MPD & PPD Feedstock Price Volatility

Surging crude-oil swings and regional supply disruptions elevate MPD and PPD cost curves, compressing producer margins and unsettling long-term contracts. The U.S. Department of Commerce lists aromatic diamines among chemically critical inputs subject to geopolitically concentrated production, heightening supply-security risks. Manufacturers counter by exploring bio-based intermediates and closed-loop recovery of aramid scrap, yet near-term volatility still shaves growth momentum within the aramid fiber market.

Other drivers and restraints analyzed in the detailed report include:

5G Roll-out Surge Elevating Demand for Aramid-Reinforced Optical-Fiber Cables / Hypersonic & Space Defense Investments
Raising Meta-Aramid Thermal-Shield Consumption / Patent Cross-Licensing Barriers Deterring New Para-Aramid Entrants /

For complete list of drivers and restraints, kindly check the Table Of Contents.

Segment Analysis

The para-aramid segment held a commanding 65% aramid fiber market share in 2024, supported by ballistic protection, aerospace, and friction-material demand. Para-aramid yarns deliver tensile strength near 3.8 GPa, sustaining their position in body armor and aviation honeycombs. Defense-budget uplifts in the United States and renewed interest in lightweight automotive composites ensure stable volume pipelines for para-aramid within the aramid fiber market. Significant investments, such as a 3,000-ton capacity addition at Toray's South Korea site, underscore the scale of capital allocation toward this fiber class.

Meta-aramid, while smaller in base, stages the fastest trajectory at a 5.42% CAGR through 2030. Advanced wet-spun filaments now reach 1,255 MPa tensile strength and retain over 90% strength after prolonged UV exposure, unlocking outdoor applications like transmission-line covers. Embedded in fire-retardant fabrics, insulation papers, and filtration bags, meta-aramid addresses thermal stability demands in electronics, industrial safety, and environmental protection. The aramid fiber market size for meta-aramid is forecast to expand steadily because of expanding semiconductor capacity across Asia and EU green-transition projects, setting a competitive dynamic where material attributes, not only price, decide customer conversion.

Wet spinning captured 60% of aramid fiber market share in 2024 and continues to out-pace the headline market with a 5.87% CAGR. The process offers homogeneous polymer coagulation, producing uniformly dense fibers that achieve high dielectric stability, a prerequisite for electrical papers and filtration media. Upgraded solvent-recycling modules reduce emissions and cost, supporting adoption even among sustainability-minded end-users. The aramid fiber market size for wet-spun output is projected to widen in line with electrification and filter-media demand growth.

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Dry-jet wet spinning remains indispensable for para-aramid where chain orientation drives extreme tensile metrics. Lab runs of polyimide analogues display tensile strength up to 2.72 GPa and modulus above 114 GPa, confirming pathway headroom for future para-aramid enhancement. Although overall share is smaller, the process anchors high-end ballistic yarn supply, aligning with the needs of defense ministries and premium sports-equipment brands. Continuous line upgrades aimed at throughput efficiency and solvent-capture technology will safeguard its niche contribution to the aramid fiber market.

The Aramid Fiber Market Report Segments the Industry by Product Type (Para-Aramid, Meta-Aramid), Spinning Process (Wet Spinning, Dry Wet Spinning), Application (Security and Protection Equipment, Frictional and Brake Materials, and More), End-User Industry (Safety and Protection Equipment, Aerospace, and More), and Geography (Asia-Pacific, North America, Europe, and More). The Market Forecasts are Provided in Terms of Value (USD).

Geography Analysis

Europe anchors the global aramid fiber market with 35% revenue in 2024. Stringent worker-safety laws, ISO-aligned flame standards, and the European Union's Green Deal propel high-value adoption in automotive and industrial settings. Germany, with its export-oriented automotive base, leads regional volume expansion, while France and the Netherlands specialize in advanced filtration and aerospace laminates. Government incentives for electric-vehicle battery plants further stimulate polymer-composite uptake.

North America posts the fastest CAGR at 5.34% for 2025-2030. Federal defense appropriations feed continuous demand for para-aramid ballistic materials, whereas NASA and private launch providers channel investments into meta-aramid thermal shields. U.S. telecom carriers renew aerial fiber backbones across hurricane-prone corridors, specifying aramid strength members to mitigate storm damage. Canada follows similar trends with a public-safety focus, particularly in mining and energy infrastructure.

Asia-Pacific represents the next frontier of scale for the aramid fiber market. China escalates domestic output to cut reliance on imports and targets self-sufficiency in para-aramid by mid-decade. Massive construction of smart factories, EV battery plants, and renewable infrastructure multiplies demand for lightweight, heat-resistant materials. Japan and South Korea refine high-tech deployment in semiconductors and 5G hardware, requiring dielectric stability and mechanical resilience that aramid delivers. India's Make-in-India defense program and updated occupational-safety codes build local PPE and armor consumption, adding depth to regional growth.

List of Companies Covered in this Report:

Aramid Hpm, LLC. / China National Bluestar (Group) Co. Ltd. / DuPont / HS HYOSUNG ADVANCED MATERIALS / Huvis Corp. / Kolon Industries, Inc. / Sinochem International Corporation / SINOPEC YIZHENG CHEMICAL FIBRE LIMITED / SRO Aramid / Suzhou Zhaoda Specially Fiber Technical Co.,Ltd. / TAEKWANG INDUSTRIAL CO., LTD. / Teijin Limited / Toray Industries Inc. / TOYOBO MC Corporation / Wuxi City Shengte Carbon Fiber Products Co.,Ltd / X-FIPER NEW MATERIAL CO.,LTD / Yantai Tayho Advanced Materials Co.,Ltd. /

Additional Benefits:

 The market estimate (ME) sheet in Excel format /
3 months of analyst support /

Table of Contents:

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

1 Introduction

1.1 Study Assumptions and Market Definition

1.2 Scope of the Study

2 Research Methodology

3 Executive Summary

4 Market Landscape

4.1 Market Overview

4.2 Market Drivers

4.2.1 Escalating PPE Safety Mandates Across Asian Manufacturing Hubs

4.2.2 EU Green Deal Push for Lightweight EV Tires Reinforced with Aramid

4.2.3 5G Rollout Surge Elevating Demand for Aramid-Reinforced Optical-Fiber Cables

4.2.4 Increase in Defense Spending by Many Countries

4.2.5 Hypersonic and Space Defense Investments Raising Meta Aramid Thermal Shield Consumption

4.3 Market Restraints

4.3.1 MPD and PPD Feedstock Price Volatility

4.3.2 Patent Cross Licensing Barriers Deterring New Para-Aramid Entrants

4.3.3 High Production Costs

4.4 Value Chain Analysis

4.5 Porter's Five Forces

4.5.1 Bargaining Power of Suppliers

4.5.2 Bargaining Power of Buyers

4.5.3 Threat of New Entrants

4.5.4 Threat of Substitutes

4.5.5 Industry Rivalry

5 Market Size and Growth Forecasts (Value)

5.1 By Product Type

5.1.1 Para Aramid

5.1.2 Meta Aramid

5.2 By Spinning Process

5.2.1 Wet Spinning

5.2.2 Dry Jet Wet Spinning

5.3 By Application

5.3.1 Security and Protection Equipment

5.3.2 Frictional and Brake Materials

5.3.3 Optical Fiber Cables

5.3.4 Aerospace Components

5.3.5 Automotive Composites

5.3.6 Electrical Insulation

5.3.7 Others (industrial filtration, rubber and tire reinforcement)

5.4 By End User Industry

5.4.1 Safety and Protection Equipment

5.4.2 Aerospace

5.4.3 Automotive

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

5.4.4 Electronics and Telecommunication

5.4.5 Other End User Industries

5.5 Geography

5.5.1 Asia Pacific

5.5.1.1 China

5.5.1.2 India

5.5.1.3 Japan

5.5.1.4 South Korea

5.5.1.5 Rest of Asia Pacific

5.5.2 North America

5.5.2.1 United States

5.5.2.2 Canada

5.5.2.3 Mexico

5.5.3 Europe

5.5.3.1 Germany

5.5.3.2 United Kingdom

5.5.3.3 France

5.5.3.4 Italy

5.5.3.5 Russia

5.5.3.6 Rest of Europe

5.5.4 South America

5.5.4.1 Brazil

5.5.4.2 Argentina

5.5.4.3 Rest of South America

5.5.5 Middle East and Africa

5.5.5.1 Saudi Arabia

5.5.5.2 South Africa

5.5.5.3 Rest of Middle East and Africa

6 Competitive Landscape

6.1 Market Concentration

6.2 Strategic Moves

6.3 Market Share Analysis

6.4 Company Profiles (includes Global Overview, Market Overview, Core Segments, Financials, Strategic Info, Market Rank/Share, Products and Services, Recent Developments)

6.4.1 Aramid Hpm, LLC.

6.4.2 China National Bluestar (Group) Co. Ltd.

6.4.3 DuPont

6.4.4 HS HYOSUNG ADVANCED MATERIALS

6.4.5 Huvis Corp.

6.4.6 Kolon Industries, Inc.

6.4.7 Sinochem International Corporation

6.4.8 SINOPEC YIZHENG CHEMICAL FIBRE LIMITED

6.4.9 SRO Aramid

6.4.10 Suzhou Zhaoda Specially Fiber Technical Co.,Ltd.

6.4.11 TAEKWANG INDUSTRIAL CO., LTD.

6.4.12 Teijin Limited

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 6.4.13 Toray Industries Inc.
- 6.4.14 TOYOBO MC Corporation
- 6.4.15 Wuxi City Shengte Carbon Fiber Products Co.,Ltd
- 6.4.16 X-FIPER NEW MATERIAL CO.,LTD
- 6.4.17 Yantai Tayho Advanced Materials Co.,Ltd.

7 Market Opportunities and Future Outlook

7.1 White-Space and Unmet-Need Assessment

7.2 Market Expansion of Unmanned Aerial Vehicles (UAV)

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

**Aramid Fiber - Market Share Analysis, Industry Trends & Statistics, Growth Forecasts
(2025 - 2030)**

Market Report | 2025-07-02 | 150 pages | Mordor Intelligence

To place an Order with Scotts International:

- Print this form
- Complete the relevant blank fields and sign
- Send as a scanned email to support@scotts-international.com

ORDER FORM:

Select license	License	Price
	Single User License	\$4750.00
	Team License (1-7 Users)	\$5250.00
	Site License	\$6500.00
	Corporate License	\$8750.00
		VAT
		Total

*Please circle the relevant license option. For any questions please contact support@scotts-international.com or 0048 603 394 346.

** VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Email*	<input type="text"/>	Phone*	<input type="text"/>
First Name*	<input type="text"/>	Last Name*	<input type="text"/>
Job title*	<input type="text"/>		
Company Name*	<input type="text"/>	EU Vat / Tax ID / NIP number*	<input type="text"/>
Address*	<input type="text"/>	City*	<input type="text"/>
Zip Code*	<input type="text"/>	Country*	<input type="text"/>
		Date	<input type="text" value="2026-03-02"/>
		Signature	

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

