

Pressure Transmitter And Transducer - Market Share Analysis, Industry Trends & Statistics, Growth Forecasts (2025 - 2030)

Market Report | 2025-06-01 | 121 pages | Mordor Intelligence

AVAILABLE LICENSES:

- Single User License \$4750.00
- Team License (1-7 Users) \$5250.00
- Site License \$6500.00
- Corporate License \$8750.00

Report description:

Pressure Transmitter And Transducer Market Analysis

The pressure transmitter and transducer market size is estimated at USD 3.21 billion in 2025 and is forecast to reach USD 3.85 billion by 2030, expanding at a 3.65% CAGR. Growth rests on rising demand for smart instrumentation in refineries, deeper offshore projects requiring ultra-high-pressure devices, and semiconductor fabs that need sub-1 Torr accuracy. Adoption of wireless protocols is accelerating plant digitalization, while multivariable transmitters cut installation time and total cost of ownership. Price pressure in standard 0-10 bar ranges and intermittent ASIC shortages curb momentum, yet innovations in optical and fiber-optic sensing are creating premium niches across the pressure transmitter and transducer market.

Global Pressure Transmitter And Transducer Market Trends and Insights

Upstream Hydrogen and CCUS Projects Driving SIL-3 Certified Transmitters

New hydrogen and carbon-capture facilities in Europe and North America are specifying SIL-3 differential transmitters to meet tighter risk tolerances. Devices such as the VEGAPULS 6X radar sensor provide IEC 61508 and IEC 61511 compliance plus cybersecurity certification, aligning with operators' push for predictive diagnostics. As hydrogen electrolyzers scale, plant owners value the instruments' built-in self-check routines that flag drift early, limiting downtime. This demand lifts premium pricing, cushioning vendors from the commoditization affecting standard ranges, and reinforces the pressure transmitter and transducer market's pivot toward integrated safety solutions.

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Middle-East Refinery Mandates Accelerating Digital Transformation

Mandated upgrades under IEC 61511 are converting thousands of analog loops to smart transmitters across Gulf refineries. Baker Hughes' 46,000 sqm pressure-control center opened in Abu Dhabi in 2024 to localize high-pressure assemblies and shorten lead times. Digital devices enable remote configuration and advanced diagnostics, helping operators cut maintenance trips and align with workforce-nationalization goals. These projects reinforce wireless adoption and cement the pressure transmitter & transducer market as a cornerstone of the region's downstream modernization programs.

MEMS-Chip Failures Limiting Adoption in High-Vibration Environments

Down-hole tools encounter vibration levels that fracture delicate MEMS structures, prompting operators to seek fiber-optic alternatives that tolerate heat and shock. Distributed fiber systems now monitor pressure continuously along entire wellbores. Until ruggedized MEMS variants mature, adoption remains capped, limiting part of the pressure transmitter and transducer market.

Other drivers and restraints analyzed in the detailed report include:

Deep-Water Exploration Pushing Ultra-High Pressure Technology / Semiconductor Fabs Requiring Ultra-Clean Pressure Solutions / Price Erosion Squeezing Margins in Standard Pressure Ranges /

For complete list of drivers and restraints, kindly check the Table Of Contents.

Segment Analysis

Differential transmitters retained a 34% slice of the pressure transmitter and transducer market in 2024, cementing their role in traditional flow applications. Multivariable models, by contrast, are forecast to climb at 5.8% CAGR as customers favor single-flange installations that deliver pressure, temperature, and density in one package. The Systec Controls certified Ex-zone multivariable launch underscores this tilt toward integration.

Growing digitalization is driving on-board diagnostics that flag impulse-line clogging, while firmware updates provide remote recalibration. These capabilities anchor long-term service contracts, enlarging vendor revenue streams and elevating the pressure transmitter and transducer market to a solution-centric footing. Gauge and absolute variants remain staples for general utilities and vacuum processes, but absorb slower growth.

Piezoresistive chips delivered 48% of 2024 revenue owing to low cost and robust temperature compensation. Optical solutions, however, are expanding at a 7.2% CAGR, immune to electromagnetic interference and ideal for harsh zones. NETL's laser-grown optical fiber probes endure extreme heat with extended linearity.

Hybrid MEMS-optical assemblies are emerging to capture both low-pressure sensitivity and high-pressure resilience. As on-board photonics prices fall, the pressure transmitter and transducer market will gradually migrate upscale, particularly in nuclear power and high-frequency RF test stands that demand EMI immunity.

Pressure Transmitter and Transducer Market Report is Segmented by Product Type (Pressure Transmitters and Pressure Transducers), Sensing Technology (Piezoresistive, Capacitive, and More), Pressure Range (Low (<100 Psi / <7 Bar), and More), Output/Communication (Analog, Digital, and More), End-User Industry (Oil and Gas, Chemical and Petrochemical, and More), Geography. The Market Forecasts are Provided in Terms of Value (USD).

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Geography Analysis

Asia-Pacific generated 38% of global revenue in 2024, anchored by aggressive semiconductor capacity expansion. Foundries specify ultra-clean stainless-free assemblies, particularly in Taiwan and South Korea, reinforcing regional leadership within the pressure transmitter & transducer market. China's shift toward higher-precision manufacturing keeps demand brisk for mid-range sensors in automotive and chemical plants. Japan sustains a premium niche for aerospace and robotics-grade instruments, while India's vaccine plants boost cleanroom sensor uptake.

The Middle East leads growth at a 5.7% CAGR through 2030. Saudi Arabia's Vision 2030 diversifies chemicals and hydrogen, elevating need for SIL-3 certified transmitters. SABIC's USD 37.3 billion sales in 2024 fund low-carbon product rollouts reliant on advanced pressure control. The UAE's localization drive is exemplified by Baker Hughes' new Abu Dhabi facility, which trims lead times and heightens supply-chain resilience.

North America remains technologically forward, with shale operators adopting wireless transmitters for real-time well diagnostics. Federal incentives for carbon storage add specialized demand for high-integrity devices. Europe favors energy-efficiency retrofits and progressive safety norms, spurring purchases of smart, self-verifying transmitters for hydrogen clusters. South America's deep-water campaigns in Brazil and Guyana mandate ultra-high pressure units, while mining projects across Chile and Peru secure rugged designs. Collectively, varied regional drivers sustain the pressure transmitter and transducer market's balanced global footprint.

List of Companies Covered in this Report:

Emerson Electric Co. / ABB Ltd / Yokogawa Electric Corporation / Honeywell International Inc. / Siemens AG / Endress+Hauser AG / Schneider Electric SE / Danfoss A/S / TE Connectivity Ltd. / Sensata Technologies Inc. / WIKA Alexander Wiegand SE and Co. KG / Dwyer Instruments LLC / Spectris plc (Omega, HBM) / Ashcroft Inc. / Keller AG fur Druckmesstechnik / Brooks Instrument LLC / Gems Sensors and Controls (Fortive) / Viatran (IDEX Corp.) / OleumTech Corporation / AMETEK Inc. (Crystal) / NXP Semiconductors N.V. / Mensor (WIKA Group) / Zemic Group / Micro Sensor Co., Ltd. / Huba Control AG /

Additional Benefits:

The market estimate (ME) sheet in Excel format /
3 months of analyst support /

Table of Contents:

1 INTRODUCTION

1.1 Study Assumptions and Market Definition

1.2 Scope of the Study

2 RESEARCH METHODOLOGY

3 EXECUTIVE SUMMARY

4 MARKET LANDSCAPE

4.1 Market Overview

4.2 Market Drivers

4.2.1 Upstream Hydrogen and CCUS Projects in EU/NA Demanding SIL-3 Differential Transmitters

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 4.2.2 Middle-East Refinery Mandates for Smart Instrumentation (IEC 61511) Fueling Digital Adoption
- 4.2.3 Deep-water Investments in Brazil and Guyana Requiring >20 kpsi Sub-sea Transducers
- 4.2.4 APAC Semiconductor Fabs Need for Ultra-Clean Sub-1 Torr Transducers
- 4.3 Market Restraints
 - 4.3.1 MEMS-Chip Failures under High Vibration Down-hole Environments
 - 4.3.2 Price Erosion in 0-10 bar OEM Transducers from Low-Cost Asian Suppliers
- 4.4 Value / Supply-Chain Analysis
- 4.5 Technological Outlook (Smart, Wireless, IIoT Integration)
- 4.6 Porter's Five Forces Analysis
 - 4.6.1 Bargaining Power of Suppliers
 - 4.6.2 Bargaining Power of Buyers
 - 4.6.3 Threat of New Entrants
 - 4.6.4 Threat of Substitutes
 - 4.6.5 Intensity of Competitive Rivalry

5 MARKET SIZE AND GROWTH FORECASTS (VALUE)

- 5.1 By Product Type
 - 5.1.1 Pressure Transmitters
 - 5.1.1.1 Differential Pressure
 - 5.1.1.2 Absolute Pressure
 - 5.1.1.3 Gauge Pressure
 - 5.1.1.4 Multivariable Pressure
 - 5.1.2 Pressure Transducers
 - 5.1.2.1 Strain-Gauge Transducers
 - 5.1.2.2 Piezoresistive Transducers
 - 5.1.2.3 Capacitive Transducers
 - 5.1.2.4 Optical Transducers
- 5.2 By Sensing Technology
 - 5.2.1 Piezoresistive
 - 5.2.2 Capacitive
 - 5.2.3 Strain Gauge
 - 5.2.4 Piezoelectric
 - 5.2.5 Optical
 - 5.2.6 MEMS Hybrid
- 5.3 By Pressure Range
 - 5.3.1 Low (<100 psi / <7 bar)
 - 5.3.2 Medium (100-1000 psi)
 - 5.3.3 High (1 000-10 000 psi)
 - 5.3.4 Ultra-High (>10 000 psi)
- 5.4 By Output / Communication
 - 5.4.1 Analog (4-20 mA, 0-10 V)
 - 5.4.2 Digital (HART, Fieldbus, Profibus, Modbus)
 - 5.4.3 Wireless (WirelessHART, ISA100)
 - 5.4.4 IO-Link
- 5.5 By End-User Industry
 - 5.5.1 Oil and Gas
 - 5.5.2 Chemical and Petrochemical

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 5.5.3 Power Generation and Utilities
- 5.5.4 Water and Wastewater
- 5.5.5 Food and Beverage
- 5.5.6 Pharmaceuticals and Biotechnology
- 5.5.7 Medical Devices and Healthcare
- 5.5.8 Aerospace and Defense
- 5.5.9 Semiconductor and Electronics
- 5.5.10 Mining, Metals and Marine
- 5.6 By Geography
 - 5.6.1 North America
 - 5.6.1.1 United States
 - 5.6.1.2 Canada
 - 5.6.1.3 Mexico
 - 5.6.2 Europe
 - 5.6.2.1 Germany
 - 5.6.2.2 United Kingdom
 - 5.6.2.3 France
 - 5.6.2.4 Italy
 - 5.6.2.5 Spain
 - 5.6.2.6 Nordic Countries (Sweden, Norway, Denmark)
 - 5.6.3 Asia-Pacific
 - 5.6.3.1 China
 - 5.6.3.2 Japan
 - 5.6.3.3 India
 - 5.6.3.4 South Korea
 - 5.6.3.5 Taiwan
 - 5.6.3.6 Southeast Asia (Indonesia, Malaysia, Thailand, Vietnam)
 - 5.6.3.7 Australia
 - 5.6.3.8 New Zealand
 - 5.6.4 South America
 - 5.6.4.1 Brazil
 - 5.6.4.2 Argentina
 - 5.6.4.3 Chile
 - 5.6.5 Middle East
 - 5.6.5.1 Saudi Arabia
 - 5.6.5.2 United Arab Emirates
 - 5.6.5.3 Qatar
 - 5.6.5.4 Turkey
 - 5.6.6 Africa
 - 5.6.6.1 South Africa
 - 5.6.6.2 Nigeria
 - 5.6.6.3 Egypt

6 COMPETITIVE LANDSCAPE

- 6.1 Market Concentration
- 6.2 Strategic Moves (MandA, JV, Partnerships)
- 6.3 Market Share Analysis

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

6.4 Company Profiles {(includes Global level Overview, Market level overview, Core Segments, Financials as available, Strategic Information, Market Rank/Share, Products and Services, Recent Developments)}

6.4.1 Emerson Electric Co.

6.4.2 ABB Ltd

6.4.3 Yokogawa Electric Corporation

6.4.4 Honeywell International Inc.

6.4.5 Siemens AG

6.4.6 Endress+Hauser AG

6.4.7 Schneider Electric SE

6.4.8 Danfoss A/S

6.4.9 TE Connectivity Ltd.

6.4.10 Sensata Technologies Inc.

6.4.11 WIKA Alexander Wiegand SE and Co. KG

6.4.12 Dwyer Instruments LLC

6.4.13 Spectris plc (Omega, HBM)

6.4.14 Ashcroft Inc.

6.4.15 Keller AG fur Druckmesstechnik

6.4.16 Brooks Instrument LLC

6.4.17 Gems Sensors and Controls (Fortive)

6.4.18 Viatran (IDEX Corp.)

6.4.19 OleumTech Corporation

6.4.20 AMETEK Inc. (Crystal)

6.4.21 NXP Semiconductors N.V.

6.4.22 Mensor (WIKA Group)

6.4.23 Zemic Group

6.4.24 Micro Sensor Co., Ltd.

6.4.25 Huba Control AG

7 MARKET OPPORTUNITIES AND FUTURE OUTLOOK

7.1 White-space and Unmet-Need Assessment

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Pressure Transmitter And Transducer - Market Share Analysis, Industry Trends & Statistics, Growth Forecasts (2025 - 2030)

Market Report | 2025-06-01 | 121 pages | Mordor Intelligence

To place an Order with Scotts International:

- Print this form
- Complete the relevant blank fields and sign
- Send as a scanned email to support@scotts-international.com

ORDER FORM:

Select license	License	Price
	Single User License	\$4750.00
	Team License (1-7 Users)	\$5250.00
	Site License	\$6500.00
	Corporate License	\$8750.00
		VAT
		Total

*Please circle the relevant license option. For any questions please contact support@scotts-international.com or 0048 603 394 346.

** VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Email*	<input type="text"/>	Phone*	<input type="text"/>
First Name*	<input type="text"/>	Last Name*	<input type="text"/>
Job title*	<input type="text"/>		
Company Name*	<input type="text"/>	EU Vat / Tax ID / NIP number*	<input type="text"/>
Address*	<input type="text"/>	City*	<input type="text"/>
Zip Code*	<input type="text"/>	Country*	<input type="text"/>
		Date	<input type="text" value="2026-03-03"/>
		Signature	

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

