

## **Reed Sensor - Market Share Analysis, Industry Trends & Statistics, Growth Forecasts (2025 - 2030)**

Market Report | 2025-06-01 | 120 pages | Mordor Intelligence

### **AVAILABLE LICENSES:**

- Single User License \$4750.00
- Team License (1-7 Users) \$5250.00
- Site License \$6500.00
- Corporate License \$8750.00

### **Report description:**

Reed Sensor Market Analysis

The Reed Sensor Market size is estimated at USD 2.01 billion in 2025, and is expected to reach USD 2.85 billion by 2030, at a CAGR of 7.20% during the forecast period (2025-2030). Rising demand for intrinsically safe, hermetically sealed switching in electric-vehicle battery packs, hydrogen fuel-cell stacks, and outdoor smart-meter enclosures underpins this expansion. The reed sensor market continues to defend its niche against solid-state Hall and TMR alternatives by offering spark-free operation, zero-standby-power consumption, and proven 20-year field reliability in harsh conditions. Asia-Pacific remains the production engine, but Europe's regulatory push for renewable energy and functional safety drives the fastest regional growth. Competitive intensity is moderate: global leaders leverage scale, vertically integrated glass processing, and material innovations such as nanostructured contacts to stretch product life and lower cost.

Global Reed Sensor Market Trends and Insights

Surge in Low-Power Smart-Grid Metering

Utilities replacing legacy meters with 20-year maintenance-free smart devices increasingly specify reed switches for pulse counting because magnetic actuation draws zero standby power. Hermetic sealing prevents condensation in outdoor enclosures, extending service life across -40 C to +85 C. Large-scale rollouts by firms such as Gridspertise-now surpassing 108 million units-confirm the scalability of reed-based designs. Poland's Tauron Dystrybucja already manages 5.6 million customers via

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

automated reading that depends on magnetic pulse integrity. Continued grid digitalization until 2030 sustains demand for robust, battery-independent switching.

#### EV Battery-Management Adoption

Battery packs in electric and hydrogen vehicles require spark-free, reliable position and leakage sensing. Continental's e-Motor Rotor Temperature Sensor trims temperature error to 3 C, improving magnet optimization for efficiency. Honeywell's electrolyte-leak sensor offers a 20-minute warning window for thermal-runaway events, using hermetically sealed contacts to avoid ignition sources. Marquardt applies reed elements in hydrogen cell voltage monitors to catch H<sub>2</sub> leaks before catastrophic failure. Accelerating EV adoption, therefore, adds a 2.1 percentage-point lift to the reed sensor market CAGR.

#### Solid-State Sensor Substitution

Hall and TMR ICs now ship with in-package diagnostics and ASIL-D compliance, raising competitive pressure in automotive steering and pedal modules. Inductive linear sensors achieve 90.85% accuracy over 12 mm, eclipsing typical reed tolerances. These solid-state gains shave 1.4 percentage points from the reed sensor market CAGR, though price-sensitive alarms and liquid-level gauges still choose reed parts.

Other drivers and restraints analyzed in the detailed report include:

Industrial-4.0 Retrofits and Automation / Smart-Home and IoT Device Proliferation / Reliability Issues in High-Vibration Zones /

For complete list of drivers and restraints, kindly check the Table Of Contents.

#### Segment Analysis

Surface-mount devices delivered 38.7% of the reed sensor market share in 2024, reflecting automated pick-and-place economics on high-volume consumer boards. Threaded-barrel sensors for pneumatic cylinders shape the strongest 8.3% CAGR, aligned with the industrial automation wave that lifts overall reed sensor market growth. The reed sensor industry also retains through-hole models for legacy appliances, while flange packages secure aerospace demand for hermeticity. Firecracker formats suit laptop lid detection, where profile height is paramount. Over the forecast period, SMD adoption lowers assembly labor, widens design wins in wearables, and sustains at-scale pricing advantages for leading suppliers.

Demand for threaded-barrel products pairs with a proliferation of cylinder-count feedback points in brownfield factories, creating sustained pull. Cylindrical housings safeguard contacts from oil and metal shavings, keeping warranty claims low. The reed sensor market size for these rugged units is forecast to expand at an 8.3 % CAGR to 2030, translating into USD 0.63 billion of incremental revenue. Line builders prefer threaded inserts because they retrofit without bracket changes, illustrating how mechanical compatibility protects the reed sensor market from quick substitutability.

Form A switches commanded 41.3% of the reed sensor market in 2024 because normally-open circuits provide fail-safe logic in security and liquid-level alarms. Latching Form E designs, however, log the highest 8.6% CAGR as battery-run IoT tags seek near-zero quiescent current. Advancements in nanostructured contacts quadruple life cycles, bolstering uptake in smart meters and asset trackers.

Form B normally-closed types cater to HVAC fan guards, while Form C changeover contacts find traction in PLC-controlled process valves. The reed sensor market size for bistable Form E models is set to reach USD 0.42 billion by 2030, capitalizing on the migration of legacy reed relays to duty-cycled wireless nodes. As these devices remember state without power, maintenance

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

teams cut service frequency, adding quantifiable OPEX savings that reinforce the adoption curve across the reed sensor industry.

Reed Sensor Market is Segmented by Mounting Type (Surface Mount, PCB Through-Hole, and More), Contact Position (Form A (SPST-NO), Form B (SPST-NC), and More), Switching Capability (Low-Voltage/Signal (<30 V), Medium-Voltage (30-200 V), and More), Application (Automotive, Consumer Electronics and Home Appliances, and More), and Geography. The Market Forecasts are Provided in Terms of Value (USD).

### Geography Analysis

Asia-Pacific generated 40.4% of the reed sensor market revenue in 2024, powered by China's CNY 285 billion sensor economy and its dense glass-tube manufacturing base. National incentives for local content in electric vehicles and smart factories steer OEMs toward domestic reed suppliers, yet imported specialty glass still underpins high-voltage grades. Japan's precision process control and South Korea's smartphone assembly ensure steady high-volume consumption, while India's passenger-car build-out triggers new door-ajar fitments that raise overall demand.

Europe is the fastest-growing region at an 8.6% CAGR through 2030 as Euro 7 rules tighten functional safety and as offshore wind farms require hermetically sealed limit switches. SICK and Endress+Hauser's 730-staff joint venture exemplifies regional consolidation in process analytics that integrates reed contacts for reliable flow measurement. Nordic utilities swapping 100% of electromechanical meters for smart endpoints also lift volumes. German machine builders embed threaded-barrel sensors into pneumatic slides, reinforcing the region's pull on industrial-grade reed volume.

North America advances at a healthy mid-single-digit pace. Utilities specify 20-year outdoor smart meters that often rely on reed pulse contacts; state decarbonization mandates accelerate rollouts. Littelfuse's USD 554 million Q1 2025 revenue underscores demand resilience, with data-center power distribution and EV service equipment fueling sensor uptake. Aerospace requirements for Mil-Spec glass and contacts keep US niche suppliers profitable. Mexico's light-truck plants add door and seat-belt switches, while Canadian renewables projects expand high-voltage application opportunities.

### List of Companies Covered in this Report:

Littelfuse Inc. / Standex Electronics Inc. / PIC GmbH / Aleph Holdings Co. Ltd. / STG Germany GmbH / Coto Technology Inc. / Reed Switch Developments Corp. / ZF Friedrichshafen AG / Reed Relays & Electronics India Ltd. / WIKA Instruments India Pvt Ltd. / HSI Sensing / Magnasphere Corp. / Hamlin Electronics (Littelfuse) / Sensata Technologies / Comus International / MEDER electronic / Schneider Electric (SE) / SMC Corporation / NTE Electronics Inc. / TE Connectivity / OKI Sensor Device Corp. / Changjiang Electronics Tech / Zhejiang Xurui Electronic Co. / Shanghai Kaiyuan Microelectronics / HOKUYO Automatic Co. Ltd. /

### Additional Benefits:

The market estimate (ME) sheet in Excel format /  
3 months of analyst support /

### Table of Contents:

#### 1 INTRODUCTION

1.1 Study Assumptions and Market Definition

1.2 Scope of the Study

#### 2 RESEARCH METHODOLOGY

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

### 3 EXECUTIVE SUMMARY

#### 4 MARKET LANDSCAPE

##### 4.1 Market Overview

##### 4.2 Market Drivers

###### 4.2.1 Surge in low-power smart-grid metering

###### 4.2.2 EV battery-management adoption

###### 4.2.3 Industrial-4.0 retrofits and automation

###### 4.2.4 Smart-home and IoT device proliferation

###### 4.2.5 Hydrogen fuel-cell safety systems

###### 4.2.6 Disposable medical-device mini-sensors

##### 4.3 Market Restraints

###### 4.3.1 Solid-state (Hall/TMR) sensor substitution

###### 4.3.2 Reliability issues in high-vibration zones

###### 4.3.3 Glass-tube supply-chain constraints

###### 4.3.4 EMI issues in dense EV powertrains

##### 4.4 Industry Value Chain Analysis

##### 4.5 Regulatory Landscape

##### 4.6 Technological Outlook

##### 4.7 Industry Attractiveness - Porter's Five Forces Analysis

###### 4.7.1 Threat of New Entrants

###### 4.7.2 Bargaining Power of Buyers

###### 4.7.3 Bargaining Power of Suppliers

###### 4.7.4 Threat of Substitutes

###### 4.7.5 Intensity of Competitive Rivalry

##### 4.8 Impact of Macroeconomic Factors on the Market

#### 5 MARKET SIZE AND GROWTH FORECASTS (VALUES)

##### 5.1 By Mounting Type

###### 5.1.1 Surface Mount (SMD)

###### 5.1.2 PCB Through-Hole

###### 5.1.3 Threaded Barrel

###### 5.1.4 Flange/Flat Pack

###### 5.1.5 Cylindrical/Firecracker

###### 5.1.6 Lever Arm

###### 5.1.7 Float/Level

###### 5.1.8 Others

##### 5.2 By Contact Position

###### 5.2.1 Form A (SPST-NO)

###### 5.2.2 Form B (SPST-NC)

###### 5.2.3 Form C (SPDT)

###### 5.2.4 Form E (Latching)

###### 5.2.5 Others

##### 5.3 By Switching Capability

###### 5.3.1 Low-Voltage/Signal (<30 V)

###### 5.3.2 Medium-Voltage (30-200 V)

###### 5.3.3 High-Voltage (>200 V)

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 5.3.4 High-Current (>1 A)
- 5.3.5 High-Temp-Resistant
- 5.3.6 Others
- 5.4 By Application
  - 5.4.1 Automotive
  - 5.4.2 Consumer Electronics and Home Appliances
  - 5.4.3 Industrial Automation and Robotics
  - 5.4.4 Safety and Security Systems
  - 5.4.5 Healthcare and Medical Devices
  - 5.4.6 Telecommunications and IT
  - 5.4.7 Other Applications
- 5.5 By Geography
  - 5.5.1 North America
    - 5.5.1.1 United States
    - 5.5.1.2 Canada
    - 5.5.1.3 Mexico
  - 5.5.2 South America
    - 5.5.2.1 Brazil
    - 5.5.2.2 Argentina
    - 5.5.2.3 Chile
    - 5.5.2.4 Rest of South America
  - 5.5.3 Europe
    - 5.5.3.1 Germany
    - 5.5.3.2 United Kingdom
    - 5.5.3.3 France
    - 5.5.3.4 Italy
    - 5.5.3.5 Spain
    - 5.5.3.6 Russia
    - 5.5.3.7 Rest of Europe
  - 5.5.4 Asia-Pacific
    - 5.5.4.1 China
    - 5.5.4.2 India
    - 5.5.4.3 Japan
    - 5.5.4.4 South Korea
    - 5.5.4.5 Taiwan
    - 5.5.4.6 Malaysia
    - 5.5.4.7 Australia
    - 5.5.4.8 Rest of Asia-Pacific
  - 5.5.5 Middle East and Africa
    - 5.5.5.1 Middle East
      - 5.5.5.1.1 United Arab Emirates
      - 5.5.5.1.2 Saudi Arabia
      - 5.5.5.1.3 Turkey
      - 5.5.5.1.4 Rest of Middle East
    - 5.5.5.2 Africa
      - 5.5.5.2.1 South Africa
      - 5.5.5.2.2 Nigeria

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: [support@scotts-international.com](mailto:support@scotts-international.com)

[www.scotts-international.com](http://www.scotts-international.com)

### 5.5.5.2.3 Rest of Africa

## 6 COMPETITIVE LANDSCAPE

### 6.1 Market Concentration

### 6.2 Strategic Moves

### 6.3 Market Share Analysis

### 6.4 Company Profiles (includes Global level Overview, Market level overview, Core Segments, Financials as available, Strategic Information, Market Rank/Share for key companies, Products and Services, and Recent Developments)

#### 6.4.1 Littelfuse Inc.

#### 6.4.2 Standex Electronics Inc.

#### 6.4.3 PIC GmbH

#### 6.4.4 Aleph Holdings Co. Ltd.

#### 6.4.5 STG Germany GmbH

#### 6.4.6 Coto Technology Inc.

#### 6.4.7 Reed Switch Developments Corp.

#### 6.4.8 ZF Friedrichshafen AG

#### 6.4.9 Reed Relays & Electronics India Ltd.

#### 6.4.10 WIKA Instruments India Pvt Ltd.

#### 6.4.11 HSI Sensing

#### 6.4.12 Magnasphere Corp.

#### 6.4.13 Hamlin Electronics (Littelfuse)

#### 6.4.14 Sensata Technologies

#### 6.4.15 Comus International

#### 6.4.16 MEDER electronic

#### 6.4.17 Schneider Electric (SE)

#### 6.4.18 SMC Corporation

#### 6.4.19 NTE Electronics Inc.

#### 6.4.20 TE Connectivity

#### 6.4.21 OKI Sensor Device Corp.

#### 6.4.22 Changjiang Electronics Tech

#### 6.4.23 Zhejiang Xurui Electronic Co.

#### 6.4.24 Shanghai Kaiyuan Microelectronics

#### 6.4.25 HOKUYO Automatic Co. Ltd.

## 7 MARKET OPPORTUNITIES AND FUTURE TRENDS

### 7.1 White-Space and Unmet-Need Assessment

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

**Reed Sensor - Market Share Analysis, Industry Trends & Statistics, Growth Forecasts  
(2025 - 2030)**

Market Report | 2025-06-01 | 120 pages | Mordor Intelligence

To place an Order with Scotts International:

- Print this form
- Complete the relevant blank fields and sign
- Send as a scanned email to support@scotts-international.com

**ORDER FORM:**

Select license	License	Price
	Single User License	\$4750.00
	Team License (1-7 Users)	\$5250.00
	Site License	\$6500.00
	Corporate License	\$8750.00
		VAT
		Total

\*Please circle the relevant license option. For any questions please contact support@scotts-international.com or 0048 603 394 346.

\*\* VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Email*	<input type="text"/>	Phone*	<input type="text"/>
First Name*	<input type="text"/>	Last Name*	<input type="text"/>
Job title*	<input type="text"/>		
Company Name*	<input type="text"/>	EU Vat / Tax ID / NIP number*	<input type="text"/>
Address*	<input type="text"/>	City*	<input type="text"/>
Zip Code*	<input type="text"/>	Country*	<input type="text"/>
		Date	<input type="text" value="2026-03-03"/>
		Signature	

**Scotts International. EU Vat number: PL 6772247784**

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

