

Japan Rebar Steel Market Segmented by Type (Deformed, Mild), By End Use (Residential, Commercial, Industrial, Public), By Process (Basic Oxygen Steelmaking, Electric Arc Furnace), By Finishing Type (Carbon Steel Rebar, Epoxy-Coated Rebar, Others), By Region, Competition, Forecast and Opportunities, 2028

Market Report | 2023-11-07 | 77 pages | TechSci Research

AVAILABLE LICENSES:

- Single User License \$3500.00
- Multi-User License \$4500.00
- Custom Research License \$7500.00

Report description:

The Japan Rebar Steel Market, valued at USD 7,359 million in 2022, is poised for robust growth in the forecast period with a projected Compound Annual Growth Rate (CAGR) of 6.4% through 2028. This growth is underpinned by the dynamic landscape of construction and infrastructure development in Japan, driven by urbanization, substantial government investments in large-scale projects, economic expansion, and a burgeoning demand for both residential and commercial spaces. Rebar steel plays a pivotal role as an indispensable component in reinforced concrete structures and contributes significantly to sustainable construction practices, further elevating its demand and establishing it as a cornerstone of Japan's construction industry. It's worth noting that, as of 2022, the global urbanization rate stood at 57 percent.

Key Market Drivers

Construction and Infrastructure Development Fuel the Japan Rebar Steel Market

The Japan rebar steel market is intricately linked to the dynamic nature of the nation's infrastructure and construction sector. Japan, as an innovative and progressive economy, consistently witnesses ambitious construction projects that redefine its urban landscape and enhance its economic vitality. The continuous expansion of cities, the modernization of transportation networks, and the pursuit of resilient architectural designs all converge to create an insatiable demand for rebar steel. Infrastructure development is at the core of Japan's growth trajectory. The nation's commitment to building and upgrading its roads, bridges, railways, and public facilities generates an unwavering need for rebar steel, which is a fundamental component of reinforced concrete structures. As Japan endeavors to enhance its connectivity and mobility, the demand for rebar steel intensifies, motivating manufacturers to meet these requirements with precision and innovation. Furthermore, the ever-growing urban population fuels the construction of residential and commercial spaces. The towering

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

skyscrapers that grace Japan's skyline, the sprawling housing complexes accommodating its citizens, and bustling shopping centers all rely on rebar steel for their robust foundations and structural integrity. Urbanization, coupled with an emphasis on architectural aesthetics and environmental sustainability, propels the rebar steel market to evolve in terms of quality, design, and durability.

Significantly, Japan's vulnerability to natural disasters gives rebar steel a unique significance. The nation's quest for disaster resilience and preparedness involves retrofitting existing structures and erecting new ones with enhanced structural fortitude. The flexibility and strength offered by rebar steel make it an indispensable material in mitigating the impact of seismic events and ensuring the safety of its inhabitants.

From a broader perspective, government investments and initiatives further drive the demand for rebar steel. Policies aimed at fostering economic growth through large-scale infrastructure projects amplify the market's momentum. Therefore, Japan's rebar steel market thrives at the intersection of visionary construction endeavors, demographic shifts, disaster resilience imperatives, and governmental support, all contributing to the sector's continuous growth and innovation.

Disaster Recovery and Resilience as Key Drivers for the Japan Rebar Steel Market

The resilience of Japan's built environment against natural disasters has emerged as a paramount concern, positioning disaster recovery and resilience as influential drivers propelling the Japan rebar steel market forward. As a nation located within the Pacific Ring of Fire, Japan grapples with the imminent threat of earthquakes, tsunamis, and typhoons. In the aftermath of such catastrophic events, the imperative to reconstruct and fortify structures for enhanced resilience catalyzes an intensified demand for rebar steel.

The pivotal role of rebar steel in disaster recovery stems from its ability to reinforce concrete structures, imbuing them with the strength and flexibility required to withstand the tremors and forces that nature can unleash. Whether it involves retrofitting existing buildings or constructing new ones with disaster-resilient features, rebar steel is the foundation upon which Japan's resilience narrative is built. This imperative extends not only to urban infrastructure but also to residential dwellings, as ensuring the safety and well-being of citizens remains a paramount objective.

Japan's experience with historical disasters has spurred innovation in construction practices, giving rise to seismic design codes that necessitate the integration of rebar steel into structures to minimize damage and casualties. This stringent regulatory framework ensures that rebar steel remains an indelible component of the national psyche, creating a consistent demand even during periods of relative calm.

Moreover, the awareness of the interconnectedness between disaster resilience and sustainable development has led to a growing emphasis on eco-friendly construction materials. Rebar steel, being durable and recyclable, aligns with this sustainable trajectory. Its resilience contributes to the longevity of structures, reducing the need for frequent reconstruction and resource consumption in the wake of disasters.

As Japan continues to confront its geological reality, the demand for rebar steel is propelled by a deeply ingrained ethos of resilience. The market's trajectory remains intrinsically linked to the nation's pursuit of safety, preservation, and the creation of spaces that can withstand the forces of nature. In essence, disaster recovery and resilience converge to not only shape the infrastructure landscape but also to invigorate the rebar steel market with purpose and urgency.

Key Market Challenges

Aging Infrastructure

The challenge of aging infrastructure poses a considerable hindrance to the growth of the Japan rebar steel market. Japan's built environment, constructed decades ago, now grapples with deterioration, inefficiencies, and safety concerns. The demand for rebar steel, a crucial component of structural reinforcement, surges as the need for renovation, repair, and replacement of aging bridges, roads, and buildings intensifies. Aging infrastructure not only demands substantial financial investments but also extensive expertise in retrofitting and modernization. Rebar steel plays a pivotal role in these endeavors by providing the strength and durability necessary to extend the life of structures and enhance their resilience against both natural and man-made challenges.

However, the process of upgrading infrastructure faces hurdles such as budget constraints, logistical complexities, and disruptions to everyday life. The gradual transformation of aging structures necessitates meticulous planning and execution, often leading to protracted timelines and higher costs. These challenges can deter public and private investments, impacting the demand for rebar

steel. In navigating this obstacle, stakeholders must collaborate to devise innovative solutions that prioritize safety, longevity, and sustainability. By embracing advanced construction methodologies and materials, including rebar steel, Japan can overcome the hindrance of aging infrastructure and forge a path toward a modern and resilient built environment.

Environmental Concerns

Environmental concerns have emerged as a significant impediment to the growth of the Japan rebar steel market. As the world intensifies its focus on sustainable development and reducing carbon emissions, the steel industry's environmental impact has come under heightened scrutiny. Rebar steel production is energy-intensive and contributes to greenhouse gas emissions, making it a target for regulatory measures and consumer preferences geared towards eco-friendly alternatives. Japan, a nation that prides itself on technological innovation and environmental stewardship, faces a dual challenge. While the demand for rebar steel remains driven by the need for robust infrastructure and disaster resilience, the industry's environmental footprint is becoming increasingly difficult to overlook. Stricter regulations on emissions and sustainability requirements can lead to higher production costs, thereby affecting the competitiveness of rebar steel in the market.

Moreover, the escalating awareness of climate change among stakeholders, including investors, consumers, and governments, has led to a growing demand for construction materials with lower carbon footprints. This shift in preference could divert attention and investment toward alternative materials that align better with the sustainability agenda. The advent of innovative construction technologies and materials, such as fiber-reinforced composites and greener concrete formulations, further compounds the challenge. These alternatives promise not only improved performance but also reduced environmental impact. As construction practices evolve, the rebar steel market must confront the prospect of losing market share to materials that tout both resilience and environmental responsibility.

In response, stakeholders within the Japan rebar steel industry are compelled to adapt swiftly. Investing in cleaner production processes, incorporating recycled content, and collaborating on research to develop more sustainable variants of rebar steel could mitigate these environmental concerns. However, the industry's ability to navigate this dilemma will significantly influence its trajectory in an era defined by environmental consciousness and the imperative to build a greener, more sustainable future.

Key Market Trends

Sustainability and Green Construction

The Japan rebar steel market is experiencing a significant transformation driven by the imperative of sustainability and green construction practices. As the world's environmental consciousness deepens, the construction industry, including rebar steel production, is under pressure to align with eco-friendly principles. This trend is compelling stakeholders to reimagine the entire lifecycle of construction materials, from production to end-use. Sustainability-focused initiatives are reshaping the rebar steel market landscape in Japan. There's a growing demand for rebar steel products that have lower carbon footprints, reduced energy consumption during manufacturing, and increased use of recycled content. As green building certifications become more prevalent, architects, engineers, and developers are seeking construction materials that contribute to a project's environmental performance.

The emphasis on sustainability is driving innovation in rebar steel production processes. Manufacturers are exploring cleaner technologies and exploring ways to decrease emissions associated with steel production. Additionally, the concept of circular economy is gaining prominence, encouraging the recycling and repurposing of materials, including rebar steel, to minimize waste and resource depletion. Government incentives and regulations that promote sustainable construction practices further bolster this trend. As Japan continues to commit to environmental stewardship, the rebar steel market is evolving into a more environmentally responsible and forward-thinking sector, accommodating the demands of a greener future while still meeting the structural integrity requirements of the built environment.

Innovative Construction Technologies

The trajectory of the Japan rebar steel market is being significantly influenced by the integration of innovative construction technologies. Embracing technologies like Building Information Modeling (BIM), prefabrication, and automation, the industry is witnessing enhanced efficiency, accuracy, and versatility in rebar steel utilization. These technologies enable precise customization, rapid construction, and streamlined processes, all of which align with the evolving demands of modern construction projects. By digitally optimizing rebar steel placement and automating cutting and bending processes, projects become more time-effective and resource-efficient. This trend not only expedites construction timelines but also ensures the

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

optimal use of rebar steel, driving both cost savings and structural integrity. As Japan continues to innovate within the construction realm, the symbiotic relationship between innovative technologies and the rebar steel market is poised to play a pivotal role in shaping the country's urban landscape.

Segmental Insights

Type Insights

The Deformed segment is the dominant the Japan Rebar Steel Market in 2022 and is projected to maintain this position throughout the forecast period. Deformed steel rebar ranks as the highest global steel rebar due to its higher flexibility and malleability compared to mild steel rebar and its deformed surface, which makes it easier for materials to link together and reduces slippage in concrete globe over the projected term.

Finishing Type Insights

The epoxy-coated rebar segment has established its dominance in the Japan Rebar Steel Market in 2022. They are the most often used finishing type of rebar steel because they operate as a barrier system to prevent moisture and chlorides from eroding the surface of the reinforcing bar, which is a significant role in the market expansion for rebar steel.

End-User Type Insights

Commercial sector has emerged as the dominant segment in the Japan Rebar Steel Market. The key driver for increase in demand for steel rebar steel includes rise in development of industrial infrastructure. The steel rebar steel is used in industrial areas for as a raw material and are used to improve the tensile strength of the concrete.

Regional Insights

The Kanto region has established itself as the leader in the Japan Rebar Steel Market with a significant revenue share in 2022. This is since the Kanto region is the most populous region in Japan and is home to the Tokyo metropolitan area. The Kanto region is a major center for construction and infrastructure development, which drives the demand for rebar steel.

Key Market Players

- o Nippon Steel Corporation
- o JFE Steel
- o ArcelorMittal Nippon Steel
- o Nippon Steel
- o Kobe Steel
- o Sumitomo Metal Industries
- o Tohoku Steel
- o JFE Steel

Report Scope:

In this report, the Japan Rebar Steel Market has been segmented into the following categories, in addition to the industry trends which have also been detailed below:

Japan Rebar Steel Market, By Type:

- o Deformed
- o Mild

Japan Rebar Steel Market, By End Use:

- o Residential
- o Commercial
- o Industrial
- o Public

Japan Rebar Steel Market, By Process:

- o Basic Oxygen Steelmaking
- o Electric Arc Furnace

Japan Rebar Steel Market, By Finishing Type:

- o Carbon Steel Rebar
- o Epoxy-Coated Rebar

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

o Others

o Japan Rebar Steel Market, By Region:

o Hokkaido & Tohoku

o Kanto

o Chubu

o Kansai

o Chugoku

o Shikoku

o Kyushu

Competitive Landscape

Company Profiles: Detailed analysis of the major companies present in the Japan Rebar Steel Market.

Available Customizations:

Japan Rebar Steel Market report with the given market data, Tech Sci Research offers customizations according to a company's specific needs. The following customization options are available for the report:

Company Information

o Detailed analysis and profiling of additional market players (up to five).

Table of Contents:

1. Product Overview

1.1. Market Definition

1.2. Scope of the Market

1.2.1. Markets Covered

1.2.2. Years Considered for Study

1.2.3. Key Market Segmentations

2. Research Methodology

2.1. Objective of the Study

2.2. Baseline Methodology

2.3. Key Industry Partners

2.4. Major Association and Secondary Sources

2.5. Forecasting Methodology

2.6. Data Triangulation & Validation

2.7. Assumptions and Limitations

3. Executive Summary

4. Voice of Customer

5. Japan Rebar Steel Market Outlook

5.1. Market Size & Forecast

5.1.1. By Value

5.2. Market Share & Forecast

5.2.1. By Type (Deformed, Mild)

5.2.2. By End Use (Residential, Commercial, Industrial, Public)

5.2.3. By Process (Basic Oxygen Steelmaking, Electric Arc Furnace)

5.2.4. By Finishing Type (Carbon Steel Rebar, Epoxy-Coated Rebar, Others)

5.2.5. By Region

5.3. By Company (2022)

5.4. Market Map

6. Hokkaido & Tohoku Rebar Steel Market Outlook

6.1. Market Size & Forecast

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 6.1.1. By Value
- 6.2. Market Share & Forecast
 - 6.2.1. By Type
 - 6.2.2. By End Use
 - 6.2.3. By Process
 - 6.2.4. By Finishing Type
- 7. Kanto Rebar Steel Market Outlook
 - 7.1. Market Size & Forecast
 - 7.1.1. By Value
 - 7.2. Market Share & Forecast
 - 7.2.1. By Type
 - 7.2.2. By End Use
 - 7.2.3. By Process
 - 7.2.4. By Finishing Type
- 8. Chubu Rebar Steel Market Outlook
 - 8.1. Market Size & Forecast
 - 8.1.1. By Value
 - 8.2. Market Share & Forecast
 - 8.2.1. By Type
 - 8.2.2. By End Use
 - 8.2.3. By Process
 - 8.2.4. By Finishing Type
- 9. Kansai Rebar Steel Market Outlook
 - 9.1. Market Size & Forecast
 - 9.1.1. By Value
 - 9.2. Market Share & Forecast
 - 9.2.1. By Type
 - 9.2.2. By End Use
 - 9.2.3. By Process
 - 9.2.4. By Finishing Type
- 10. Chugoku Rebar Steel Market Outlook
 - 10.1. Market Size & Forecast
 - 10.1.1. By Value
 - 10.2. Market Share & Forecast
 - 10.2.1. By Type
 - 10.2.2. By End Use
 - 10.2.3. By Process
 - 10.2.4. By Finishing Type
- 11. Shikoku Rebar Steel Market Outlook
 - 11.1. Market Size & Forecast
 - 11.1.1. By Value
 - 11.2. Market Share & Forecast
 - 11.2.1. By Type
 - 11.2.2. By End Use
 - 11.2.3. By Process
 - 11.2.4. By Finishing Type
- 12. Kyushu Rebar Steel Market Outlook

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 12.1.□Market Size & Forecast
 - 12.1.1.□By Value
- 12.2.□Market Share & Forecast
 - 12.2.1.□By Type
 - 12.2.2.□By End Use
 - 12.2.3.□By Process
 - 12.2.4.□By Finishing Type
- 13.□Market Dynamics
 - 13.1.□Drivers
 - 13.2.□Challenges
- 14.□Market Trends and Developments
- 15.□Japan Economic Profile
- 16.□Company Profiles
 - 16.1.□Nippon Steel Corporation
 - 16.1.1.□Business Overview
 - 16.1.2.□Key Revenue and Financials
 - 16.1.3.□Recent Developments
 - 16.1.4.□Key Personnel
 - 16.1.5.□Key Product/Services
 - 16.2.□JW Steel
 - 16.2.1.□Business Overview
 - 16.2.2.□Key Revenue and Financials
 - 16.2.3.□Recent Developments
 - 16.2.4.□Key Personnel
 - 16.2.5.□Key Product/Services
 - 16.3.□NSSMC
 - 16.3.1.□Business Overview
 - 16.3.2.□Key Revenue and Financials
 - 16.3.3.□Recent Developments
 - 16.3.4.□Key Personnel
 - 16.3.5.□Key Product/Services
 - 16.4.□ ArcelorMittal Nippon Steel
 - 16.4.1.□Business Overview
 - 16.4.2.□Key Revenue and Financials
 - 16.4.3.□Recent Developments
 - 16.4.4.□Key Personnel
 - 16.4.5.□Key Product/Services
 - 16.5.□Kobe Steel
 - 16.5.1.□Business Overview
 - 16.5.2.□Key Revenue and Financials
 - 16.5.3.□Recent Developments
 - 16.5.4.□Key Personnel
 - 16.5.5.□Key Product/Services
 - 16.6.□Sumitomo Metal Industries
 - 16.6.1.□Business Overview
 - 16.6.2.□Key Revenue and Financials
 - 16.6.3.□Recent Developments

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

- 16.6.4.□Key Personnel
- 16.6.5.□Key Product/Services
- 16.7.□ Tohoku Steel
- 16.7.1.□Business Overview
- 16.7.2.□Key Revenue and Financials
- 16.7.3.□Recent Developments
- 16.7.4.□Key Personnel
- 16.7.5.□Key Product/Services
- 16.8.□ JFE Steel
- 16.8.1.□Business Overview
- 16.8.2.□Key Revenue and Financials
- 16.8.3.□Recent Developments
- 16.8.4.□Key Personnel
- 16.8.5.□Key Product/Services
- 17.□Strategic Recommendations
- 18.□About Us & Disclaimer

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Japan Rebar Steel Market Segmented by Type (Deformed, Mild), By End Use (Residential, Commercial, Industrial, Public), By Process (Basic Oxygen Steelmaking, Electric Arc Furnace), By Finishing Type (Carbon Steel Rebar, Epoxy-Coated Rebar, Others), By Region, Competition, Forecast and Opportunities, 2028

Market Report | 2023-11-07 | 77 pages | TechSci Research

To place an Order with Scotts International:

- ☐ - Print this form
- ☐ - Complete the relevant blank fields and sign
- ☐ - Send as a scanned email to support@scotts-international.com

ORDER FORM:

Select license	License	Price
	Single User License	\$3500.00
	Multi-User License	\$4500.00
	Custom Research License	\$7500.00
		VAT
		Total

*Please circle the relevant license option. For any questions please contact support@scotts-international.com or 0048 603 394 346.

☐** VAT will be added at 23% for Polish based companies, individuals and EU based companies who are unable to provide a valid EU Vat Numbers.

Email*		Phone*	
First Name*		Last Name*	
Job title*			
Company Name*		EU Vat / Tax ID / NIP number*	
Address*		City*	
Zip Code*		Country*	

Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com

Date

2025-05-03

Signature



Scotts International. EU Vat number: PL 6772247784

tel. 0048 603 394 346 e-mail: support@scotts-international.com

www.scotts-international.com